

SINCE 1994

BEARINGS 2000



MOUNTED UNITS BEARING CATALOG

www.Bearing2000.com

New Website Launch

QJZ-Bearings.com

Live Now!

Experience a whole new shopping journey with us.

Seamless Shopping


Enjoy effortless browsing, straightforward purchasing, and hassle-free returns.


Exclusive Member Benefits

Join community to unlock special perks, expert advice, and insider updates.

Stay Inspired

Explore valuable insights with our expert content.







GEN 1 Wheel Hub Bearing



GEN 2 Wheel Hub Bearing




GEN 3 Wheel Hub Bearing




E-Coating Wheel Hub Bearing



Roller Bearings




Ball Bearings



Mounted Bearing



**Units Steering
Knuckle Bearing**



Roller Chain



Oil Seal



Rod End



Wheel Hub



Wheel Bearing Kit



Axle Trailer Parts

Introduction

Who are we?

For over three decades, Bearings 2000 has been your go-to destination for high-quality Car wash and industrial parts. Established in 1994, we have built a solid reputation for delivering top-notch products and exceptional service. We are thrilled to present our Car Wash catalog, showcasing our extensive range of bearings.

Why Choose Bearings 2000?

Extensive Product Range: Along with our car wash parts, Bearings 2000 carries over 6000 different SKUs, providing you with a comprehensive selection of Mounted Units, Rod Ends, Tapered Rollers, Ball Bearings, Roller Chains, and more. Whatever your specific requirements may be, we have the solution for you.

Quality Assurance: We are committed to delivering products of the highest quality. Our rigorous quality control standards ensure that every item we offer meets or exceeds industry standards, giving you peace of mind with every purchase.

30 Years of Experience: Our team of experts possess extensive knowledge and experience in the industry. Whether you have questions about product selection or require technical assistance, our friendly and knowledgeable staff is here to assist you.

Full Scale Capabilities: Located in the heart of Ontario, California, our large 70,000 square-foot facility is strategically positioned to serve customers across the region and beyond. We are your local source for world-class products with the ability to serve any-sized market.

We sincerely thank you for considering us as your trusted partner. Your satisfaction is our priority, and we look forward to serving you for many more years to come.

Feel free to browse through our catalog to discover the quality and value that sets Bearings 2000 apart. If you have any questions or require further assistance, please don't hesitate to contact our dedicated team. We are here to ensure your success.



Cast Iron Housing Units

UCP200 Pillow Blocks	9
UCPE200 Pillow Blocks	10
UCPX00 Pillow Blocks	11
UCPH200 Pillow Blocks	12
HCP200 Pillow Blocks	13
SAP200 Pillow Blocks	14
SBP200 Pillow Blocks	15
UCAK200 Pillow Blocks	16
HCAK200 Pillow Blocks	17
UCF200 Square Flange Units	18
UCFS200 Square Flange Units	19
UCFX00 Square Flange Units	20
SAF200 Square Flange Units	21
SBF200 Square Flange Units	22
HCFS200 Square Flange Units	23
UCFL200 2-Bolts Flange Units	24
UCFT200 2-Bolts Flange Units	25
SAFL200 2-Bolts Flange Units	26
SBFL200 2-Bolts Flange Units	27
HCFL200 2-Bolts Flange Units	28
UCFC200 4-Bolts Piloted Flange Units	29
UCFCX00 4-Bolt Piloted Flange Units	30
UCFB200 3-Bolts Flange Bracket Units	31
UCT200 Take up Units	32
HCT200 Take up Units	33
UCTRS200 Take Up Units	34
SALP200 & SBLP200 Pillow Blocks	35
SALF200 & SBLF200 2-Bolts Flange Units	36
UCPA200 Pillow Blocks	37
HCTB200 Pillow Blocks	38
SATB200 Pillow Blocks	39



SBTB200 Pillow Blocks	40
UCHA200 Hanger Units	41
SBFTD200 2-Bolts Flange Units	42
SATRD200 & SBTRD200 3-Bolts Flange Units	43

All Stainless Steel

SSUCP200 Pillow Blocks	44
SSHCP200 Pillow Blocks	45
SSUCF200 Square Flange Units	46
SSHCFS200 Square Flange Units	47
SSUCFL200 2-Bolts Flange Units	48
SSHCFL200 2-Bolts Flange Units	49
SSUCFC200 4-Bolts Piloted Flange Units	50
SSUCFB200 3-Bolts Flange Bracket Units	51
SSUCT200 Take-up Units	52
SSUCTRS200 Take Up Units	53
SSUCTB200 Pillow Blocks	54
SSUCHA200 Hanger Units	55
SSSBFTD200 2-Bolts Flange Units	56
SSSBTRD200 3-Bolts Flange Units	57

Nickel Plated Housing Units

CNUCP200 Nickel Plated Pillow Blocks	58
CNUCF200 Nickel Plated Square Flange Units	59
CNUCFL200 Nickel Plated 2-Bolt Flange Units	60
CNUCFC200 Nickel Plated 4-Bolt Piloted Flange Units	61
CNUCFB200 Nickel Plated 3-Bolt Flange Bracket Units	62
CNUCT200 Nickel Plated Take Up Units	63
CNUCTB200 Nickel Plated Pillow Blocks	64

Thermoplastic Housing Units

SPUCP200 Pillow Blocks	65
------------------------------	----

SPUCF200 Square Flange Units	66
SPUCFL200 2-Bolts Flange Units	67
SPUCFB200 3-Bolts Flange Bracket Units	68
SPUCTB200 Pillow Blocks	69
SPHCT200 Take Up Units	70
SPHCP200 Pillow Blocks	71
SPHCFS200 Square Flange Units	72
SPHCFL200 2-Bolts Flange Units	73

Pressed Steel Pillow Blocks

UCPP200 Pillow Blocks	74
SAPP200 & SBPP200 Pillow Blocks	75
PF200 Pressed Steel 3(4)-Bolt Flanges Housing	76
PFL200 & PFT200 Pressed Steel Flanges Housing	77

Inserts Bearing

UC200 Series	78
UCX00 Series	79
HC200 Series	80
SA200 & CSA200 Series	81
SB200 & CSB200 Series	82
SER200 Bearing Inserts	83




Stainless Steel Inserts Bearing

SUC200 Stainless Steel Bearing Inserts	84
SHC200 Stainless Steel Bearing Inserts	85
SSA200 Stainless Steel Bearing Inserts	86
SSB200 Stainless Steel Bearing Inserts	87

Radial Internal Clearance Of insert Bearing	88
Tolerance For insert Bearing	89
Tolerance For Pillow Block	90



Description	Bearing2000	Browning	Dodge	AMI/Asahi	FYH	Fafnir	Hub city	Link Belt	MB/Mc Gill	Peer	Sealmaster
Pillow Blocks	UCP205-16	VPS-216	P2B-SC-100	UCP205-16	UCP205-16	YASI	-	P3U216N	C25-1	UCP205-16	NP16
	HCP205-16	VPE-216	P2B-SXR-100	UGP205-16	NAP205-16	RASI	-	P3Y216N	-	HCP205-16	RP16E
	UCAK205-16	VPLS-216	P2B-SCB-100	UCLP205-16	SL(UCSL)205-16	YAKI	-	PL3-U216N	CL25-1	UCLP205-16	NPL16
	HCAK205-16	VPLE-216	P2B-SXRB-100	UGLP205-16	NAPK205-16	RAKI	-	PL3-Y216N	-	HCLP205-16	RPL16E
	SBP205-16G	VPS-116	-	BP205-16	VBP205-16	SASI	PB251-1	-	-	FHSP205-16G	VP16
	SBAK205-16G	VPLS-116	-	BLP205-16	VBSL205-16	SAKI	PB250-1	-	-	FHSLP205-16G	VPL16
	SAP205-16G	VPE-116	P2B-SXV-100	KHP205-16	VAP205-16	VASI	PB221-1	P3-W216U	-	FHP205-16G	VP16E
	SAAK205-16G	VPLE-116	P2B-SXVB-100	KHLP205-16	VASL205-16	VAKI	PB220-1	PL3-W216U	-	FHLP205-16G	VPL16E
	UCPX05-16	VPS-316	P2B-SCM-100	UCPX05-16	UCPX05-16	-	-	-	C35-1	UCPX05-16	MP16
	SALP205-16G	-	-	KHLLP205-16	ALP205-16	-	-	-	-	FHPWC205-16	-
	SBLP205-16G	-	-	BLLP5-16	BLP205-16	-	PB100/150-1	-	-	FHSPWC205-16	-
Tapped Base Pillow Blocks	UCTB205-16	VTBS-216	TB-SC-100	UCTB205-16	UCPAN205-16	YTBI	-	PT3-U216N	TBC-25-1	UCPA205-16	TB16
	HCTB205-16	VTBE-216	TB-SXR-100	UGTB205-16	NAPAN205-16	RTBI	-	PT3-Y216N	-	HCPA205-16	RPB16
	SATB205-16G	VTBE-116	TB-SXV-100	KHTB205-16	VAPAN205-16	VTBI	-	-	-	FHPA205-16G	-
	SBTB205-16G	VTBS-116	-	BTB205-16	VBPAN205-16	STBI	TB250-1	-	-	FHSPA205-16G	-
4-Bolt Square Flange Units	UCF205-16	VF4S-216	F4B-SC-100	UCF205-16	UCF205-16	YCJ1	-	F3-U216N	FC4-25-1	UCF205-16	SF-16
	HCF205-16	VF4E-216	F4B-SXR-100	UGSLF205-16	NANF205-16	RCJ1	-	F3-Y216N	-	HCF205-16	RF-16E
	SBF205-16	VF4S-116	-	BF205-16	VBF205-16	SCJ1	FB250-1	-	-	HCSF205-16G	VF-16
	SAF205-16G	VF4E-116	F4B-SXV-100	KHF205-16	VAF205-16	VCJ1	FB220-1	F3-W216U	-	FHF205-16G	VF-16E
	UCFX05-16	VF4S-316	F4B-SCM-100	UCFX05-16	UCFX05-16	-	-	-	FC4-35-1	UCFX05-16	MSF-16
3-Blot Flange Units	SATRD205-16G	VF3E-116	LF-SXV-100	KHTM205-16	-	GVFD1	-	F-WG216U	-	FHF3X205-16G	LF-16E
	SBTRD205-16G	VF3S-116	LF-SC-100	BTM205-16	-	GSFD1	FB150-1	-	-	FHSF3X205-16G	LF-16
2-Bolt Flange Units	UCFL205-16	VF2S-216	F2B-SC-100	UCFT205-16	UCFL205-16	YCJT1	-	FX3-U216N	FC2-25-1	UCFT205-16	SFT-16
	HCFT205-16	VF2E-216	F2B-SXR-100	UGFJT205-16	NANFL205-16	RCJT1	-	FX3-Y216N	-	HCFTS205-16	RFT-16E
	SAFL205-16G	VF2E-116	F2B-SXV-100	KHFT205-16	VAFL205-16	VCJT1	FB230-1	FX3-W216U	-	FHFT205-16G	VFT-16E
	SBFL205-16G	VF2S-116	-	BFT205-16	VBFL205-16	SCJT1	FB260-1	-	-	FHSFT205-16G	VFT-16
	SALF205-16G	-	-	KHLFL205-16	ALF205-16	-	-	-	-	FHLF205-16G	-
	SBLF205-16G	-	-	BLFL5-16	BLF205-16	-	-	-	-	FHSLF205-16G	-
	SAFTD205-16G	VF2E-116M	-	KHFX205-16	-	GVFTD1	-	FX-WG216U	-	FHFX205-16G	LFT-16E
	SBFTD205-16G	VF2S-116M	LFT-SC-100	BFX205-16	-	GSFTD1	FB110/160-1	-	-	FHSFX205-16G	LFT-16
Piloted Flange Units	UCFC205-16	-	-	UCFC205-16	UCFC205-16	-	-	-	-	UCFC205-16	-
	UCFCX05-16	VFCS-316	FC-SCM-100	UCFCX05-16	UCFCX05-16	-	FC350-1	-	PFC4-35-1 3/16	-	MFC-16
3-Bolt Flange Bracket	UCFB205-16	-	FB-SC-100	UCFB205-16	UCFB205-16	-	-	FB3-U216N	MFB-1	UCFB205-16	FB-16
Take up Units	UCT205-16	VTWS-216	WSTU-SC-100	UCST205-16	UCT205-16	YTUI	WSTU250-1	TH3-U200N	TC-25-1	UCT205-16	ST-16
	UCTRS205-16	-	NSTU-SC-100	-	-	-	-	-	-	-	-
	HCT205-16	VTWE-216	WSTU-SXR-100	UGST205-16	NAT205-16	RTUI	WSTU220-1	-	-	HCT205-16	RT-16E
Hanger Units	UCHA205-16	-	SCHB-SC-100* zerk	UCECH205-16	UCHA205-16	RHCI	-	-	MEHB-1	UCHA205-16	SEHB-16
Inserts Bearing	UC205-16	VS-216	INS-SC-100	UC205-16	UC205-16	GY1100KRRB	YW250-1	UG216NL	MB25-1	UC205-16	2-1
	HC205-16	VE-216	INS-SXR-100	UG205-16	NA205-16	G1100KRRB	YW220-1	YG216NL	-	HC205-16	R-16E
	UC205-16R3	-	-	-	UC205-16L3	GY1100KPPB3	-	UG216E3	-	UC205-16TRL	-
	HC205-16R3	-	-	-	NA205-16L3	G1100KPPB3	-	YG216E3	-	HC205-16TRL	-
	UCX05-16	VS-316	INS-SCM-100	UCX05-16	UCX05-16	GYM100KRRB	B350-1	-	MB-35-1	UCX05-16	3-1
	SER205-16	VER-216	-	SER205-16	ER205-16	ER-16	-	-	ER-16	SER-16	ER-16
	SB205-16	LS-116	-	B5-16	SB205-16KG5	YA100RRB	B250-1	S216EL	-	FHS205-16	L-16
	SB205-16G	VS-116	INS-VSC-100	B5-16	SB205-16KP8	GYA100RRB	B250-1	SG216EL	-	FHS205-16	V-16
	CSB205-16	SLS-116	-	BR5-16	SBB205-16	YA100RR	-	-	-	FHSR205-16	SL-16
	SA205-16	LE-116	-	KH205-16	SA205-16FP7	RA100RRB	B220-1	W216UL	-	FH205-16	L16E
	SA205-16G	VE-116	INS-SXV-100	KH205-16	SA205-16FP9	GRA100RRB	B220-1	WG216UL	-	FH205-16	V-16E
	CSA205-16	SLE-116	-	KHR205-16	SAA205-16	RA100RR	-	WB216UL	-	FHR205-16	SL-16E





- Standard duty, cast iron housing or ductile iron housing
- Wide inner ring bearing
- A- Seal or R3- Seal

Bearing Unit No.	Shaft Diameter		Dimensions(mm)										Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H	L	J	A	N	N1	H1	H0	S	B	(mm)	(in)			
UCP201		12													UCW201		
UCP201-8	1/2	15													UCW201-8		
UCP202		15	30.2	125	96	32	13	16	14	57	10	26	M10	3/8	UCW202	P202S	0.5
UCP202-10	5/8	17													UCW202-10		
UCP203		17													UCW203		
UCP203-11	1 1/16														UCW203-11		
UCP201		12													UC201		
UCP201-8	1/2	15													UC201-8		
UCP202		15	30.2	127	96	37	13	19	14	60.7	12.7	31	M10	3/8	UC202	P203	0.65
UCP202-10	5/8	17													UC202-10		
UCP203		17													UC203		
UCP203-11	1 1/16														UC203-11		
UCP204-12	3/4	20	33.3	127	96	37	13	19	14	63.8	12.7	31	M10	3/8	UC204-12	P204	0.65
UCP204															UC204		
UCP205-14	7/8	25	36.5	140	105	38	13	19	15	69.5	14.3	34	M10	3/8	UC205-14	P205	0.72
UCP205-15	15/16														UC205-15		
UCP205															UC205		
UCP205-16	1														UC205-16		
UCP206-18	1 1/8	30	42.9	160	121	44	14	19	16	82	15.9	38.1	M12	1/2	UC206-18	P206	1.15
UCP206															UC206		
UCP206-19	1 3/16														UC206-19		
UCP206-20	1 1/4														UC206-20		
UCP207-20	1 1/4	35	47.6	167	126	48	15	19	17	92	17.5	42.9	M12	1/2	UC207-20	P207	1.53
UCP207-21	1 5/16														UC207-21		
UCP207-22	1 3/8														UC207-22		
UCP207															UC207		
UCP207-23	1 7/16														UC207-23		
UCP208-24	1 1/2	40	49.2	180	136	52	15	21	18	98	19	49.2	M12	1/2	UC208-24	P208	1.88
UCP208-25	1 9/16														UC208-25		
UCP208															UC208		
UCP209-26	1 5/8	45	54	189	146	54	15	21	20	105.5	19	49.2	M12	1/2	UC209-26	P209	2.1
UCP209-27	1 11/16														UC209-27		
UCP209-28	1 3/4														UC209-28		
UCP209															UC209		
UCP210-30	1 7/8	50	57.2	204	159	57	19	22	21	112.2	19	51.6	M16	5/8	UC210-30	P210	2.5
UCP210-31	1 15/16														UC210-31		
UCP210															UC210		
UCP211-32	2	55	63.5	217	172	60	19	22	22	124.5	22.2	55.6	M16	5/8	UC211-32	P211	3.3
UCP211-34	2 1/8														UC211-34		
UCP211															UC211		
UCP211-35	2 3/16														UC211-35		
UCP212-36	2 1/4	60	69.9	238	186	66	19	25	24	137	25.4	65.1	M16	5/8	UC212-36	P212	5.5
UCP212															UC212		
UCP212-38	2 3/8														UC212-38		
UCP212-39	2 7/16														UC212-39		
UCP213-40	2 1/2	65	76.2	262	203	70	23	29	26	149	25.4	65.1	M20	3/4	UC213-40	P213	5.6
UCP213															UC213		
UCP214-44	2 3/4	70	79.4	266	210	72	23	29	27	155	30.2	74.6	M20	3/4	UC214-44	P214	6.6
UCP214															UC214		
UCP215		75													UC215		
UCP215-47	2 15/16		82.6	274	217	74	25	29	28	161.6	33.3	77.8	M20	3/4	UC215-47	P215	7.3
UCP215-48	3														UC215-48		



A-seal




R3-seal



- Standard duty, cast iron housing or ductile iron housing
- Wide inner ring bearing
- A- Seal or R3- Seal

Bearing Unit No.	Shaft Dia d		Dimensions(mm)										Bolt Used		Bearing No.	Housing No.	Mass (kg)														
	(in)	(mm)	H	A	E	B	S2	S1	G	W	Bi	N	(mm)	(in)																	
UCPE201	1/2	12	30.2	124	95	31	15	11	14	57.1	26	10	M8	5/16	UCW201	PE202S	0.45														
UCPE201-8		15													UCW201-8																
UCPE202		9/16													17			33.3	127	95	38	16	13	15	65	31	12.7	M10	3/8	UCW202	
UCPE202-9																														UCW202-9	
UCPE202-10																														UCW202-10	
UCPE202-11	11/16	UCW203-11																													
UCPE203	3/4	20	UCW203																												
UCPE204-12	13/16	20	36.6	140	105	38	16	13	16	70	34	14.3	M10	3/8	UC204-12	PE204	0.65														
UCPE204															UC204																
UCPE205-13															7/8			25	42.9	165	121	48	21	17	18	83	38.1	15.9	M14	1/2	UC205-13
UCPE205-14															15/16																UC205-14
UCPE205-15															1																UC205-15
UCPE205-16	1	25	47.6	167	127	48	21	17	19	94	42.9	17.5	M14	1/2	UC205-16																
UCPE205															UC205																
UCPE206-17															1 1/16	30	42.9	165	121	48	21	17	18	83	38.1	15.9	M14	1/2	UC206-17		
UCPE206-18															1 1/8														UC206-18		
UCPE206-19															1 3/16														UC206-19		
UCPE206-20	1 1/4	UC206-20																													
UCPE206	1 1/4	30	49.2	184	137	54	25	17	19	100	49.2	19	M14	1/2	UC206																
UCPE207-20															1 1/4	35	47.6	167	127	48	21	17	19	94	42.9	17.5	M14	1/2	UC207-20		
UCPE207-21															1 5/16														UC207-21		
UCPE207-22															1 3/8														UC207-22		
UCPE207-23															1 7/16	UC207-23															
UCPE207	1 1/2	40	54	190	146	54	25	17	20	108	49.2	19	M14	1/2	UC207																
UCPE208-24															1 1/2	45	57.2	206	159	60	25	20	22	114	51.6	19	M16	5/8	UC208-24		
UCPE208-25															1 9/16														UC208-25		
UCPE208																													UC208		
UCPE209-26															1 5/8	45	54	190	146	54	25	17	20	108	49.2	19	M14	1/2	UC209-26	PE209	1.75
UCPE209-27	1 11/16	UC209-27																													
UCPE209-28	1 3/4	UC209-28																													
UCPE209		UC209																													
UCPE210-29	1 13/16	50	57.2	206	159	60	25	20	22	114	51.6	19	M16	5/8	UC210-29	PE210	2.35														
UCPE210-30	1 7/8														UC210-30																
UCPE210-31	1 15/16														UC210-31																
UCPE210															UC210																
UCPE211-32	2	55	63.5	219	171	60	25	20	22	126	55.6	22.2	M16	5/8	UC211-32	PE211	2.6														
UCPE211-33	2 1/16														UC211-33																
UCPE211-34	2 1/8														UC211-34																
UCPE211-35	2 3/16														UC211-35																
UCPE211															UC211																
UCPE212-36	2 1/4	60	69.8	241	184	70	25	20	25	138	65.1	25.4	M16	5/8	UC212-36	PE212	4														
UCPE212-37	2 5/16														UC212-37																
UCPE212-38	2 3/8														UC212-38																
UCPE212-39	2 7/16														UC212-39																
UCPE212															UC212																
UCPE213-40	2 1/2	65	76.2	265	203	70	29	25	27	150	65.1	25.4	M20	3/4	UC213-40	PE213	4.77														
UCPE213-41	2 9/16														UC213-41																
UCPE213															UC213																
UCPE214-42	2 5/8	70	79.4	266	210	72	31	25	27	156	74.6	30.2	M20	3/4	UC214-42	PE214	5.3														
UCPE214-43	2 11/16														UC214-43																
UCPE214-44	2 3/4														UC214-44																
UCPE214															UC214																
UCPE215-45	2 13/16	75	82.6	275	217	74	31	25	28	163	77.8	33.3	M20	3/4	UC215-45	PE215	6														
UCPE215-46	2 7/8														UC215-46																
UCPE215-47	2 15/16														UC215-47																
UCPE215-48	3														UC215-48																
UCPE215															UC215																





- Standard duty, cast iron housing or ductile iron housing
- Wide inner ring bearing
- A- Seal or R3- Seal



A-seal





R3-seal

Bearing Unit No.	Shaft Dia d		Dimensions(mm)										Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H	A	E	B	S2	S1	G	W	Bi	N	(mm)	(in)			
UCPX05-16 UCPX05	1	25	44.4	159	119	51	25	17	18	85	38.1	15.9	M14	1/2	UCX05-16 UCX05	PX05	1.02
UCPX06-19 UCPX06-20 UCPX06	1 3/16 1 1/4	30	47.6	175	127	57	25	17	20	94	42.9	17.5	M14	1/2	UCX06-19 UCX06-20 UCX06	PX06	1.33
UCPX07-22 UCPX07-23 UCPX07	1 3/8 1 7/16	35	54	203	144	57	30	17	22	105	49.2	19	M14	1/2	UCX07-22 UCX07-23 UCX07	PX07	1.71
UCPX08-24 UCPX08	1 1/2	40	58.7	222	156	67	32	20	26	113	49.2	19	M16	5/8	UCX08-24 UCX08	PX08	2.09
UCPX09-26 UCPX09-27 UCPX09-28 UCPX09	1 5/8 1 11/16 1 3/4	45	58.7	222	156	67	33	20	26	116	51.6	19	M16	5/8	UCX09-26 UCX09-27 UCX09-28 UCX09	PX09	2.3
UCPX10-31 UCPX10-32 UCPX10	1 15/16 2	50	63.5	241	171	73	36	20	27	126	55.6	22.2	M16	5/8	UCX10-31 UCX10-32 UCX10	PX10	2.85
UCPX11-35 UCPX11	2 3/16	55	69.8	260	184	79	36	25	30	139	65.1	25.4	M20	3/4	UCX11-35 UCX11	PX11	4.04
UCPX12-38 UCPX12-39 UCPX12	2 3/8 2 7/16	60	76.2	286	203	83	41	25	32	151	74.6	30.2	M20	3/4	UCX12-38 UCX12-39 UCX12	PX12	4.85
UCPX13-40 UCPX13	2 1/2	65	76.2	286	203	83	41	25	32	154	74.6	30.2	M20	3/4	UCX13-40 UCX13	PX13	5
UCPX14-44 UCPX14	2 3/4	70	88.9	330	229	89	51	27	35	172	77.8	33.3	M22	7/8	UCX14-44 UCX14	PX14	7.12
UCPX15-47 UCPX15-48 UCPX15	2 5/16 3	75	88.9	330	229	89	51	27	35	177	82.6	33.3	M22	7/8	UCX15-47 UCX15-48 UCX15	PX15	7.65
UCPX16-50 UCPX16	3 1/8	80	101.6	381	283	102	59	27	42	197	85.7	34.1	M22	7/8	UCX16-50 UCX16	PX16	9.5
UCPX17-52 UCPX17	3 1/4	85	101.6	381	283	102	60	27	42	206	104	42.9	M22	7/8	UCX17-52 UCX17	PX17	10.64
UCPX18-56 UCPX18	3 1/2	90	101.6	381	283	111	60	27	45	206	104	42.9	M30	7/8	UCX18-56 UCX18	PX18	11.5
UCPX20-63 UCPX20-64 UCPX20	3 15/16 4	100	127	432	337	121	64	33	52	250	117.5	49.2	M30	1 1/8	UCX20-63 UCX20-64 UCX20	PX20	19.76





- Standard duty, cast iron housing or ductile iron housing
- Wide inner ring bearing
- A- Seal or R3- Seal



A-seal





R3-seal

Bearing Unit No.	Shaft Dia d		Dimensions(mm)										Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H	A	E	B	S2	S1	G	W	Bi	N	(mm)	(in)			
UCPH201		12													UC201		
UCPH201-8	1/2	15													UC201-8		
UCPH202															UC202		
UCPH202-9	9/16														UC202-9		
UCPH202-10	5/8		70	127	95	40	19	13	15	101	31	12.7	M10	3/8	UC202-10	PH204	0.75
UCPH203		17													UC203		
UCPH203-11	11/16														UC203-11		
UCPH204-12	3/4	20													UC204		
UCPH204															UC204-12		
UCPH205-13	13/16														UC205-13		
UCPH205-14	7/8														UC205-14		
UCPH205-15	15/16		80	140	105	50	19	13	16	114	34.1	14.3	M10	3/8	UC205-15	PH205	1
UCPH205-16	1	25													UC205-16		
UCPH205															UC205		
UCPH206-17	1 1/16														UC206-17		
UCPH206-18	1 1/8														UC206-18		
UCPH206-19	1 3/16		90	165	121	50	21	17	18	130	38.1	15.9	M14	1/2	UC206-19	PH206	1.42
UCPH206-20	1 1/4	30													UC206-20		
UCPH206															UC206		
UCPH207-20	1 1/4														UC207-20		
UCPH207-21	1 5/16														UC207-21		
UCPH207-22	1 3/8		95	167	127	60	21	17	19	140	42.9	17.5	M14	1/2	UC207-22	PH207	1.55
UCPH207-23	1 7/16														UC207-23		
UCPH207		35													UC207		
UCPH208-24	1 1/2														UC208-24		
UCPH208-25	1 9/16														UC208-25		
UCPH208		40	100	184	137	70	25	17	19	149	49.2	19	M14	1/2	UC208	PH208	2.15
UCPH209-26	1 5/8														UC209-26		
UCPH209-27	1 11/16														UC209-27		
UCPH209-28	1 3/4		105	190	146	70	25	17	20	157	49.2	19	M14	1/2	UC209-28	PH209	2.31
UCPH209		45													UC209		
UCPH210-29	1 13/16														UC210-29		
UCPH210-30	1 7/8														UC210-30		
UCPH210-31	1 15/16		110	206	159	70	25	20	22	165	51.6	19	M16	5/8	UC210-31	PH210	2.8
UCPH210		50													UC210		
UCPH211-32	2														UC211-32		
UCPH211-33	2 1/16														UC211-33		
UCPH211-34	2 1/8		120	219	171	75	22	19	22	181	55.6	22.2	M16	5/8	UC211-34	PH211	4.4
UCPH211-35	2 3/16														UC211-35		
UCPH211		55													UC211		
UCPH212-36	2 1/4														UC212-36		
UCPH212-37	2 5/16														UC212-37		
UCPH212-38	2 3/8														UC212-38		
UCPH212-39	2 7/16														UC212-39		
UCPH212		60	130	235	184	85	23	19	25	197	65.1	25.4	M16	5/8	UC212	PH212	4.8
UCPH213-40	2 1/2														UC213-40		
UCPH213-41	2 9/16														UC213-41		
UCPH213		65	140	262	203	95	28	23	27	212	65.1	25.4	M20	3/4	UC213	PH213	5.6
UCPH214-42	2 5/8														UC214-42		
UCPH214-43	2 11/16														UC214-43		
UCPH214-44	2 3/4		150	268	210	105	28	23	28	225	74.6	30.2	M20	3/4	UC214-44	PH214	6.2
UCPH214		70													UC214		
UCPH215-45	2 13/16														UC215-45		
UCPH215-46	2 7/8														UC215-46		
UCPH215-47	2 15/16		160	275	217	115	28	23	29	238	77.8	33.3	M20	3/4	UC215-47	PH215	7.4
UCPH215-48	3														UC215-48		
UCPH215		75													UC215		
UCPH216-50	3 1/8														UC216-50		
UCPH216		80	170	290	232	125	28	23	30	253	82.6	33.3	M20	3/4	UC216	PH216	8








- Standard duty, cast iron housing or ductile iron housing
- Wide inner ring bearing
- A- Seal or R3- Seal




Bearing Unit No.	Shaft Dia d		Dimensions(mm)										Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H	L	J	A	N	N1	H1	H0	S	B1	(mm)	(in)			
HCP201 HCP201-8 HCP202 HCP202-10 HCP202S HCP203-11	1/2 5/8 11/16	12 15 17	 30.2 	 125 	 96 	 32 	 13 	 16 	 14 	 57 	 13.9 	 37.3 	 M10 	 3/8 	HCW201 HCW201-8 HCW202 HCW202-10 HCW203 HCW03-11	P202S	0.57
HCP204-12 HCP204	3/4	20	33.3	127	96	37	13	19	14	64	17.0	43.5	M10	3/8	HC204-12 HC204	P204	0.72
HCP205-14 HCP205-15 HCP205 HCP205-16	7/8 15/16 1	 25	 36.5 	 140 	 105 	 38 	 13 	 19 	 15 	 70 	 17.4 	 44.3 	 M10 	 3/8 	HC205-14 HC205-15 HC205 HC205-16	P205	0.8
HCP206-18 HCP206 HCP206-19 HCP206-20	1 1/8 1 3/16 1 1/4	30	42.9	160	121	44	14	19	16	82	18.2	48.3	M12	1/2	HC206-18 HC206 HC206-19 HC206-20	P206	1.35
HCP207-20 HCP207-21 HCP207-22 HCP207 HCP207-23	1 1/4 1 5/16 1 3/8 1 7/16	 35	 47.6 	 167 	 126 	 48 	 15 	 19 	 17 	 92 	 18.8 	 51.1 	 M12 	 1/2 	HC207-20 HC207-21 HC207-22 HC207 HC207-23	P207	1.7
HCP208-24 HCP208-25 HCP208	1 1/2 1 9/16	40	49.2	180	136	52	15	21	18	98	21.4	56.3	M12	1/2	HC208-24 HC208-25 HC208	P208	2
HCP209-26 HCP09-27 HCP209-28 HC209	1 5/8 1 11/16 1 3/4	45	54.0	189	146	54	15	21	20	106	21.4	56.3	M12	1/2	HC209-26 HC209-27 HC209-28 HC209	P209	2.42
HCP210-30 HCP210-31 HCP210	1 7/8 1 15/16	50	57.2	204	159	57	19	22	21	112	24.6	62.7	M16	5/8	HC210-30 HC210-31 HC210	P210	2.75
HCP211-32 HCP211-34 HCP211 HCP211-35	2 2 1/8 2 3-16	55	63.5	217	172	60	19	22	22	125	27.7	71.3	M16	5/8	HC211-32 HC211-34 HC211 HC211-35	P211	3.56
HCP212-36 HCP212 HCP212-38 HCP212-39	2 1/4 2 3/8 2 7/16	60	69.9	238	186	66	19	25	24	137	30.9	77.7	M16	5/8	HC212-36 HC212 HC212-38 HC212-39	P212	5.2
HCP213-40 HCP213	2 1/2	65	76.2	262	203	70	23	29	26	149	34.1	85.7	M20	3/4	HC213-40 HC213	P213	6.3
HCP214-44 HCP214	2 3/4	70	79.4	266	210	72	23	29	27	155	34.1	85.7	M20	3/4	HC214-44 HC214	P214	7
HCP215 HCP215-47 HCP215-48	 2 15/16 3	75	82.6	274	217	74	25	29	28	162	37.3	92.1	M20	3/4	HC215 HC215-47 HC215-48	P215	7.8





- Standard duty, cast iron housing or ductile iron housing
- Narrow inner ring bearing
- B- Seal




Bearing Unit No.	Shaft Dia d		Dimensions(mm)										Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H	L	J	A	N	N1	H1	H0	S	B1	(mm)	(in)			
SAP201	1/2	12	30.2	125	96	32	13	16	14	57.0	6	28.6	M10	3/8	SA201G	P202S	0.60
SAP201-8		12													SA201-8G		
SAP202	5/8	15													SA202G		
SAP202-10		15													SA202-10G		
SAP203	1 1/16	17													SA203G	P204	0.65
SAP203-11		17													SA203-11G		
SAP204-12	3/4	20	33.3	127	96	37	13	19	14	64.0	7.0	30.9	M10	3/8	SA204-12G		
SAP204		20													SA204G		
SAP205-14	7/8	25	36.5	140	105	38	13	19	15	70.0	7.5	30.9	M10	3/8	SA05-14G	P205	0.85
SAP205-15	15/16														SA205-15G		
SAP205															SA205G		
SAP205-16	1														SA205-16G		
SAP206-18	1 1/8	30	42.9	160	121	44	14	19	16	82.0	9	35.7	M12	1/2	SA206-18G	P206	1.40
SAP206															SA206G		
SAP206-19	1 3/16														SA206-19G		
SAP206-20	1 1/4														SA206-20G		
SAP207-20	1 1/4	35	47.6	167	126	48	15	19	17	92.0	9.5	38.9	M12	1/2	SA207-20G	P207	1.68
SAP207-21	1 5/16														SA207-21G		
SAP207-22	1 3/8														SA207-22G		
SAP207															SA207G		
SAP207-23	1 7/16	40	49.2	180	136	52	15	21	18	98.0	11	43.7	M12	1/2	SA207-23G		
SAP208-24	1 1/2														SA208-24G	P208	2.12
SAP208-25	1 9/16														SA208-25G		
SAP208															SA208G		
SAP209-26	1 5/8	45	54.0	189	146	54	15	21	20	106.0	11	43.7	M12	1/2	SA209-26G	P209	2.39
SAP209-27	1 11/16														SA209-27G		
SAP209-28	1 3/4														SA209-28G		
SAP209															SA209G		
SAP210-30	1 7/8	50	57.2	204	159	57	19	22	21	112.0	11	43.7	M16	5/8	SA210-30G	P210	2.59
SAP210-31	1 15/16														SA210G-31G		
SAP210															SA210G		
SAP211-32	2	55	63.5	217	172	60	19	22	22	125.0	12	48.4	M16	5/8	SA211-32G	P211	3.36
SAP211-34	2 1/8														SA211-34G		
SAP211															SA211G		
SAP211-35	2 3/16														SA211-35G		
SAP212-36	2 1/4	60	69.9	238	186	66	19	25	24	137.0	12	49.3	M16	5/8	SA212-36G	P212	5.16
SAP212															SA212G		
SAP212-38	2 3/8														SA212-38G		
SAP212-39	2 7/16														SA212-39G		





- Standard duty, cast iron housing or ductile iron housing
- Narrow inner ring bearing
- B-seal



Bearing Unit No.	Shaft Dia d		Dimensions(mm)										Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H	L	J	A	N	N1	H1	H0	S	B1	(mm)	(in)			
SBP201		12													SB201G		
SBP201-8	1/2														SB201-8G		
SBP202		15													SB202G		
SBP202-10	5/8		30.2	125	96	32	13	16	14	57	6	22	M10	3/8	SB202-10G	P202S	0.60
SBP203		17													SB203G		
SBP203-11	11/16														SB203-11G		
SBP204-12	3/4														SB204-12G		
SBP204		20	33.3	127	96	37	13	19	14	64	7	25	M10	3/8	SB204G	P204	0.63
SBP205-14	7/8														SB205-14G		
SBP205-15	15/16														SB205-15G		
SBP205		25	36.5	140	105	38	13	19	15	70	7.5	27	M10	3/8	SB205G	P205	0.83
SBP205-16	1														SB205-16G		
SBP206-18	1 1/8														SB206-18G		
SBP206		30													SB206G		
SBP206-19	1 3/16		42.9	160	121	44	14	19	16	82	8	30	M12	1/2	SB206-19G	P206	1.34
SBP206-20	1 1/4														SB206-20G		
SBP207-20	1 1/4														SB207-20G		
SBP207-21	1 5/16														SB207-21G		
SBP207-22	1 3/8		47.6	167	126	48	15	19	17	92	8.5	32	M12	1/2	SB207-22G	P207	1.57
SBP207-23		35													SB207G		
SBP207-23	1 7/16														SB207-23G		
SBP208-24	1 1/2														SB208-24G		
SBP208-25	1 9/16		49.2	180	136	52	15	21	18	98	9	34	M12	1/2	SB208-25G	P208	2.04
SBP208		40													SB208G		



- Standard duty, cast iron housing or ductile iron housing
- Wide inner ring bearing
- A- Seal or R3- Seal






A-seal



R3-seal

Bearing Unit No.	Shaft Dia d		Dimensions(mm)										Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H	L	J	A	N	N1	H1	H0	S	B1	(mm)	(in)			
UCAK202		15													UC202		
UCAK202-10	5/8														UC202-10		
UCAK203		17													UC203		
UCAK203-11	11/16		31.8	128	98	38	12	16	14	63.0	12.7	31.0	M10	3/8	UC203-11	AK204	0.68
UCAK204-12	3/4														UC204-12		
UCAK204		20													UC204		
UCAK205-14	7/8														UC205-14		
UCAK205-15	15/16														UC205-15		
UCAK205		25	33.3	140	105	40	12	16	15	66.5	14.3	34.0	M10	3/8	UC205	AK205	0.72
UCAK205-16	1														UC205-16		
UCAK206-18	1 1/8														UC206-18		
UCAK206		30													UC206		
UCAK206-19	1 3/16		39.7	160	121	44	14	19	17	79.0	15.9	38.1	M12	1/2	UC206-19	AK206	1.10
UCAK206-20	1 1/4														UC206-20		
UCAK207-20	1 1/4														UC207-20		
UCAK207-21	1 5/16														UC207-21		
UCAK207-22	1 3/8		46.0	167	127	48	14	19	18	91.0	17.5	42.9	M12	1/2	UC207-22	AK207	1.48
UCAK207		35													UC207		
UCAK207-23	1 7/16														UC207-23		
UCAK208-24	1 1/2														UC208-24		
UCAK208-25	1 9/16		49.2	181	140	52	14	19	19	98.0	19.0	49.2	M12	1/2	UC208-25	AK208	1.88
UCAK208		40													UC208		
UCAK209-26	1 5/8														UC209-26		
UCAK209-27	1 11/16														UC209-27		
UCAK209-28	1 3/4		52.4	189	146	54	14	19	20	105.0	19.0	49.2	M12	1/2	UC209-28	AK209	2.10
UCAK209		45													UC209		
UCAK210-30	1 7/8														UC210-30		
UCAK210-31	1 15/16		55.6	203	159	57	14	19	21	111.5	19.0	51.6	M12	1/2	UC210-31	AK210	2.60
UCAK210		50													UC210		
UCAK211-32	2														UC211-32		
UCAK211-34	2 1/8														UC211-34		
UCAK211		55	61.9	232	181	60	18	24	23	123.0	22.2	55.6	M16	5/8	UC211	AK211	3.30
UCAK211-35	2 3/16														UC211-35		
UCAK212-36	2 1/4														UC212-36		
UCAK212		60													UC212		
UCAK212-38	2 3/8		68.3	241	191	64	18	24	25	136.0	25.4	65.1	M16	5/8	UC212-38	AK212	4.50
UCAK212-39	2 7/16														UC212-39		
UCAK213-40	2 1/2														UC213-40		
UCAK213		65	68.3	248	194	70	18	29	27	141.0	25.4	65.1	M16	5/8	UC213	AK213	5.60






- Standard duty, cast iron housing or ductile iron housing
- Wide inner ring bearing
- A- Seal or R3- Seal

Bearing Unit No.	Shaft Dia d		Dimensions(mm)										Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H	L	J	A	N	N1	H1	H0	S	B1	(mm)	(in)			
HCAK202		15													HC202		
HCAK202-10	5/8														HC202-10		
HCAK203		17													HC203		
HCAK203-11	11/16		31.8	128	98	38	12	16	14	63	17	43.5	M10	3/8	HC203-11	AK204	0.73
HCAK204-12	3/4														HC204-12		
HCAK204		20													HC204		
HCAK205-14	7/8														HC205-14		
HCAK205-15	15/16														HC205-15		
HCAK205		25	33.3	140	105	40	12	16	15	66.5	17.4	44.3	M10	3/8	HC205	AK205	0.8
HCAK205-16	1														HC205-16		
HCAK206-18	1 1/8														HC206-18		
HCAK206		30													HC206		
HCAK206-19	1 3/16		39.7	160	121	44	14	19	17	79	18.2	48.3	M12	1/2	HC206-19	AK206	1.33
HCAK206-20	1 1/4														HC206-20		
HCAK207-20	1 1/4														HC207-20		
HCAK207-21	1 5/16														HC207-21		
HCAK207-22	1 3/8		46	167	127	48	14	19	18	91	18.8	51.1	M12	1/2	HC207-22	AK207	1.65
HCAK207		35													HC207		
HCAK207-23	1 7/16														HC207-23		
HCAK208-24	1 1/2														HC208-24		
HCAK208-25	1 9/16		49.2	181	140	52	14	19	19	98	21.4	56.3	M12	1/2	HC208-25	AK208	2
HCAK208		40													HC208		
HCAK209-26	1 5/8														HC209-26		
HCAK209-27	1 11/16														HC209-27		
HCAK209-28	1 3/4		52.4	189	146	54	14	19	20	105	21.4	56.3	M12	1/2	HC209-28	AK209	2.42
HCAK209		45													HC209		
HCAK210-30	1 7/8														HC210-30		
HCAK210-31	1 15/16		55.6	203	159	57	14	19	21	111.5	24.6	62.7	M12	1/2	HC210-31	AK210	2.75
HCAK210		50													HC210		
HCAK211-32	2														HC211-32		
HCAK211-34	2 1/8														HC211-34		
HCAK211		55	61.9	232	181	60	18	24	23	123	27.7	71.3	M16	5/8	HC211	AK211	3.56
HCAK211-35	5														HC211-35		
HCAK212-36	2 1/4														HC212-36		
HCAK212		60													HC212		
HCAK212-38	2 3/8		68.3	241	191	64	18	24	25	136	30.9	77.7	M16	5/8	HC212-38	AK212	5.2
HCAK212-39	2 7/16														HC212-39		
HCAK213-40	2 1/2														HC213-40		
HCAK213		65	68.3	248	194	70	18	29	27	141	34.1	85.7	M16	5/8	HC213	AK213	6.3



- Standard duty, cast iron housing or ductile iron housing
- Wide inner ring bearing
- A- Seal or R3- Seal



A-seal





R3-seal

Bearing Unit No.	Shaft Dia d		Dimensions(mm)										Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	L	J	A2	A1	A	E	N	S	F	Z	(mm)	(in)			
UCF202		15													UC202		
UCF202-10	5/8														UC202-10		
UCF203		17	86	64	18	11	27	33.3	11.5	12.7	40.5	2	M10	3/8	UC203	F204	0.64
UCF203-11	1 1/16														UC203-11		
UCF204-12	3/4														UC204-12		
UCF204		20													UC204		
UCF205-14	7/8														UC205-14		
UCF205-15	15/16														UC205-15		
UCF205		25	95	70	19	13	30	35.7	11.5	14.3	44.5	2	M10	3/8	UC205	F205	0.8
UCF205-16	1														UC205-16		
UCF206-18	1 1/8														UC206-18		
UCF206		30	108	83	20	13	33	40.2	11.5	15.9	49	2	M10	3/8	UC206	F206	1.07
UCF206-19	1 3/16														UC206-19		
UCF206-20	1 1/4														UC206-20		
UCF207-20	1 1/4														UC207-20		
UCF207-21	1 5/16														UC207-21		
UCF207-22	1 3/8		117	92	21	15	34	44.4	14	17.5	55	3	M12	1/2	UC207-22	F207	1.4
UCF207		35													UC207		
UCF207-23	1 7/16														UC207-23		
UCF208-24	1 1/2														UC208-24		
UCF208-25	1 9/16		130	102	23	15	37	51.2	14	19	62	3	M12	1/2	UC208-25	F208	1.8
UCF208		40													UC208		
UCF209-26	1 5/8														UC209-26		
UCF209-27	1 11/16														UC209-27		
UCF209-28	1 3/4		137	105	23	16	38	52.2	16	19	63	3	M14	9/16	UC209-28	F209	2.2
UCF209		45													UC209		
UCF210-30	1 7/8														UC210-30		
UCF210-31	1 15/16		143	111	26	16	41	54.6	18	19	66.5	3	M16	5/8	UC210-31	F210	2.4
UCF210		50													UC210		
UCF211-32	2														UC211-32		
UCF211-34	2 1/8														UC211-34		
UCF211		55	162	130	29	18	45	58.4	18	22.2	71	4	M16	5/8	UC211	F211	3.5
UCF211-35	2 3/16														UC211-35		
UCF212-36	2 1/4														UC212-36		
UCF212		60													UC212		
UCF212-38	2 3/8		175	143	33	18	50	68.7	18	25.4	80	4	M16	5/8	UC212-38	F212	4.2
UCF212-39	2 7/16														UC212-39		
UCF213-40	2 1/2														UC213-40		
UCF213		65	187	149	36	22	54	69.7	18	25.4	83.5	4	M16	5/8	UC213	F213	5.3
UCF214-44	2 3/4														UC214-44		
UCF214		70	193	152	36	22	55	75.4	18	30.2			M16	5/8	UC214	F214	5.9
UCF215-47	2 15/16														UC215-47		
UCF215		75	200	159	39	22	59	78.5	18	33.3			M16	5/8	UC215	F215	6.3
UCF215-48	3														UC215-48		




- Standard duty, cast iron housing or ductile iron housing
- Wide inner ring bearing
- A- Seal or R3- Seal





Bearing Unit No.	Shaft Dia		Dimensions(mm)									Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	A	E	I	G	L	S	Z	B	N	(mm)	(in)			
UCFS202		15												UC202		
UCFS202-10	5/8	17												UC202-10		
UCFS203		17	86	63.5	20.6	9.5	33	11.5	38.9	31	12.7	M10	3/8	UC203	FS204	0.64
UCFS203-11	11/16													UC203-11		
UCFS204		20												UC204		
UCF204-12	3/4													UC204-12		
UCFS205		25												UC205		
UCFS205-13	13/16													UC205-13		
UCFS205-14	7/8		95	70	21	11	35	11.5	40.8	34.1	14.3	M10	3/8	UC205-14	FS205	0.92
UCFS205-15	15/16													UC205-15		
UCFS205-16	1													UC205-16		
UCFS206		30												UC206		
UCFS206-17	1 1/16													UC206-17		
UCFS206-18	1 1/8		108	82.5	22.6	13	37	13	44.8	38.1	15.9	M12	7/16	UC206-18	FS206	1.32
UCFS206-19	1 3/16													UC206-19		
UCFS206-20	1 1/4													UC206-20		
UCFS207		35												UC207		
UCFS207-20	1 1/4													UC207-20		
UCFS207-21	1 5/16		117	92	22	13	38	13	47.4	42.9	17.5	M12	7/16	UC207-21	FS207	1.62
UCFS207-22	1 3/8													UC207-22		
UCFS207-23	1 7/16													UC207-23		
UCFS208		40												UC208		
UCFS208-24	1 1/2		130	101.5	24.5	16	41	14	54.7	49.2	19	M12	7/16	UC208-24	FS208	2.23
UCFS208-25	1 9/16													UC208-25		
UCFS209		45												UC209		
UCFS209-26	1 5/8													UC209-26		
UCFS209-27	1 11/16		137	105	24.5	16	42	16	54.7	49.2	19	M14	1/2	UC209-27	FS209	2.53
UCFS209-28	1 3/4													UC209-28		
UCFS210		50												UC210		
UCFS210-29	1 13/16													UC210-29		
UCFS210-30	1 7/8		143	111	27.8	16	46	16	60.4	51.6	19	M14	1/2	UC210-30	FS210	2.81
UCFS210-31	1 15/16													UC210-31		
UCFS211		55												UC211		
UCFS211-32	2													UC211-32		
UCFS211-33	2 1/16		162	130	31	17.5	50	17	64.4	55.6	22.2	M14	9/16	UC211-33	FS211	3.98
UCFS211-34	2 1/8													UC211-34		
UCFS211-35	2 3/16													UC211-35		
UCFS212		60												UC212		
UCFS212-36	2 1/4													UC212-36		
UCFS212-37	2 5/16		175	143	34	17.5	55	17	73.7	65.1	25.4	M14	9/16	UC212-37	FS212	5.03
UCFS212-38	2 3/8													UC212-38		
UCFS212-39	2 7/16													UC212-39		
UCFS213		65												UC213		
UCFS213-40	2 1/2		184	149	38	22	58	18	77.7	65.1	25.4	M16	5/8	UC213-40	FS213	6.1
UCFS213-41	2 9/16													UC213-41		
UCFS214		70												UC214		
UCFS214-42	2 5/8													UC214-42		
UCFS214-43	2 11/16		188	152	38	23	60	18	82.4	74.6	30.2	M16	5/8	UC214-43	FS214	6.72
UCFS214-44	2 3/4													UC214-44		
UCFS215		75												UC215		
UCFS215-45	2 13/16													UC215-45		
UCFS215-46	2 7/8		200	152.4	41	24	62	20	85.5	77.8	33.3	M18	5/8	UC215-46	FS215	7.74
UCFS215-47	2 15/16													UC215-47		
UCFS215-48	3													UC215-48		







- Standard duty, cast iron housing or ductile iron housing
- Wide inner ring bearing
- A- Seal or R3- Seal



Bearing Unit No.	Shaft Dia d		Dimensions(mm)									Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	A	E	I	G	L	S	Z	B	N	(mm)	(in)			
UCFX05-16 UCFX05	1	25	108	83	18	13	30	12	40.2	38.1	15.9	M10	3/8	UCX05-16 UCX05	FX05	1.02
UCFX06-19 UCFX06-20 UCFX06	1 3/8 1 1/4	30	117	92	19	14.3	34	16	44.4	49.2	17.5	M14	1/2	UCX06-19 UCX06-20 UCX06	FX06	1.46
UCFX07-22 UCFX07-23 UCFX07	1 3/8 1 7/16	35	130	102	21	14.3	38	16	51.2	49.2	19.0	M14	1/2	UCX07-22 UCX07-23 UCX07	FX07	1.94
UCFX08-24 UCFX08	1 1/2	40	137	105	22	14.3	40	19	52.2	49.2	19.0	M16	5/8	UCX08-24 UCX08	FX08	2.2
UCFX09-26 UCFX09-27 UCFX09-28 UCFX09	1 5/8 1 11/16 1 3/4	45	143	111	23	14.3	40	19	55.6	51.6	19.0	M16	5/8	UCX09-26 UCX09-27 UCX09-28 UCX09	FX09	2.42
UCFX10-31 UCFX10-32 UCFX10	1 15/16 2	50	162	130	26	20	44	19	59.4	55.6	22.2	M16	5/8	UCX10-31 UCX10-32 UCX10	FX10	3.41
UCFX11-35 UCFX11-36 UCFX11	2 3/16 2 1/4	55	175	143	29	20	49	19	68.7	65.1	25.4	M16	5/8	UCX11-35 UCX11-36 UCX11	FX11	4.52
UCFX12-38 UCFX12-39 UCFX12	2 3/8 2 7/16	60	187	149	34	21	59	19	73.7	65.1	25.4	M16	5/8	UCX12-38 UCX12-39 UCX12	FX12	5.32
UCFX13-40 UCFX13	2 1/2	65	187	149	34	21	59	19	78.4	74.6	30.2	M16	5/8	UCX13-40 UCX13	FX13	5.53
UCFX14-44 UCFX14	2 3/4	70	197	152	37	24	60	23	81.5	77.8	33.3	M20	3/4	UCX14-44 UCX14	FX14	6.77
UCFX15-47 UCFX15-48 UCFX15	2 15/16 3	75	197	152	40	24	68	23	89.3	82.6	33.3	M20	3/4	UCX15-47 UCX15-48 UCX15	FX15	7.82
UCFX16-50 UCFX16	3 1/8	80	214	171	40	24	70	23	91.6	85.7	34.1	M20	3/4	UCX16-50 UCX16	FX16	8.91
UCFX17-55 UCFX17	3 7/16	85	214	171	40	24	70	23	96.3	96.0	39.7	M20	3/4	UCX17-55 UCX17	FX17	10.23
UCFX18-56 UCFX18	3 1/2	90	214	171	45	24	76	23	106.1	104.0	42.9	M20	3/4	UCX18-56 UCX18	FX18	11.69
UCFX20-63 UCFX20-64 UCFX20	3 15/16 4	100	268	211	59	31	97	31	127.3	117.5	49.2	M27	1 1/8	UCX20-63 UCX20-64 UCX20	FX20	19.44




B-seal





- Standard duty, cast iron housing or ductile iron housing
- Narrow inner ring bearing
- B- Seal

Bearing Unit No.	Shaft Diameter		Dimensions(mm)								Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	L	J	A2	A1	A	E	N	S	(mm)	(in)			
SAF201	1/2	12	76	54	15	11	24.5	37.1	11.5	6.0	M10	3/8	SA201G	F203	0.43
SAF201-8		15											SA201-8G		
SAF202	5/8	15											SA202G		
SAF202-10		17											SA202-10G		
SAF203	1 1/16	17											SA203G		
SAF203-11		17											SA203-11G		
SAF204-12	3/4	20	86	64	18	11	27	38.4	11.5	7.0	M10	3/8	SA204-12G	F204	0.58
SAF204		20											SA204G		
SAF205-14	7/8	25	95	70	19	13	30	39.4	11.5	7.5	M10	3/8	SA205-14G	F205	0.74
SAF205-15	15/16												SA205-15G		
SAF205													SA205G		
SAF205-16	1												SA205-16G		
SAF206-18	1 1/8	30	108	83	20	13	33	44.7	11.5	8.0	M10	3/8	SA206-18G	F206	1.08
SAF206													SA206G		
SAF206-19	1 3/16												SA206-19G		
SAF206-20	1 1/4												SA206-20G		
SAF207-20	1 1/4	35	117	92	21	15	34	48.4	14	8.5	M12	1/2	SA207-20G	F207	1.46
SAF207-21	1 5/16												SA207-21G		
SAF207-22	1 3/8												SA207-22G		
SAF207													SA207G		
SAF207-23	1 7/16												SA207-23G		
SAF208-24	1 1/2	40	130	102	23	15	37	53.7	14	9.0	M12	1/2	SA208-24G	F208	1.8
SAF208-25	1 9/16												SA208-25G		
SAF208													SA208G		
SAF209-26	1 5/8	45	137	105	23	16	38	54.7	16	9.5	M14	9/16	SA209-26G	F209	2.2
SAF209-27	1 11/16												SA209-27G		
SAF209-28	1 3/4												SA209-28G		
SAF209													SA209G		
SAF210-30	1 7/8	50	143	111	26	16	41	54.7	18	10.0	M16	5/8	SA210-30G	F210	2.45
SAF210-31	1 15/16												SA210-31G		
SAF210													SA210G		
SAF211-32	2	55	162	130	29	18	45	61.4	18	11.5	M16	5/8	SA211-32G	F211	3.18
SAF211-34	2 1/8												SA211-34G		
SAF211													SA211G		
SAF211-35	2 3/16												SA211-35G		



B-seal





- Standard duty, cast iron housing or ductile iron housing
- Narrow inner ring bearing
- B- Seal

Bearing Unit No.	Shaft Dia d		Dimensions(mm)								Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	L	J	A2	A1	A	E	N	S	(mm)	(in)			
SBF201	1/2	12	76	54	15	11	24.5	31	11.5	6	M10	3/8	SB201G	F203	0.39
SBF201-8													SB201-8G		
SBF202	5/8	15											SB202G		
SBF202-10													SB202-10G		
SBF203	1 1/16	17											SB203G		
SBF203-11													SB203-11G		
SBF204-12	3/4	20	86	64	18	11	27	33	11.5	7	M10	3/8	SB204-12G	F204	0.56
SBF204													SB204G		
SBF205-14	7/8	25	95	70	19	13	30	35.5	11.5	7.5	M10	3/8	SB204-12G	F205	0.71
SBF205-15	15/16												SB205-15G		
SBF205													SB205G		
SBF205-16	1												SB205-16G		
SBF206-18	1 1/8	30	108	83	20	13	33	40	11.5	8	M10	3/8	SB206-18G	F206	0.98
SBF206													SB206G		
SBF206-19	1 3/16												SB206-19G		
SBF206-20	1 1/4												SB206-20G		
SBF207-20	1 1/4	35	117	92	21	15	34	42.5	14	8.5	M12	1/2	SB207-20G	F207	1.33
SBF207-21	1 5/16												SB207-21G		
SBF207-22	1 3/8												SB207-22G		
SBF207													SB207G		
SBF207-23	1 7/16												SB207-23G		
SBF208-24	1 1/2	40	130	102	23	15	37	46	14	9	M12	1/2	SB208-24G	F208	1.72
SBF208-25	1 9/16												SB208-25G		
SBF208													SB208G		
SBF209-26	1 5/8	45	137	105	23	16	38	53	16	9.5	M14	9/16	SB209-26G	F209	2.27
SBF209-27	1 11/16												SB209-27G		
SBF209-28	1 3/4												SB209-28G		
SBF209													SB209G		
SBF210-30	1 7/8	50	143	111	26	16	41	54.6	18	10	M16	5/8	SB210-30G	F210	2.38
SBF210-31	1 15/16												SB210-31G		
SBF210													SB210G		



- Standard duty, cast iron housing or ductile iron housing
- Wide inner ring bearing
- A- Seal or R3- Seal



A-seal





R3-seal

Bearing Unit No.	Shaft Dia d		Dimensions(mm)								Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	A	E	I	G	L	S	N	Z	(MM)	(in)			
HCFS201 HCFS201-8 HCFS202 HCFS202-9 HCFS202-10 HCFS203-11 HCFS204-12 HCFS204	1/2 9/16 5/8 11/16 3/4	12 15 20	86	63.5	19	15	29.5	11.5	17.1	45.5	M10	3/8	HC201 HC201-8 HC202 HC202-9 HC202-10 HC203-11 HC204-12 HC204	FS204	0.58
HCFS205-13 HCFS205-14 HCFS205-15 HCFS205-16 HCFS205	13/16 7/8 15/16 1	25	93	70	19	15	30	11.5	17.5	45.9	M10	3/8	HC205-13 HC205-14 HC205-15 HC205-16 HC205	FS205	0.61
HCFS206-17 HCFS206-18 HCFS206-19 HCFS206-20 HCFS206	1 1/16 1 1/8 1 3/16 1 1/4	30	106	82.5	20	16	32.5	13	18.3	50.1	M12	7/16	HC206-17 HC206-18 HC206-19 HC206-20 HC206	FS206	0.8
HCFS207-20 HCFS207-21 HCFS207-22 HCFS207-23 HCFS207	1 1/4 1 5/16 1 3/8 1 7/16	35	116	92	21	17	35	13	18.8	53.3	M12	7/16	HC207-20 HC207-21 HC207-22 HC207-23 HC207	FS207	1
HCFS208-24 HCFS208-25 HCFS208	1 1/2 1 9/16	40	129	101.5	24	17	39	14	21.4	58.9	M12	7/16	HC208-24 HC208-25 HC208	FS208	0.91
HCFS209-26 HCFS209-27 HCFS209-28 HCFS209	1 5/8 1 11/16 1 3/4	45	135	105	24	18	40	16	21.4	58.9	M14	1/2	HC209-26 HC209-27 HC209-28 HC209	FS209	1.54
HCFS210-29 HCFS210-30 HCFS210-31 HCFS210	1 13/16 1 7/8 1 15/16	50	143	111	28	20	45	16	24.6	66.1	M14	1/2	HC210-29 HC210-30 HC210-31 HC210	FS210	1.78
HCFS211-32 HCFS211-33 HCFS211-34 HCFS211-35 HCFS211	2 2 1/16 2 1/8 2 3/16	55	162	130	31	21	49	17	27.8	74.6	M14	9/16	HC211-32 HC211-33 HC211-34 HC211-35 HC211	FS211	2.5
HCFS212-36 HCFS212-37 HCFS212-38 HCFS212-39 HCFS212	2 1/4 2 5/16 2 3/8 2 7/16	60	175	143	34	22	53.5	17	31	80.8	M14	9/16	HC212-36 HC212-37 HC212-38 HC212-39 HC212	FS212	2.8
HCFS213-40 HCFS213-41 HCFS213	2 1/2 2 9/16	65	184	149	38	22	58	18	34.1	89.6	M16	5/8	HC213-40 HC213-41 HC213	FS213	3.58
HCFS214-42 HCFS214-43 HCFS214-44 HCFS214	2 5/8 2 11/16 2 3/4	70	188	152	38	23	60	18	34.1	89.6	M16	5/8	HC214-42 HC214-43 HC214-44 HC214	FS214	4.09
HCFS215-45 HCFS215-46 HCFS215-47 HCFS215-48 HCFS215	2 13/16 2 7/8 2 15/16 3	75	200	152.4	41	24	62	20	37.3	95.8	M16	5/8	HC215-45 HC215-46 HC215-47 HC215-48 HC215	FS215	4.81







- Standard duty, cast iron housing or ductile iron housing
- Wide inner ring bearing
- A- Seal or R3- Seal



Bearing Unit No.	Shaft Dia d		Dimensions(mm)										Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H	J	L	A2	A1	A	E	N	S	(mm)	(in)				
UCFL201	1/2	12	99	76.5	57	15	11	24.5	31.0	11.5	10.0	M10	3/8	UCW201	FL202S	0.45	
UCFL201-8		15												UCW201-8			
UCFL202		5/8												15			UCW202
UCFL202-10														17			UCW202-10
UCFL203	1 1/16	17	113	90	60	15	11	25.5	33.3	11.5	12.7	M10	3/8	UCW203	FL204	0.51	
UCFL203-11														17			UCW203-11
UCFL204-12	3/4	20												UC204-12			
UCFL204		20												UC204			
UCFL205-14	7/8	25	130	99	68	16	13	27.0	35.8	11.5	14.3	M10	3/8	UC205-14	FL205	0.6	
UCFL205-15	15/16													UC205-15			
UCFL205														UC205			
UCFL205-16	1													UC205-16			
UCFL206-18	1 1/8	30	148	117	80	18	13	31.0	40.2	11.5	15.9	M10	3/8	UC206-18	FL206	0.9	
UCFL206														UC206			
UCFL206-19	1 3/16													UC206-19			
UCFL206-20	1 1/4													UC206-20			
UCFL207-20	1 1/4	35	161	130	90	19	14	34.0	44.4	14.0	17.5	M12	1/2	UC207-20	FL207	1.2	
UCFL207-21	1 5/16													UC207-21			
UCFL207-22	1 3/8													UC207-22			
UCFL207														UC207			
UCFL207-23	1 7/16	40	175	144	100	21	14	36.0	51.2	14.0	19.0	M12	1/2	UC207-23	FL208	1.5	
UCFL208-24	1 1/2													UC208-24			
UCFL208-25	1 9/16													UC208-25			
UCFL208														UC208			
UCFL209-26	1 5/8	45	188	148	108	22	16	38.0	52.2	18.0	19.0	M16	5/8	UC209-26	FL209	1.9	
UCFL209-27	1 11/16													UC209-27			
UCFL209-28	1 3/4													UC209-28			
UCFL209														UC209			
UCFL210-30	1 7/8	50	197	157	115	22	16	40.0	54.6	18.0	19.0	M16	5/8	UC210-30	FL210	2.2	
UCFL210-31	1 15/16													UC210-31			
UCFL210														UC210			
UCFL211-32	2	55	224	184	130	25	18	43.0	58.4	18.0	22.2	M16	5/8	UC211-32	FL211	3.1	
UCFL211-34	2 1/8													UC211-34			
UCFL211														UC211			
UCFL211-35	2 3/16													UC211-35			
UCFL212-36	2 1/4	60	250	202	140	29	18	48.0	68.7	18.0	25.4	M16	5/8	UC212-36	FL212	4	
UCFL212														UC212			
UCFL212-38	2 3/8													UC212-38			
UCFL212-39	2 7/16													UC212-39			
UCFL213-40	2 1/2		258	210	155	30	20	50.0	69.7	23.0	25.4	M20	3/4	UC213-40	FL213	5	





- Standard duty, cast iron housing or ductile iron housing
- Wide inner ring bearing
- A- Seal or R3- Seal

Bearing Unit No.	Shaft Dia d		Dimensions(mm)									Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	A	E	I	G	L	S	B	Z	N	(mm)	(in)			
UCFT201		12												UCW201		
UCFT201-8	1/2													UCW201-8		
UCFT202-9	9/16													UCW202-9		
UCFT202-10	5/8		100	76.2	17.1	11	25	10.5	57	33.1	10	M8	5/16	UCW202-10	FT203	0.24
UCFT202		15												UCW202		
UCFT203		17												UCW203		
UCFT203-11	1 1/16													UCW203-11		
UCFT204-12	3/4													UC204-12		
UCFT204		20	112	89.7	14.3	11	25	10.5	60	32.6	12.7	M8	5/16	UC204	FT204	0.28
UCFT205-13	13/16													UC205-13		
UCFT205-14	7/8													UC205-14		
UCFT205-15	15/16		124	98.8	15.9	13	27	12.5	70	35.6	14.3	M10	3/8	UC205-15	FT205	0.47
UCFT205-16	1													UC205-16		
UCFT205		25												UC205		
UCFT206-17	1 1/16													UC206-17		
UCFT206-18	1 1/8													UC206-18		
UCFT206-19	1 3/16		141	116.7	17.9	13	30	12.5	83	40.1	15.9	M10	3/8	UC206-19	FT206	0.55
UCFT206-20	1 1/4													UC206-20		
UCFT206		30												UC206		
UCFT207-20	1 1/4													UC207-20		
UCFT207-21	1 5/16													UC207-21		
UCFT207-22	1 3/8		156	130.2	19.1	14	34	14	95	44.5	17.5	M12	1/2	UC207-22	FT207	0.85
UCFT207-23	1 7/16													UC207-23		
UCFT207		35												UC207		
UCFT208-24	1 1/2													UC208-24		
UCFT208-25	1 9/16		171	143.7	21	14	38	14	105	51.2	19	M12	1/2	UC208-25	FT208	0.9
UCFT208		40												UC208		
UCFT209-26	1 5/8													UC209-26		
UCFT209-27	1 11/16													UC209-27		
UCFT209-28	1 3/4		179	148.4	21.8	14	40	16	111	52	19	M14	9/16	UC209-28	FT209	1.05
UCFT209		45												UC209		
UCFT210-29	1 13/16													UC210-29		
UCFT210-30	1 7/8													UC210-30		
UCFT210-31	1 15/16		189	157.2	22.2	14	40	16	116	54.8	19	M14	9/16	UC210-31	FT210	1.5
UCFT210		50												UC210		
UCFT211-32	2													UC211-32		
UCFT211-33	2 1/16													UC211-33		
UCFT211-34	2 1/8		216	184.2	25.4	21	44	18	133	58.8	22.2	M16	5/8	UC211-34	FT211	1.65
UCFT211-35	2 3/16													UC211-35		
UCFT211		55												UC211		





B-seal



- Standard duty, cast iron housing or ductile iron housing
- Narrow inner ring bearing
- B- Seal

Bearing Unit No.	Shaft Dia d		Dimensions(mm)									Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H	J	L	A2	A1	A	E	N	S	(mm)	(in)			
SAFL201		12												SA201G		
SAFL201-8	1/2													SA201-8G		
SAFL202		15												SA202G		
SAFL202-10	5/8		99	76.5	57	15	11	24.5	37.6	11.5	6.0	M10	3/8	SA202-10G	FL203	0.38
SAFL203		17												SA203G		
SAFL203-11	1 1/16													SA203G-11G		
SAFL204-12	3/4													SA204-12G		
SAFL204		20	113	90	60	15	11	25.5	38.9	11.5	7.0	M10	3/8	SA204G	FL204	0.39
SAFL205-14	7/8													SA205-14G		
SAFL205-15	15/16													S205-15G		
SAFL205		25	130	99	68	16	13	27	39.4	11.5	7.5	M10	3/8	SA205G	FL205	0.58
SAFL205-16	1													SA205-16G		
SAFL206-18	1 1/8													A206-18G		
SAFL206		30												SA206G		
SAFL206-19	1 3/16		148	117	80	18	13	31	45.7	11.5	8	M10	3/8	SA206-19G	FL206	0.84
SAFL206-20	1 1/4													SA206-20G		
SAFL207-20	1 1/4													SA207-20G		
SAFL207-21	1 5/16													SA207-21G		
SAFL207-22	1 3/8		161	130	90	19	14	34	49.4	14	9.5	M12	1/2	SA207-22G	FL207	1.36
SAFL207		35												SA207G		
SAFL207-23	1 7/16													SA207-23G		
SAFL208-24	1 1/2													SA208-24G		
SAFL208-25	1 9/16		175	144	100	21	14	36	55.7	14	11	M12	1/2	SA208-25G	FL208	1.4
SAFL208		40												SA208G		
SAFL09-26	1 5/8													SA209-26G		
SAFL209-27	1 11/16													SA209-27G		
SAFL209-28	1 3/4		188	148	108	22	16	38	56.2	18	11	M16	5/8	SA209-28G	FL209	1.97
SAFL209		45												SA209G		
SAFL210-30	1 7/8													SA210-30G		
SAFL210-31	1 15/16		197	157	115	22	16	40	55.7	18	11	M16	5/8	SA210-31G	FL210	2.18
SAFL210		50												SA210G		
SAFL211-32	2													SA211-32G		
SAFL211-34	2 1/8													SA211-34G		
SAFL211-35	2 3/16		224	184	130	25	18	43	61.9	18	12	M16	5/8	SA211-35G	FL211	3.04
SAFL211		55												SA211G		
SAFL212-36	2 1/4													SA212-36G		
SAFL212		60												SA212G		
SAFL212-38	2 3/8		250	202	140	29	18	48	66.3	18	12	M16	5/8	SA212-38G	FL212	3.76
SAFL212-39	2 7/16													SA212-39G		





- Standard duty, cast iron housing or ductile iron housing
- Narrow inner ring bearing
- B- Seal

Bearing Unit No.	Shaft Diameter		Dimensions(mm)									Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H	J	L	A2	A1	A	E	N	S	(mm)	(in)			
SBFL201		12												SB201G		
SBFL201-8	1/2													SB201-8G		
SBFL202		15	99	76.5	57	15	11	24.5	31	11.5	6	M10	3/8	SB202G	FL203	0.38
SBFL202-10	5/8													SB202-10G		
SBFL203		17												SB203G		
SBFL203-11	11/16													SB203-11G		
SBFL204-12	3/4		113	90	60	15	11	25.5	33	11.5	7	M10	3/8	SB204-12G	FL204	0.39
SBFL204		20												SB204G		
SBFL205-14	7/8													SB205-14G		
SBFL205-15	15/16													SB205-15G		
SBFL205		25	130	99	68	16	13	27	35.5	11.5	7.5	M10	3/8	SB205G	FL205	0.58
SBFL205-16	1													SB205-16G		
SBFL206-18	1 1/8													SB206-18G		
SBFL206		30	148	117	80	18	13	31	40	11.5	8	M10	3/8	SB206G	FL206	0.84
SBFL206-19	1 3/16													SB206-19G		
SBFL206-20	1 1/4													SB206-20G		
SBFL207-20	1 1/4													SB207-20G		
SBFL207-21	1 5/16													SB207-21G		
SBFL207-22	1 3/8		161	130	90	19	14	34	42.5	14	8.5	M12	1/2	SB207-22G	FL207	1.36
SBFL207		35												SB207G		
SBFL207-23	1 7/16													SB207-23G		
SBFL208-24	1 1/2													SB208-24G		
SBFL208-25	1 9/16		175	144	100	21	14	36	46	14	9	M12	1/2	SB208-25G	FL208	1.4
SBFL208		40												SB208G		
SBFL209-26	1 5/8													SB209-26G		
SBFL209-27	1 11/16													SB209-27G		
SBFL209-28	1 3/4		188	148	108	22	16	38	53	18	9.5	M16	5/8	SB209-28G	FL209	1.97
SBFL209		45												SB209G		
SBFL210-30	1 7/8													SB210-30G		
SBFL210-31	1 15/16		197	157	115	22	16	40	54.6	18	10	M16	5/8	SB210-31G	FL210	2.18
SBFL210		50												SB210G		
SBFL211-32	2													SB211-32G		
SBFL211-34	2 1/8													SB211-34G		
SBFL211		55	224	184	130	25	18	43	58.5	18	11.5	M16	5/8	SB211G	FL211	3.04
SBFL211-35	2 3/16													SB211-35G		
SBFL212-36	2 1/4													SB212-36G		
SBFL212		60	250	202	140	29	18	48	67.8	18	12	M16	5/8	SB212G	FL212	3.76
SBFL212-38	2 3/8													SB212-38G		
SBFL212-39	2 7/16													SB212-39G		





- Standard duty, cast iron housing or ductile iron housing
- Wide inner ring bearing
- A- Seal or R3- Seal



Bearing Unit No.	Shaft Dia d		Dimensions(mm)									Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H	J	L	A2	A1	A	E	N	S	(mm)	(in)			
HCFL201		12												HCW201		
HCFL201-8	1/2		99	76.5	57	15	11	24.5	38.4	11.5	13.9	M10	3/8	HCW201-8	FL203	0.48
HCFL202		17												HCW203		
HCFL203-11	1 1/16													HCW203-11		
HCFL204-12	3/4		113	90	60	15	11	25.5	41.5	11.5	17	M10	3/8	HC204-12	FL204	0.7
HCFL204		20												HC204		
HCFL205-14	7/8													HC205-14		
HCFL205-15	15/16		130	99	68	16	13	27	42.9	11.5	17.4	M10	3/8	HC205-15	FL205	0.8
HCFL205		25												HC205		
HCFL205-16	1													HC205-16		
HCFL206-18	1 1/8													HC206-18		
HCFL206		30	148	117	80	18	13	31	48.1	11.5	18.2	M10	3/8	HC206	FL206	1.2
HCFL206-19	1 3/16													HC206-19		
HCFL206-20	1 1/4													HC206-20		
HCFL207-20	1 1/4													HC207-20		
HCFL207-21	1 5/16													HC207-21		
HCFL207-22	1 3/8		161	130	90	19	14	34	51.3	14	18.8	M12	1/2	HC207-22	FL207	1.6
HCFL207		35												HC207		
HCFL207-23	1 7/16													HC207-23		
HCFL208-24	1 1/2													HC208-24		
HCFL208-25	1 9/16		175	144	100	21	14	36	55.9	14	21.4	M12	1/2	HC208-25	FL208	1.9
HCFL208		40												HC208		
HCFL209-26	1 5/8													HC209-26		
HCFL209-27	1 11/16		188	148	108	22	16	38	56.9	18	21.4	M16	5/8	HC209-27	FL209	2.3
HCFL209-28	1 3/4													HC209-28		
HCFL209		45												HC209		
HCFL210-30	1 7/8													HC210-30		
HCFL210-31	1 15/16		197	157	115	22	16	40	60.1	18	24.6	M16	5/8	HC210-31	FL210	2.6
HCFL210		50												HC210		
HCFL211-32	2													HC211-32		
HCFL211-34	2 1/8		224	184	130	25	18	43	68.6	18	27.7	M16	5/8	HC211-34	FL211	3.8
HCFL211		55												HC211		
HCFL211-35	2 3/16													HC211-35		
HCFL212-36	2 1/4													HC212-36		
HCFL212		60	250	202	140	29	18	48	75.8	18	30.9	M16	5/8	HC212	FL212	4.8
HCFL212-38	2 3/8													HC212-38		
HCFL212-39	2 7/16													HC212-39		
HCFL213-40	2 1/2													HC213-40		
HCFL213		65	258	210	155	30	20	50	81.6	23	34.1	M20	3/4	HC213	FL213	6
HCFL214-44	2 3/4													HC214-44		
HCFL214		70	265	216	160	31	20	54	82.6	23	34.1	M20	3/4	HC214	FL214	6.3
HCFL215		75												HC215		
HCFL215-48	3		275	225	164	34	22	55	88.8	23	37.3	M20	3/4	HC215-48	FL215	7.2
HCFL216		80	290	233	180	34	22	58	91.5	25	37.3	M22	7/8	HC216	FL216	7.37



- Standard duty, cast iron housing or ductile iron housing
- Wide inner ring bearing
- A- Seal or R3- Seal



A-seal





R3-seal

Bearing Unit No.	Shaft Diameter		Dimensions(mm)										Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	L	P	A2	A1	j	K	N	f	S	E	(mm)	(in)			
UCFC201	1/2	12	100	78	10	20.5	5	6	11.5	62	12.7	28.3	M10	3/8	UC201	FC204	0.79
UCFC201-8		15													UC201-8		
UCFC202	5/8	17													UC202		
UCFC202-10		20													UC202-10		
UCFC203	1 1/16	25													UC203		
UCFC203-11		30													UC203-11		
UCFC204	3/4	35													UC204		
UCFC204-12		40													UC204-12		
UCFC205	7/8	45	115	90	10	21	6	7	12	70	14.3	29.7	M10	3/8	UC205	FC205	0.96
UCFC205-14		50													UC205-14		
UCFC205-15	15/16	55													UC205-15		
UCFC205-16	1	60													UC205-16		
UCFC206	1 1/8	75	125	100	10	23	8	8	12	80	15.9	32.2	M10	3/8	UC206	FC206	1.37
UCFC206-18		80													UC206-18		
UCFC206-19	1 3/16	85													UC206-19		
UCFC206-20	1 1/4	90													UC206-20		
UCFC207	1 1/4	100	135	110	11	26	8	9	14	90	17.5	36.4	M12	1/2	UC207	FC207	1.7
UCFC207-20		110													UC207-20		
UCFC207-21	1 5/16	120													UC207-21		
UCFC207-22	1 3/8	130													UC207-22		
UCFC207-23	1 7/16	140													UC207-23		
UCFC208	1 1/2	150	145	120	11	26	10	9	14	100	19	41.2	M12	1/2	UC208	FC208	2
UCFC208-24		160													UC208-24		
UCFC208-25	1 9/16	170													UC208-25		
UCFC209	1 5/8	180													UC209	FC209	2.7
UCFC209-26		190	160	132	10	26	12	10	16	105	19	40.2	M14	9/16	UC209-26		
UCFC209-27	1 11/16	200													UC209-27		
UCFC209-28	1 3/4	210													UC209-28		
UCFC210	1 7/8	220	165	138	10	28	12	14	16	110	19	42.6	M14	9/16	UC210	FC210	2.9
UCFC210-30		230													UC210-30		
UCFC210-31	1 15/16	240													UC210-31		
UCFC211	2	250													UC211	FC211	4.2
UCFC211-32		260	185	150	13	30	12	13	19	125	22.2	46.4	M16	5/8	UC211-32		
UCFC211-34	2 1/8	270													UC211-34		
UCFC211-35	2 3/16	280													UC211-35		
UCFC212	2 1/4	290	195	160	17	36	12	15	19	135	25.4	56.7	M16	5/8	UC212	FC212	4.94
UCFC212-36		300													UC212-36		
UCFC212-38	2 3/8	310													UC212-38		
UCFC212-39	2 7/16	320													UC212-39		
UCFC213	2 1/2	330	205	170	16	35	14	15	19	145	25.4	55.7	M16	5/8	UC213	FC213	5.7
UCFC213-40		340													UC213-40		
UCFC214	2 3/4	350													UC214	FC214	6.8
UCFC214-44		360													UC214-44		
UCFC215	3	370	220	184	18	39	16	17	19	160	33.3	62.5	M16	5/8	UC215	FC215	7.2
UCFC215-48		380													UC215-48		



- Standard duty, cast iron housing or ductile iron housing
- Wide inner ring bearing
- A- Seal or R3- Seal




A-seal





R3-seal

Bearing Unit No.	Shaft Dia d		Dimensions(mm)										Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	L	P	A2	A1	J	K	N	F	S	E	(mm)	(in)			
UCFCX05	7/8 15/16 1	25	111	92	10	24	6	9.5	9.5	76	15.9	32.2	M8	5/16	UCX05	FCX05	1.1
UCFCX05-14															UCX05-14		
UCFCX05-15															UCX05-15		
UCFCX05-16															UCX05-16		
UCFCX06	1 1/8 1 3/16 1 1/4	30	127	105	8	22.5	9.5	9.5	12	85	17.5	33.4	M10	3/8	UCX06	FCX06	1.4
UCFCX06-18															UCX06-18		
UCFCX06-19															UCX06-19		
UCFCX06-20															UCX06-20		
UCFCX07	1 3/8 1 7/16	35	133	111	9	26	11	11	12	92	19	39.2	M10	3/8	UCX07	FCX07	1.8
UCFCX07-22															UCX07-22		
UCFCX07-23															UCX07-23		
UCFCX08	1 1/2 1 9/16	40	133	111	9	26	11	11	12	92	19	39.2	M10	3/8	UCX08	FCX08	1.8
UCFCX08-24															UCX08-24		
UCFCX08-25															UCX08-25		
UCFCX09	1 5/8 1 11/16 1 3/4	45	155	130	8	25	12	11	14	108	19	40.6	M12	7/16	UCX09	FCX09	2.5
UCFCX09-26															UCX09-26		
UCFCX09-27															UCX09-27		
UCFCX09-28															UCX09-28		
UCFCX10	1 15/16 2	50	162	136	7	25	16	11	14	118	22.2	40.4	M12	7/16	UCX10	FCX10	3
UCFCX10-31															UCX10-31		
UCFCX10-32															UCX10-32		
UCFCX11	2 1/8 2 3/16 2 1/4	55	180	152	4	26	22	13	16	127	25.4	43.7	M14	1/2	UCX11	FCX11	4.1
UCFCX11-34															UCX11-34		
UCFCX11-35															UCX11-35		
UCFCX11-36															UCX11-36		
UCFCX12	2 3/8 2 7/16	60	194	165	11	33	20	14	16	140	25.4	50.7	M14	1/2	UCX12	FCX12	4.7
UCFCX12-38															UCX12-38		
UCFCX12-39															UCX12-39		
UCFCX13	2 1/2	65	194	165	11	33	20	14	16	140	30.2	55.4	M14	1/2	UCX13	FCX13	5
UCFCX13-40															UCX13-40		
UCFCX14	2 3/4	70	222	190	14	36	20	14	19	164	33.3	58.5	M16	5/8	UCX14	FCX14	7.4
UCFCX14-44															UCX14-44		
UCFCX15	3	75	222	190	12	35	22	16	19	164	33.3	61.3	M16	5/8	UCX15	FCX15	7.5
UCFCX15-48															UCX15-48		
UCFCX16-50	3 1/8	80	260	219	10	36	25	19	23	186	34.1	61.6	M20	3/4	UCX16-50	FCX16	11.7
UCFCX16															UCX16		
UCFCX17-55	3 7/16	85	260	219	10	36	25	19	23	186	39.7	66.3	M20	3/4	UCX17-55	FCX17	11.3
UCFCX17															UCX17		
UCFCX20		100	276	238	22	66	28	22	23	206	49.2	90.3	M20	3/4	UCX20	FCX20	16.1



- Standard duty, cast iron housing or ductile iron housing
- Wide inner ring bearing
- A- Seal or R3- Seal





A-seal

R3-seal



Bearing Unit No.	Shaft Dia d		Dimensions(mm)												Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H0	L	P	H	j	J	A	A1	A2	N	E	S	(mm)	(in)			
UCFB202		15															UCW202		
UCFB203-10	5/8																UCW202-10		
UCFB203		17	104	55	49	40	27	30	23.5	10	14	10	29.9	10	M8	5/16	UCW203	FB203	0.42
UCFB203-11	11/16																UCW203-11		
UCFB204-12	3/4																UC204-12		
UCFB204		20	109	60	52	42	27	32	25.5	11	15	10	33.3	12.7	M8	5/16	UC204	FB204	0.62
UCFB205-14	7/8																UC205-14		
UCFB205-15	15/16																UC205-15		
UCFB205		25	116	68	56	45	27	34	27	13	16	10	35.7	14.3	M8	5/16	UC205	FB205	0.69
UCFB205-16	1																UC205-16		
UCFB206-18	1 1/8																UC206-18		
UCFB206		30	132	80	65	50	29	40	31	13	18	10	40.2	15.9	M8	5/16	UC206	FB206	0.93
UCFB206-19	1 3/16																UC206-19		
UCFB206-20	1 1/4																UC206-20		
UCFB207-20	1 1/4																UC207-20		
UCFB207-21	1 5/16																UC207-21		
UCFB207-22	1 3/8																UC207-22		
UCFB207		35	144	90	70	55	32	46	33	14	19	10	44.4	17.5	M8	5/16	UC207	FB207	1.3
UCFB207-23	1 7/16																UC207-23		
UCFB208-24	1 1/2																UC208-24		
UCFB208-25	1 9/16																UC208-25		
UCFB208		40	164	100	78	60	41	50	35	17	21	12	51.2	19	M10	3/8	UC208	FB208	1.8
UCFB209-26	1 5/8																UC209-26		
UCFB209-27	1 11/16																UC209-27		
UCFB209-28	1 3/4																UC209-28		
UCFB209		45	175	108	80	65	43	54	38	16	22	12	52.2	19	M10	3/8	UC209	FB209	2
UCFB210-30	1 7/8																UC210-30		
UCFB210-31	1 15/16																UC210-31		
UCFB210		50	184	114	86	68	46	58	39	16	22	12	54.6	19	M10	3/8	UC210	FB210	2.3
UCFB211-32	2																UC211-32		
UCFB211-34	2 1/8																UC211-34		
UCFB211		55	207	86	90	78	50	62	42.5	18	25	14	58.4	22.2	M12	1/2	UC211	FB211	
UCFB211-35	2 3/16																UC211-35		
UCFB212-36	2 1/4																UC212-36		
UCFB212		60	224	90	94	84	55	66	47.5	19	29	14	68.7	25.4	M12	1/2	UC212	FB212	
UCFB212-38	2 3/8																UC212-38		
UCFB212-39	2 7/16																UC212-39		
UCFB213-40	2 1/2																UC213-40		
UCFB213		65	244	95	102	92	60	70	49	20	30	14	69.7	25.4	M12	1/2	UC213	FB213	





- Standard duty, cast iron housing or ductile iron housing
- Wide inner ring bearing
- A- Seal or R3- Seal available in some size

Bearing Unit No.	Shaft Dia d		Dimensions(mm)															Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	N1	L2	H2	N2	N	L3	A1	H1	H	L	A	A2	L1	B1	S			
UCT201	1/2	12	15	9	46	31	18	46	12	70	82	88	30	21	58	26	10.0	UCW201	T203	0.7
UCT201-8		15																UCW201-8		
UCT202		17																UCW202		
UCT202-10		17																UCW202-10		
UCT203		17																UCW203		
UCT203-11	11/16	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	UCW203-11		
UCT204-12	3/4	20	16	10	51	32	19	51	12	76	89	94	32	21	61	31	12.7	UC204-12	T204	0.79
UCT204																		20		
UCT205-14	7/8	25	16	10	51	32	19	51	12	76	89	97	32	24	62	34	14.3	UC205-14	T205	0.88
UCT205-15	15/16																	UC205-15		
UCT205	1																	UC205		
UCT205-16	1																	UC205-16		
UCT206-18	1 1/8	30	16	10	56	37	22	57	12	89	102	113	37	28	70	38.1	15.9	UC206-18	T206	1.3
UCT206	1 3/16																	UC206		
UCT206-19	1 3/16																	UC206-19		
UCT206-20	1 1/4																	UC206-20		
UCT207-20	1 1/4	35	16	13	64	37	22	64	12	89	102	129	37	30	78	42.9	17.5	UC207-20	T207	1.7
UCT207-21	1 5/16																	UC207-21		
UCT207-22	1 3/8																	UC207-22		
UCT207	1 7/16																	UC207		
UCT207-23	1 7/16																	UC207-23		
UCT208-24	1 1/2	40	19	16	83	49	29	83	16	102	114	144	49	33	88	49.2	19.0	UC208-24	T208	2.5
UCT208-25	1 9/16																	UC208-25		
UCT208																		UC208		
UCT209-26	1 5/8	45	19	16	83	49	29	83	16	102	117	144	49	35	88	49.2	19.0	UC209-26	T209	2.5
UCT209-27	1 11/16																	UC209-27		
UCT209-28	1 3/4																	UC209-28		
UCT209																		UC209		
UCT210-30	1 7/8	50	19	16	83	49	29	86	16	102	117	149	49	37	90	51.6	19.0	UC210-30	T210	2.6
UCT210-31	1 15/16																	UC210-31		
UCT210																		UC210		
UCT211-32	2	55	25	19	102	64	35	95	22	130	146	171	64	38	106	55.6	22.2	UC211-32	T211	4.0
UCT211-34	2 1/8																	UC211-34		
UCT211	2 3/16																	UC211		
UCT211-35	2 3/16																	UC211-35		
UCT212-36	2 1/4	60	32	19	102	64	35	102	22	130	146	194	64	42	119	65.1	25.4	UC212-36	T212	4.9
UCT212	2 3/8																	UC212		
UCT212-38	2 3/8																	UC212-38		
UCT212-39	2 7/16																	UC212-39		
UCT213-40	2 1/2	65	32	21	111	70	41	121	26	151	167	224	70	44	137	65.1	25.4	UC213-40	T213	7.0
UCT213																		UC213		
UCT214-44	2 3/4	70	32	21	111	70	41	121	26	151	167	224	70	46	137	74.6	30.2	UC214-44	T214	7.1
UCT214																		UC214		
UCT215	3	75	32	21	111	70	41	121	26	151	167	232	70	48	140	77.8	33.3	UC215	T215	7.5
UCT215-48																		UC215-48		



A-seal





R3-seal

- Standard duty, cast iron housing or ductile iron housing
- Wide inner ring bearing
- A- Seal or R3- Seal available in some size

Bearing Unit No.	Shaft Diameter		Dimensions(mm)															Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	N1	L2	H2	N2	N	L3	A1	H1	H	L	A	A2	L1	B1	S			
HCT201	1/2	12	16	10	51	32	19	51	12	76	89	94	32	21	61	43.5	17.0	HC201	T204	0.87
HCT201-8		15																HC201-8		
HCT202		17																HC202		
HCT202-10		17																HC202-10		
HCT203		17																HC203		
HCT203-11	11/16	17																HC203-11		
HCT204-12	3/4	20	16	10	51	32	19	51	12	76	89	94	32	21	61	43.5	17.0	HC204-12	T204	0.84
HCT204		20																HC204		
HCT205-14	7/8	25	16	10	51	32	19	51	12	76	89	97	32	24	62	44.3	17.4	HC205-14	T205	0.92
HCT205-15	15/16																	HC205-15		
HCT205																		HC205		
HCT205-16	1																	HC205-16		
HCT206-18	1 1/8	30	16	10	56	37	22	57	12	89	102	113	37	28	70	48.3	18.2	HC206-18	T206	1.39
HCT206																		HC206		
HCT206-19	1 3/16																	HC206-19		
HCT206-20	1 1/4																	HC206-20		
HCT207-20	1 1/4	35	16	13	64	37	22	64	12	89	102	129	37	30	78	51.1	18.8	HC207-20	T207	1.83
HCT207-21	1 5/16																	HC207-21		
HCT207-22	1 3/8																	HC207-22		
HCT207																		HC207		
HCT207-23	1 7/16																	HC207-23		
HCT208-24	1 1/2	40	19	16	83	49	29	83	16	102	114	144	19	33	88	56.3	21.4	HC208-24	T208	2.64
HCT208-25	1 9/16																	HC208-25		
HCT208																		HC208		
HCT209-26	1 5/8	45	19	16	83	49	29	83	16	102	117	144	49	35	87	56.3	21.4	HC209-26	T209	2.67
HCT209-27	1 11/16																	HC209-27		
HCT209-28	1 3/4																	HC209-28		
HCT209																		HC209		
HCT210-30	1 7/8	50	19	16	83	49	29	86	16	102	117	149	49	37	90	62.7	24.6	HC210-30	T210	2.81
HCT210-31	1 15/16																	HC210-31		
HCT210																		HC210		
HCT211-32	2	55	25	19	102	64	35	95	22	130	146	171	64	38	106	71.3	27.7	HC211-32	T211	4.27
HCT211-34	2 1/8																	HC211-34		
HCT211																		HC211		
HCT211-35	2 3/16																	HC211-35		
HCT212-36	2 1/4	60	32	19	102	64	35	102	22	130	146	194	64	42	119	77.7	30.9	HC212-36	T212	5.26
HCT212																		HC212		
HCT212-38	2 3/8																	HC212-38		
HCT212-39	2 7/16																	HC212-39		
HCT213-40	2 1/2	65	32	21	111	70	41	121	26	151	167	224	70	44	137	85.7	34.1	HC213-40	T213	7.55
HCT213																		HC213		
HCT214-44	2 3/4	70	32	21	111	70	41	121	26	151	167	224	70	46	137	85.7	34.1	HC214-44	T214	7.62
HCT214																		HC214		
HCT215-48	3	75	32	21	111	70	41	121	26	151	167	232	70	48	140	92.1	37.3	HC215-48	T215	8.13
HCT215																		HC215		



- Standard duty, cast iron housing or ductile iron housing
- Wide inner ring bearing
- A- Seal or R3-Seal






A-seal



R3-seal

Bearing Unit No.	Shaft Dia d		Dimensions(mm)														Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	I	C	P	S	B	K	E	H	W	L	F	L1	B1	N			
UCTRS201	1/2	12															UC201	TRS204	0.77
UCTRS201-8																	UC201-8		
UCTRS202	5/8	15															UC202		
UCTRS202-10			22	11	35	19.1	38	6.4	66.7	79.4	89	19	8	56	31	12.7	UC202-10		
UCTRS203	3/4	17															UC203		
UCTRS204-12																	UC204-12		
UCTRS204		20															UC204		
UCTRS205-14	7/8	25															UC205-14	TRS205	0.86
UCTRS205-15	15/16																UC205-15		
UCTRS205			22	11	35	19.1	38	6.4	66.7	79.4	91	22	8	56	34	14.3	UC205		
UCTRS205-16	1																UC205-16		
UCTRS206-17	1 1/16	30															UC206-17	TRS206	1.32
UCTRS206-18	1 1/8																UC206-18		
UCTRS206			24	13	35	22.2	64	7.9	88.9	105	110	24	8	68	38.1	15.9	UC206		
UCTRS206-19	1 3/16																UC206-19		
UCTRS206-20	1 1/4																UC206-20		
UCTRS207-20	1 1/4	35															UC207-20	TRS207	1.59
UCTRS207-21	1 5/16																UC207-21		
UCTRS207-22	1 3/8		24	13	35	22.2	64	7.9	88.9	105	114	25	8	68	42.9	17.5	UC207-22		
UCTRS207																	UC207		
UCTRS207-23	1 7/16																UC207-23		
UCTRS208-24	1 1/2	40															UC208-24	TRS208	2.49
UCTRS208-25	1 9/16		29	17	41	28.6	76	7.9	101.6	121	137	30	9.5	83	49.2	19	UC208-25		
UCTRS208																	UC208		




- Standard duty, cast iron housing or ductile iron housing
- Narrow inner ring bearing
- B- Seal

Bearing Unit No.	Shaft Dia d		Dimensions(mm)											Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H	A	E	B	S2	S1	G	W	N	Bi	K	(mm)	(in)			
SALP201-8 SALP201	1/2	12														SA201-8G SA201G	LP203	0.41
SALP202-10 SALP202	5/8	15	30.2	114	87	25.4	16	11	12	57	6	28.6	28.6	M10	3/8	SA202-10G SA202 G		
SALP203		17														SA203G		
SALP204-12 SALP204	3/4	20	33.3	125	97	27	16	11	13	65	7	31	33.3	M10	3/8	SA204-12G SA204 G	LP204	0.54
SALP205-14 SALP205-15 SALP205-16 SALP205	7/8 15/16 1	25	36.5	130	100	29	16	11	13	71	7.5	31.5	38.1	M10	3/8	SA205-14G SA205-15G SA205-16G SA205 G	LP205	0.63
SALP206-17 SALP206-18 SALP206-19 SALP206-20 SALP206	1 1/16 1 1/8 1 3/16 1 1/4	30	42.9	156	120	33	21	14	14	83	8	35.7	44.5	M12	1/2	SA206-17G SA206-18G SA206-19G SA206-20G SA206 G	LP206	0.77
SALP207-20 SALP207-21 SALP207-22 SALP207-23 SALP207	1 1/4 1 5/16 1 3/8 1 7/16	35	47.6	165	127	35	21	14	16	93	8.5	38.9	55.6	M12	1/2	SA207-20G SA207-21G SA207-22G SA207-23G SA207 G	LP207	1.09



Bearing Unit No.	Shaft Dia d		Dimensions(mm)											Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H	A	E	B	S2	S1	G	W	N	Bi	K	(mm)	(in)			
SBLP201-08 SBLP201	1/2	12														SB201-08G SB201G	LP203	0.36
SBLP202-10 SBLP202	5/8	15	30.2	114	87	25.4	16	11	12	57	6	22		M10	3/8	SB202-10G SB202 G		
SBLP203		17														SB203G		
SBLP204-12 SBLP204	3/4	20	33.3	125	97	27	16	11	13	65	7	25		M10	3/8	SB204-12G SB204G	LP204	0.45
SBLP205-14 SBLP205-15 SBLP205-16 SBLP205	7/8 15/16 1	25	36.5	130	100	29	16	11	13	71	7.5	27		M10	3/8	SB205-14G SB205-15G SB205-16G SB205G	LP205	0.59
SBLP206-17 SBLP206-18 SBLP206-19 SBLP206-20 SBLP206	1 1/16 1 1/8 1 3/16 1 1/4	30	42.9	156	120	33	21	14	14	83	8	30		M12	1/2	SB206-17G SB206-18G SB206-19G SB206-20G SB206G	LP206	0.68
SBLP207-20 SBLP207-21 SBLP207-22 SBLP207-23 SBLP207	1 1/4 1 5/16 1 3/8 1 7/16	35	47.6	165	127	35	21	14	16	93	8.5	32		M12	1/2	SB207-20G SB207-21G SB207-22G SB207-23G SB207G	LP207	0.95



- Standard duty, cast iron housing or ductile iron housing
- Narrow inner ring bearing
- B-Seal




SALF





SBLF

Bearing Unit No.	Shaft Dia d		Dimensions(mm)									Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H	J	L	A1	A	A2	N	S	E	(mm)	(in)			
SALF201 SALF201-8 SALF202 SALF202-10 SALF203 SALF203-11	1/2 5/8 1 1/16	12 15 17	81	63.5	56	9.5	18	9.5	8	6.0	32.1	M6	1/4	SA201G SA201-8G SA202G SA202-10G SA203G SA203-11G	LF203	0.3
SALF204-12 SALF204	3/4	20												SA204-12G SA204G		
SALF205-14 SALF205-15 SALF205 SALF205-16	7/8 1 5/16 1	25												SA205-14G SA205-15G SA205G SA205-16G		
SALF206-18 SALF206 SALF206-19 SALF206-20	1 1/8 1 3/16 1 1/4	30												SA206-18G SA206G SA206-19G SA206-20G		
SALF207-20 SALF207-21 SALF207-22 SALF207 SALF207-23	1 1/4 1 5/16 1 3/8 1 7/16	35												SA207-20G SA207-21G SA207-22G SA207G SA207-23G		
			122	100	89	13	24	13	12	8.5	43.4	M10	3/8		LF207	0.85


Bearing Unit No.	Shaft Dia d		Dimensions(mm)									Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H	J	L	A1	A	A2	N	S	E	(mm)	(in)			
SBLF201 SBLF201-8 SBLF202 SBLF202-10 SBLF203 SBLF203-11	1/2 5/8 1 1/16	12 15 17	81	63.5	56	9.5	18	9.5	8	6	25.5	M6	1/4	SB201G SB201-8G SB202G SB202-10G SB203G SB203-11G	LF203	0.27
SBLF204-12 SBLF204	3/4	20												SB204-12G SB204G		
SBLF205-14 SBLF205-15 SBLF205 SBLF205-16	7/8 1 5/16 1	25												SB205-14G SB205-15G SB205G SB205-16G		
SBLF206-18 SBLF206 SBLF206-19 SBLF206-20	1 1/8 1 3/16 1 1/4	30												SB206-18G SB206G SB206-19G SB206-20G		
SBLF207-20 SBLF207-21 SBLF207-22 SBLF207 SBLF207-23	1 1/4 1 5/16 1 3/8 1 7/16	35												SB207-20G SB207-21G SB207-22G SB207G SB207-23G		
			122	100	89	13	24	13	12	8.5	36.5	M10	3/8		LF207	0.8





- Standard duty, cast iron housing or ductile iron housing
- Wide inner ring bearing
- A- Seal or R3- Seal



Bearing Unit No.	Shaft Dia d		Dimensions(mm)									Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H	L	J	A	H0	S	B	F	M			
UCPA202		15										UC202		
UCPA202-10	5/8											UC202-10		
UCPA203		17										UC203		
UCPA203-11	11/16		30.2	76	52	40	62	12.7	31	15	M10×1.5	UC203-11	PA204	0.63
UCPA204-12	3/4											UC204-12		
UCPA204		20										UC204		
UCPA205-14	7/8											UC205-14		
UCPA205-15	15/16											UC205-15		
UCPA205		25	36.5	84	56	40	72	14.3	34	15	M10×1.5	UC205	PA205	0.8
UCPA205-16	1											UC205-16		
UCPA206-18	1 1/8											UC206-18		
UCPA206		30										UC206		
UCPA206-19	1 3/16		42.9	94	66	48	84	15.9	38.1	18	M14×2	UC206-19	PA206	1.2
UCPA206-20	1 1/4											UC206-20		
UCPA207-20	1 1/4											UC207-20		
UCPA207-21	1 5/16											UC207-21		
UCPA207-22	1 3/8		47.6	110	80	48	95	17.5	42.9	20	M14×2	UC207-22	PA207	1.7
UCPA207		35										UC207		
UCPA207-23	1 7/16											UC207-23		
UCPA208-24	1 1/12											UC208-24		
UCPA208-25	1 9/16		49.2	116	84	54	100	19	49.2	20	M14×2	UC208-25	PA208	2
UCPA208		40										UC208		
UCPA209-26	1 5/8											UC209-26		
UCPA209-27	1 11/16											UC209-27		
UCPA209-28	1 3/4		54.2	120	90	60	108	19	49.2	25	M14×2	UC209-28	PA209	2.2
UCPA209		45										UC209		
UCPA210-30	1 7/8											UC210-30		
UCPA210-31	1 15/16		57.2	130	94	60	116	19	51.6	25	M16×2	UC210-31	PA210	2.8
UCPA210		50										UC210		
UCPA211-32	2											UC211-32		
UCPA211-34	2 1/8											UC211-34		
UCPA211		55	63.5	140	104	66	125	22.2	55.6	25	M16×2	UC211	PA211	3
UCPA211-35	2 3/16											UC211-35		
UCPA212-36	2 1/4											UC212-36		
UCPA212		60										UC212		
UCPA212-38	2 3/8		69.9	150	114	68	138	25.4	65.1	25	M16×2	UC212-38	PA212	4.24
UCPA212-39	2 7/16											UC212-39		





- Standard duty, cast iron housing or ductile iron housing
- Wide inner ring bearing
- A- Seal or R3- Seal




Bearing Unit No.	Shaft Dia d		Dimensions(mm)									Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H	L	J	A	S	H0	Bi	F	M			
HCTB201-8	1/2	20	33.3	73	50.8	38.1	17.0	65.1	43.5	13	3/8-16	HC201-8	TB204	0.64
HCTB202-10	5/8											HC202-10		
HCTB204												HC204		
HCTB204-12	3/4											HC204-12		
HCTB205		25	36.5	76.2	50.8	38.1	17.4	71.4	44.3	13	3/8-16	HC205	TB205	0.84
HCTB205-14	7/8											HC205-14		
HCTB205-15	15/16											HC205-15		
HCTB205-16	1											HC205-16		
HCTB206		30	42.9	101.6	76.2	38.1	18.2	85.7	48.3	16	7/16-14	HC206	TB206	1.3
HCTB206-17	1 1/16											HC206-17		
HCTB206-18	1 1/8											HC206-18		
HCTB206-19	1 3/16											HC206-19		
HCTB206-20	1 1/4											HC206-20		
HCTB207		35	47.6	107.9	82.5	47.6	18.8	95.3	51.1	20	1/2-13	HC207	TB207	1.82
HCTB207-20	1 1/4											HC207-20		
HCTB207-21	1 5/16											HC207-21		
HCTB207-22	1 3/8											HC207-22		
HCTB207-23	1 7/16											HC207-23		
HCTB208		40	49.2	117.5	88.9	47.6	21.4	100	56.3	20	1/2-13	HC208	TB208	2.1
HCTB208-24	1 1/2											HC208-24		
HCTB208-25	1 9/16											HC208-25		
HCTB209		45	54	127	95.3	50.8	21.4	107.9	56.3	20	1/2-13	HC209	TB209	2.35
HCTB209-26	1 5/8											HC209-26		
HCTB209-27	1 11/16											HC209-27		
HCTB209-28	1 3/4											HC209-28		
HCTB210		50	57.2	139.7	101.6	50.8	24.6	117.5	62.7	23	5/8-11	HC210	TB210	3
HCTB210-30	1 7/8											HC210-30		
HCTB210-31	1 15/16											HC210-31		




- Standard duty, cast iron housing or ductile iron housing
- Narrow inner ring bearing
- B- Seal



Bearing Unit No.	Shaft Dia d		Dimensions(mm)									Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H	L	J	A	S	H0	Bi	F	M			
SATB204		20										SA204	TB204	0.63
SATB204-12	3/4		33.3	73	50.8	38.1	7	65.1	30.9	13	3/8-16	SA204-12		
SATB205		25										SA205		
SATB205-14	7/8											SA205-14	TB205	0.79
SATB205-15	15/16		36.5	76.2	50.8	38.1	7.5	71.4	30.9	13	3/8-16	SA205-15		
SATB205-16	1											SA205-16		
SATB206		30										SA206		
SATB206-17	1 1/16											SA206-17		
SATB206-18	1 1/8		42.9	101.6	76.2	38.1	8	85.7	35.7	16	7/16-14	SA206-18	TB206	1.15
SATB206-19	1 3/16											SA206-19		
SATB206-20	1 1/4											SA206-20		
SATB207		35										SA207		
SATB207-20	1 1/4											SA207-20		
SATB207-21	1 5/16		47.6	107.9	82.5	47.6	8.5	95.3	38.9	20	1/2-13	SA207-21	TB207	1.66
SATB207-22	1 3/8											SA207-22		
SATB207-23	1 7/16											SA207-23		
SATB208		40										SA208		
SATB208-24	1 1/12		49.2	117.5	88.9	47.6	9	100	43.7	20	1/2-13	SA208-24	TB208	2.03
SATB208-25	1 9/16											SA209-25		
SATB209		45										SA209		
SATB209-26	1 5/8											SA209-26	TB209	2.25
SATB209-27	1 11/16		54	127	95.3	50.8	9.5	107.9	43.7	20	1/2-13	SA209-27		
SATB209-28	1 3/4											SA209-28		
SATB210		50										SA210		
SATB210-30	1 7/8		57.2	139.7	101.6	50.8	10	117.5	43.6	23	1/8-11	SA210-30	TB210	2.8
SATB210-31	1 15/16											SA210-31		





- Standard duty, cast iron housing or ductile iron housing
- Narrow inner ring bearing
- B- Seal



Bearing Unit No.	Shaft Dia d		Dimensions(mm)									Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H	L	J	A	S	H ₀	B	F	M			
SBTB204		20	33.3	73	50.8	38.1	7	65.1	25	13	3/8-16	SB204	TB204	0.58
SBTB204-12	3/4											SB204-12		
SBTB205		25										SB205		
SBTB205-14	7/8		36.5	76.2	50.8	38.1	7.5	71.4	27	13	3/8-16	SB205-14	TB205	0.75
SBTB205-15	15/16											SB205-15		
SBTB205-16	1											SB205-16		
SBTB206		30										SB206		
SBTB206-17	1 1/16											SB206-17		
SBTB206-18	1 1/8		42.9	101.6	76.2	38.1	8	85.7	30	16	7/16-14	SB206-18	TB206	1.12
SBTB206-19	1 3/16											SB206-19		
SBTB206-20	1 1/4											SB206-20		
SBTB207		35										SB207		
SBTB207-20	1 1/4											SB207-20		
SBTB207-21	1 5/16		47.6	107.9	82.5	47.6	8.5	95.3	32	20	1/2-13	SB207-21	TB207	1.55
SBTB207-22	1 3/8											SB207-22		
SBTB207-23	1 7/16											SB207-23		
SBTB208		40										SB208		
SBTB208-24	1 1/12		49.2	117.5	88.9	47.6	9	100	34	20	1/2-13	SB208-24	TB208	1.85
SBTB208-25	1 9/16											SB209-25		
SBTB209		45										SB209		
SBTB209-26	1 5/8		54	127	95.3	50.8	9.5	107.9	41.2	20	1/2-13	SB209-26	TB209	2.
SBTB209-27	1 11/16											SB209-27		
SBTB209-28	1 3/4											SB209-28		
SBTB210		50										SB210		
SBTB210-30	1 7/8		57.2	139.7	101.6	50.8	10	117.5	43.5	23	5/8-11	SB210-30	TB210	2.65
SBTB210-31	1 15/16											SB210-31		





- Standard duty, cast iron housing or ductile iron housing
- Wide inner ring bearing
- A- Seal or R3- Seal



Bearing Unit No.	Shaft Dia d		Dimensions(mm)									Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H0	L	C	H	A	F	M	B	S			
UCHA201	1/2	12	88.5	57	0	60	38	19	G3/4	26	10	UCW201	HA203	0.6
UCHA201-8		15										UCW201-8		
UCHA202	5/8	17										UCW202		
UCHA202-10		17										UCW202-10		
UCHA203	1 1/16	17										UCW203		
UCHA203-11		17										UCW203-11		
UCHA204-12	3/4	20	96	64	0	64	40	19	G3/4	31	12.7	UC204-12	HA204	0.73
UCHA204		20										UC204		
UCHA205-14	7/8	25	103	78	0	64	40	19	G3/4	34	14.3	UC205-14	HA205	0.88
UCHA205-15	1 5/16											UC205-15		
UCHA205												UC205		
UCHA205-16	1											UC205-16		
UCHA206-18	1 1/8	30	103	78	0	64	40	19	G3/4	38.1	15.9	UC206-18	HA206	1.0
UCHA206												UC206		
UCHA206-19	1 3/16											UC206-19		
UCHA206-20	1 1/4											UC206-20		
UCHA207-21	1 5/16	35	116	92	0	70	40	19	G3/4	42.9	17.5	UC207-21	HA207	1.2
UCHA207-22	1 3/8											UC207-22		
UCHA207												UC207		
UCHA207-23	1 7/16											UC207-23		
UCHA208-24	1 1/2	40	121	96	2	73	40	19	G3/4	49.2	19	UC208-24	HA208	1.3
UCHA208-25	1 9/16											UC208-25		
UCHA208												UC208		
UCHA209-26	1 5/8	45	136	108	5	82	48	21	G1	49.2	19	UC209-26	HA209	1.8
UCHA209-27	1 11/16											UC209-27		
UCHA209-28	1 3/4											UC209-28		
UCHA209												UC209		
UCHA210-30	1 7/8	50	140.5	115	5	83	48	21	G1	51.6	19	UC210-30	HA210	2.1
UCHA210-31	1 15/16											UC210-31		
UCHA210												UC210		
UCHA211-32	2	55	150	126	7	87	60	24	G1-1/4	55.6	22.2	UC211-32	HA211	2.8
UCHA211-34	2 1/8											UC211-34		
UCHA211												UC211		
UCHA211-35	2 3/16											UC211-35		
UCHA212-36	2 1/4	60	173	142	9	102	60	28	G1-1/4	65.1	25.4	UC212-36	HA212	3.9
UCHA212												UC212		
UCHA212-38	2 3/8											UC212-38		
UCHA212-39	2 7/16											UC212-39		
UCHA213-40	2 1/2	65	200	166	9.5	117	70	32	G1-1/2	65.1	25.4	UC213-40	HA213	5.9
HCHA213												UC213		
UCHA214-44	2 3/4	70	200	166	9.5	117	70	32	G1-1/2	74.6	30.2	UC214-44	HA214	5.9
UCHA214												UC214		
UCHA215-47	2 15/16	75	200	166	9.5	117	70	32	G1-1/2	77.8	33.2	UC215-47	HA215	5.9
UCHA215												UC215		
UCHA215-48	3											UC215-48		




B-seal




- Standard duty, cast iron housing or ductile iron housing
- Narrow inner ring bearing
- B-seal


Bearing Unit No.	Shaft Dia d		Dimensions(mm)										Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	L	J	A2	A1	A	N	H	S	B	(mm)	(in)				
SBFTD201-8	1/2	12	81	63.5	9.5	9.5	18	8	56	6	25.5	M6	1/4	SB201-8G	FTD203	0.57	
SBFTD201														SB201G			
SBFTD202-10	5/8	SB202-10G															
SBFTD202	15	SB202G															
SBFTD203	17	SB203G															
SBFTD204-12	3/4	20	90.5	71.4	11.1	11	20	10	61	7	29.1	M8	5/16	SB204-12G	FTD204	0.59	
SBFTD204	SB204G																
SBFTD205-14	7/8	25	95	76.2	11.1	11	20	10	63.5	7.5	30.6	M8	5/16	SB205-14G	FTD205	0.84	
SBFTD205-15	15/16													SB205-15G			
SBFTD205-16	1													SB205-16G			
SBFTD205														SB205G			
SBFTD206-17	1 1/16	30	113	90.5	11.9	12	22.6	12	78.6	8	34.1	M10	3/8	SB206-17G	FTD206	1.19	
SBFTD206-18	1 1/8													SB206-18G			
SBFTD206-19	1 3/16													SB206-19G			
SBFTD206-20	1 1/4													SB206-20G			
SBFTD206														SB206G			
SBFTD207-20	1 1/4	35	122	100	12.7	13	23.8	12	89	8.5	36.2	M10	3/8	SB207-20G	FTD207	1.56	
SBFTD207-21	1 5/16													SB207-21G			
SBFTD207-22	1 3/8													SB207-22G			
SBFTD207-23	1 7/16													SB207-23G			
SBFTD207														SB207G			



B-seal



SATRD




SBTRD



- Standard duty, cast iron housing or ductile iron housing
- Narrow inner ring bearing
- B- Seal

Bearing Unit No.	Shaft Dia d		Dimensions(mm)									Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	L	P	A1	A	A2	S	E	n	D	(mm)	(in)			
SATRD201-8 SATRD201	1/2	12	81	63.5	10.7	19.1	10.7	7.1	32.8	6	40.5	M6	1/4	SA201-8G SA201G SA202-10G SA202G SA203G	TRD203	0.26
SATRD202-10 SATRD202	5/8	15														
SATRD203		17														
SATRD204-12 SATRD204	3/4	20	90.5	71.4	11.1	19.8	11.1	8.7	34.5	7	45.2	M8	5/16	SA204-12G SA204G	TRD204	0.34
SATRD205-14 SATRD205-15 SATRD205-16 SATRD205	7/8 15/16 1	25	95.2	76.2	12.7	19.8	10.3	8.7	35.7	7.5	47.6	M8	5/16	SA205-14G SA205-15G SA205-16G SA205G	TRD205	0.39
SATRD206-17 SATRD206-18 SATRD206-19 SATRD206-20 SATRD206	1 1/16 1 1/8 1 3/16 1 1/4	30	116	90.5	15.1	22.2	12.1	10.3	39.8	8	57.9	M10	3/8	SA206-17G SA206-18G SA206-19G SA206-20G SA206G	TRD206	0.61
SATRD207-20 SATRD207-21 SATRD207-22 SATRD207-23 SATRD207	1 1/4 1 5/16 1 3/8 1 7/16	35	122.5	100	15.1	23.8	12.7	10.3	42.1	8.5	61.1	M10	3/8	SA207-20G SA207-21G SA207-22G SA207-23G SA207-24G	TRD207	0.82


Bearing Unit No.	Shaft Dia d		Dimensions(mm)									Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	L	P	A1	A	A2	S	E	n	D	(mm)	(in)			
SBTRD201-8 SBTRD201	1/2	12	81	63.5	10.7	19.1	10.7	7.1	26.7	6	40.5	M6	1/4	SB201-8G SB201G SB202-10G SB202G SB203G	TRD203	0.21
SBTRD202-10 SBTRD202	5/8	15														
SBTRD203		17														
SBTRD204-12 SBTRD204	3/4	20	90.5	71.4	11.1	19.8	11.1	8.7	29.1	7	45.2	M8	5/16	SB204-12G SB204G	TRD204	0.32
SBTRD205-14 SBTRD205-15 SBTRD205-16 SBTRD205	7/8 15/16 1	25	95.2	76.2	12.7	19.8	10.3	8.7	30.6	7.5	47.6	M8	5/16	SB205-14G SB205-15G SB205-16G SB205G	TRD205	0.36
SBTRD206-17 SBTRD206-18 SBTRD206-19 SBTRD206-20 SBTRD206	1 1/16 1 1/8 1 3/16 1 1/4	30	116	90.5	15.1	22.2	12.1	10.3	33.1	8	57.9	M10	3/8	SB206-17G SB206-18G SB206-19G SB206-20G SB206G	TRD206	0.57
SBTRD207-20 SBTRD207-21 SBTRD207-22 SBTRD207-23 SBTRD207	1 1/4 1 5/16 1 3/8 1 7/16	35	122.5	100	15.1	23.8	12.7	10.3	36.2	8.5	61.1	M10	3/8	SB207-20G SB207-21G SB207-22G SB207-23G SB207G	TRD207	0.71





- All stainless steel
- Wide inner ring bearing
- A- Seal or R3- Seal



Bearing Unit No.	Shaft Dia d		Dimensions(mm)										Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H	L	J	A	N	N1	H1	H0	S	B1	(mm)	(in)			
SSUCP202 SSUCP202-10 SSUCP203 SSUCP203-11	5/8 1 1/16	15 17	30.2	125.0	96.0	32.0	13.0	16.0	14.0	57.0	10.0	26.0	M10	3/8	SUCW202 SUCW202-10 SUCW203 SUCW203-11	SP202S	0.5
SSUCP204-12 SSUCP204	3/4 20	20	33.3	127.0	96.0	37.0	13.0	19.0	14.0	63.8	12.7	31.0	M10	3/8	SUC204-12 SUC204	SP204	0.65
SSUCP205-14 SSUCP205-15 SSUCP205 SSUCP205-16	7/8 15/16 1	25	36.5	140.0	105.0	38.0	13.0	19.0	15.0	69.5	14.3	34.0	M10	3/8	SUC205-14 SUC205-15 SUC205 SUC205-16	SP205	0.72
SSUCP206-18 SSUCP206 SSUCP206-19 SSUCP206-20	1 1/8 1 3/16 1 1/4	30	42.9	160.0	121.0	44.0	14.0	19.0	16.0	82.0	15.9	38.1	M12	1/2	SUC206-18 SUC206 SUC206-19 SUC206-20	SP206	1.15
SSUCP207-20 SSUCP207-21 SSUCP207-22 SSUCP207 SSUCP207-23	1 1/4 1 5/16 1 3/8 1 7/16	35	47.6	167.0	126.0	48.0	15.0	19.0	17.0	92.0	17.5	42.9	M12	1/2	SUC207-20 SUC207-21 SUC207-22 SUC207 SUC207-23	SP207	1.53
SSUCP208-24 SSUCP208-25 SSUCP208	1 1/2 1 9/16	40	49.2	180.0	136.0	52.0	15.0	21.0	18.0	98.0	19.0	49.2	M12	1/2	SUC208-24 SUC208-25 SUC208	SP208	1.88
SSUCP209-26 SSUCP209-27 SSUCP209-28 SSUCP209	1 5/8 1 11/16 1 3/4	45	54.0	189.0	146.0	54.0	15.0	21.0	20.0	105.5	19.0	49.2	M12	1/2	SUC209-26 SUC209-27 SUC209-28 SUC209	SP209	2.1
SSUCP210-30 SSUCP210-31 SSUCP210	1 7/8 1 15/16	50	57.2	204.0	159.0	57.0	19.0	22.0	21.0	112.2	19.0	51.6	M16	5/8	SUC210-30 SUC210-31 SUC210	SP210	2.5
SSUCP211-32 SSUCP211-34 SSUCP211 SSUCP211-35	2 2 1/8 2 3/16	55	63.5	217.0	172.0	60.0	19.0	22.0	22.0	124.5	22.2	55.6	M16	5/8	SUC211-32 SUC211-34 SUC211 SUC211-35	SP211	3.3
SSUCP212-36 SSUCP212 SSUCP212-38 SSUCP212-39	2 1/4 2 3/8 2 7/16	60	69.9	238.0	186.0	66.0	19.0	25.0	24.0	137.0	25.4	65.1	M16	5/8	SUC212-36 SUC212 SUC212-38 SUC212-39	SP212	5.5
SSUCP213-40 SSUCP213	2 1/2	65	76.2	262.0	203.0	70.0	23.0	29.0	26.0	149.0	25.4	65.1	M20	3/4	SUC213-40 SUC213	SP213	5.6
SSUCP214-44 SSUCP214	2 3/4	70	79.4	266.0	210.0	72.0	23.0	29.0	27.0	155.0	30.2	74.6	M20	3/4	SUC214-44 SUC214	SP214	6.6
SSUCP215 SSUCP215-48	3	75	82.6	274.0	217.0	74.0	25.0	29.0	28.0	161.6	33.3	77.8	M20	3/4	SUC215 SUC215-48	SP215	7.3



- All stainless steel
- Wide inner ring bearing
- A- Seal or R3- Seal




A-seal





R3-seal

Bearing Unit No.	Shaft Dia d		Dimensions(mm)										Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H	L	J	A	N	N1	H1	H0	S	B1	(mm)	(in)			
SSHCP202		15													SHCW202		
SSHCP202-10	5/8														SHCW202-10		
SSHCP203		17	30.2	125.0	96.0	32.0	13.0	16.0	14.0	57.0	13.9	37.3	M10	3/8	SHCW203	SP202S	0.56
SSHCP203-11	11/16														SHCW03-11		
SSHCP204-12	3/4														SHC204-12	SP204	0.72
SSHCP204		20	33.3	127.0	96.0	37.0	13.0	19.0	14.0	63.8	17.0	43.5	M10	3/8	SHC204		
SSHCP205-14	7/8														SHC205-14		
SSHCP205-15	15/16														SHC205-15	SP205	0.8
SSHCP205		25	36.5	140.0	105.0	38.0	13.0	19.0	15.0	69.5	17.4	44.3	M10	3/8	SHC205		
SSHCP205-16	1														SHC205-16		
SSHCP206-18	1 1/8														SHC206-18		
SSHCP206		30	42.9	160.0	121.0	44.0	14.0	19.0	16.0	82.0	18.2	48.3	M12	1/2	SHC206	SP206	1.35
SSHCP206-19	1 3/16														SHC206-19		
SSHCP206-20	1 1/4														SHC206-20		
SSHCP207-20	1 1/4														SHC207-20		
SSHCP207-21	1 5/16														SHC207-21		
SSHCP207-22	1 3/8														SHC207-22	SP207	1.7
SSHCP207		35	47.6	167.0	126.0	48.0	15.0	19.0	17.0	92.0	18.8	51.1	M12	1/2	SHC207		
SSHCP207-23	1 7/16														SHC207-23		
SSHCP208-24	1 1/2														SHC208-24		
SSHCP208-25	1 9/16														SHC208-25	SP208	2
SSHCP208		40	49.2	180.0	136.0	52.0	15.0	21.0	18.0	98.0	21.4	56.3	M12	1/2	SHC208		
SSHCP209-26	1 5/8														SHC209-26		
SSHCP09-27	1 11/16														SHC209-27		
SSHCP209-28	1 3/4														SHC209-28	SP209	2.42
SSHCP209		45	54.0	189.0	146.0	54.0	15.0	21.0	20.0	105.5	21.4	56.3	M12	1/2	SHC209		
SSHCP210-30	1 7/8														SHC210-30		
SSHCP210-31	1 15/16														SHC210-31		
SSHCP210		50	57.2	204.0	159.0	57.0	19.0	22.0	21.0	112.2	24.6	62.7	M16	5/8	SHC210	SP210	2.75
SSHCP211-32	2														SHC211-32		
SSHCP211-34	2 1/8														SHC211-34		
SSHCP211		55	63.5	217.0	172.0	60.0	19.0	22.0	22.0	124.5	27.7	71.3	M16	5/8	SHC211	SP211	3.56
SSHCP211-35	2 3/16														SHC211-35		
SSHCP212-36	2 1/4														SHC212-36		
SSHCP212		60	69.9	238.0	186.0	66.0	19.0	25.0	24.0	137.0	30.9	77.7	M16	5/8	SHC212	SP212	5.2
SSHCP212-38	2 3/8														SHC212-38		
SSHCP212-39	2 7/16														SHC212-39		
SSHCP213-40	2 1/2														SHC213-40		
SSHCP213		65	76.2	262.0	203.0	70.0	23.0	29.0	26.0	149.0	34.1	85.7	M20	3/4	SHC213	SP213	6.3
SSHCP214-44	2 3/4														SHC214-44		
SSHCP214		70	79.4	266.0	210.0	72.0	23.0	29.0	27.0	155.0	34.1	85.7	M20	3/4	SHC214	SP214	7.8
SSHCP215		75													SHC215		7.7
SSHCP215-47	2 15/16														SHC215-47	SP215	7.8
SSHCP215-48	3		82.6	274.0	217.0	74.0	25.0	29.0	28.0	161.6	37.3	92.1	M20	3/4	SHC215-48		








- All stainless steel
- Wide inner ring bearing
- A- Seal or R3- Seal



Bearing Unit No.	Shaft Dia d		Dimensions(mm)								Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	L	J	A2	A1	A	E	N	S	(mm)	(in)			
SSUCF202		15											SUC202		
SSUCF202-10	5/8												SUC202-10		
SSUCF203		17	86	64	18	11	27	33.3	11.5	12.7	M10	3/8	SUC203	SF204	0.64
SSUCF203-11	11/16												SUC203-11		
SSUCF204-12	3/4												SUC204-12		
SSUCF204		20											SUC204		
SSUCF205-14	7/8												SUC205-14		
SSUCF205-15	15/16												SUC205-15		
SSUCF205		25	95	70	19	13	30	35.7	11.5	14.3	M10	3/8	SUC205	SF205	0.8
SSUCF205-16	1												SUC205-16		
SSUCF206-18	1 1/8												SUC206-18		
SSUCF206		30	108	83	20	13	33	40.2	11.5	15.9	M10	3/8	SUC206	SF206	1.07
SSUCF206-19	1 3/16												SUC206-19		
SSUCF206-20	1 1/4												SUC206-20		
SSUCF207-20	1 1/4												SUC207-20		
SSUCF207-21	1 5/16												SUC207-21		
SSUCF207-22	1 3/8												SUC207-22		
SSUCF207		35	117	92	21	15	34	44.4	14	17.5	M12	1/2	SUC207	SF207	1.4
SSUCF207-23	1 7/16												SUC207-23		
SSUCF208-24	1 1/2												SUC208-24		
SSUCF208-25	1 9/16												SUC208-25		
SSUCF208		40	130	102	23	15	37	51.2	14	19	M12	1/2	SUC208	SF208	1.8
SSUCF209-26	1 5/8												SUC209-26		
SSUCF209-27	1 11/16												SUC209-27		
SSUCF209-28	1 3/4												SUC209-28		
SSUCF209		45	137	105	23	16	38	52.2	16	19	M14	9/16	SUC209	SF209	2.2
SSUCF210-30	1 7/8												SUC210-30		
SSUCF210-31	1 15/16												SUC210-31		
SSUCF210		50	143	111	26	16	41	54.6	18	19	M16	5/8	SUC210	SF210	2.4
SSUCF211-32	2												SUC211-32		
SSUCF211-34	2 1/8												SUC211-34		
SSUCF211		55	162	130	29	18	45	58.4	18	22.2	M16	5/8	SUC211	SF211	3.5
SSUCF211-35	2 3/16												SUC211-35		
SSUCF212-36	2 1/4												SUC212-36		
SSUCF212		60	175	143	33	18	50	68.7	18	25.4	M16	5/8	SUC212	SF212	4.2
SSUCF212-38	2 3/8												SUC212-38		
SSUCF212-39	2 7/16												SUC212-39		
SSUCF213-40	2 1/2												SUC213-40		
SSUCF213		65	187	149	36	22	54	69.7	18	25.4	M16	5/8	SUC213	SF213	5.3
SSUCF214-44	2 3/4												SUC214-44		
SSUCF214		70	193	152	36	22	55	75.4	18	30.2	M16	5/8	SUC214	SF214	5.9
SSUCF215-47	2 15/16												SUC215-47		
SSUCF215		75	200	159	39	22	59	78.5	18	33.3	M16	5/8	SUC215	SF215	6.3
SSUCF215-48	3												SUC215-48		





- All stainless steel
- Wide inner ring bearing
- A- Seal or R3- Seal




Bearing Unit No.	Shaft Dia d		Dimensions(mm)								Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	A	E	I	G	L	S	N	Z	(mm)	(in)			
SSHCF201		12											SHC201		
SSHCF201-8	1/2												SHC201-8		
SSHCF202		15											SHC202		
SSHCF202-9	9/16		86	63.5	19	15	29.5	11.5	17.1	45.5	M10	3/8	SHC202-9	SFS203	0.58
SSHCF202-10	5/8												SHC202-10		
SSHCF203-11	11/16												SHC203-11		
SSHCF204-12	3/4												SHC204-12		
SSHCF204		20	86	63.5	19	15	29.5	11.5	17.1	45.5	M10	3/8	SHC204	SFS204	0.58
SSHCF205-13	13/16												SHC205-13		
SSHCF205-14	7/8												SHC205-14		
SSHCF205-15	15/16		93	70	19	15	30	11.5	17.5	45.9	M10	3/8	SHC205-15	SFS205	0.61
SSHCF205-16	1												SHC205-16		
SSHCF205		25											SHC205		
SSHCF206-17	1 1/16												SHC206-17		
SSHCF206-18	1 1/8												SHC206-18		
SSHCF206-19	1 3/16		106	82.5	20	16	32.5	13	18.3	50.1	M12	1/2	SHC206-19	SFS206	0.8
SSHCF206-20	1 1/4												SHC206-20		
SSHCF206		30											SHC206		
SSHCF207-20	1 1/4												SHC207-20		
SSHCF207-21	1 5/16												SHC207-21		
SSHCF207-22	1 3/8		116	92	21	17	35	13	18.8	53.3	M12	1/2	SHC207-22	SFS207	1
SSHCF207-23	1 7/16												SHC207-23		
SSHCF207		35											SHC207		
SSHCF208-24	1 1/2												SHC208-24		
SSHCF208-25	1 9/16		129	101.5	24	17	39	14	21.4	58.9	M12	1/2	SHC208-25	SFS208	0.91
SSHCF208		40											SHC208		
SSHCF209-26	1 5/8												SHC209-26		
SSHCF209-27	1 11/16												SHC209-27		
SSHCF209-28	1 3/4		135	105	24	18	40	16	21.4	58.9	M14	9/16	SHC209-28	SFS209	1.54
SSHCF209		45											SHC209		
SSHCF210-29	1 13/16												SHC210-29		
SSHCF210-30	1 7/8												SHC210-30		
SSHCF210-31	1 15/16		143	111	28	20	45	16	24.6	66.1	M14	9/16	SHC210-31	SFS210	1.78
SSHCF210		50											SHC210		
SSHCF211-32													SHC211-32		
SSHCF211-33	2												SHC211-33		
SSHCF211-34	2 1/16		162	130	31	21	49	17	27.8	74.6	M14	9/16	SHC211-34	SFS211	2.5
SSHCF211-35	2 1/8												SHC211-35		
SSHCF211	2 3/16	55											SHC211		
SSHCF212-36													SHC212-36		
SSHCF212-37	2 1/4												SHC212-37		
SSHCF212-38	2 5/16		175	143	34	22	53.5	17	31	80.8	M14	9/16	SHC212-38	SFS212	2.8
SSHCF212-39	2 3/8												SHC212-39		
SSHCF212	2 7/16	60											SHC212		





- All stainless steel
- Wide inner ring bearing
- A- Seal or R3- Seal



Bearing Unit No.	Shaft Dia d		Dimensions(mm)									Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H	J	L	A2	A1	A	E	N	S	(mm)	(in)			
SSUCFL201	1/2	12	99	76.5	57	15	11	24.5	31	11.5	10	M10	3/8	SUCW201	SFL203	0.45
SSUCFL201-8		15												SUCW201-8		
SSUCFL202		17												SUCW202		
SSUCFL202-10		11/16												SUCW202-10		
SSUCFL203	5/8	17	99	76.5	57	15	11	24.5	31	11.5	10	M10	3/8	SUCW203	SFL203	0.45
SSUCFL203-11														SUCW203-11		
SSUCFL204-12	3/4	20	113	90	60	15	11	25.5	33.3	11.5	12.7	M10	3/8	SUC204-12	SFL204	0.51
SSUCFL204	SUC204															
SSUCFL205-14	7/8	25	130	99	68	16	13	27	35.8	11.5	14.3	M10	3/8	SUC205-14	SFL205	0.6
SSUCFL205-15	15/16													SUC205-15		
SSUCFL205	1													SUC205		
SSUCFL205-16	1													SUC205-16		
SSUCFL206-18	1 1/8	30	148	117	80	18	13	31	40.2	11.5	15.9	M10	3/8	SUC206-18	SFL206	0.9
SSUCFL206	1 3/16													SUC206		
SSUCFL206-19	1 3/16													SUC206-19		
SSUCFL206-20	1 1/4													SUC206-20		
SSUCFL207-20	1 1/4	35	161	130	90	19	14	34	44.4	14	17.5	M12	1/2	SUC207-20	SFL207	1.2
SSUCFL207-21	1 5/16													SUC207-21		
SSUCFL207-22	1 3/8													SUC207-22		
SSUCFL207	1 7/16													SUC207		
SSUCFL207-23	1 7/16													SUC207-23		
SSUCFL208-24	1 1/2	40	175	144	100	21	14	36	51.2	14	19	M12	1/2	SUC208-24	SFL208	1.5
SSUCFL208-25	1 9/16													SUC208-25		
SSUCFL208														SUC08		
SSUCFL209-26	1 5/8	45	188	148	108	22	16	38	52.2	18	19	M16	5/8	SUC209-26	SFL209	1.9
SSUCFL209-27	1 11/16													SUC209-27		
SSUCFL209-28	1 3/4													SUC209-28		
SSUCFL209														SUC209		
SSUCFL210-30	1 7/8	50	197	157	115	22	16	40	54.6	18	19	M16	5/8	SUC210-30	SFL210	2.2
SSUCFL210-31	1 15/16													SUC210-31		
SSUCFL210														SUC210		
SSUCFL211-32	2	55	224	184	130	25	18	43	58.4	18	22.2	M16	5/8	SUC211-32	SFL211	3.1
SSUCFL211-34	2 1/8													SUC211-34		
SSUCFL211														SUC211		
SSUCFL211-35	2 3/16													SUC211-35		
SSUCFL212-36	2 1/4	60	250	202	140	29	18	48	68.7	18	25.4	M16	5/8	SUC212-36	SFL212	4
SSUCFL212														SUC212		
SSUCFL212-38	2 3/8													SUC212-38		
SSUCFL212-39	2 7/16													SUC212-39		
SSUCFL213-40	2 1/2		258	210	155	30	20	50	69.7	23	25.4	M20	3/4	SUC213-40	SFL213	5





- All stainless steel
- Wide inner ring bearing
- A- Seal or R3- Seal




Bearing Unit No.	Shaft Dia d		Dimensions(mm)									Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H	J	L	A2	A1	A	E	N	S	(mm)	(in)			
SSHCFL201 SSHCFL201-8 SSHCFL203 SSHCFL203-11	1/2 1 1/16	12 17	99	76.5	57	15	11	24.5	38.4	11.5	13.9	M10	3/8	SHCW201 SHCW201-8 SHCW203 SHCW203-11	SFL203	0.48
SSHCFL204-12 SSHCFL204	3/4	20	113	90	60	15	11	25.5	41.5	11.5	17	M10	3/8	SHC204-12 SHC204	SFL204	0.7
SSHCFL205-14 SSHCFL205-15 SSHCFL205 SSHCFL205-16	7/8 15/16 1	25	130	99	68	16	13	27	42.9	11.5	17.4	M10	3/8	SHC205-14 SHC205-15 SHC205 SHC205-16	SFL205	0.8
SSHCFL206-18 SSHCFL206 SSHCFL206-19 SSHCFL206-20	1 1/8 1 3/16 1 1/4	30	148	117	80	18	13	31	48.1	11.5	18.2	M10	3/8	SHC206-18 SHC206 SHC206-19 SHC206-20	SFL206	1.2
SSHCFL207-20 SSHCFL207-21 SSHCFL207-22 SSHCFL207 SSHCFL207-23	1 1/4 1 5/16 1 3/8 1 7/16	35	161	130	90	19	14	34	51.3	14	18.8	M12	1/2	SHC207-20 SHC207-21 SHC207-22 SHC207 SHC207-23	SFL207	1.6
SSHCFL208-24 SSHCFL208-25 SSHCFL208	1 1/2 1 9/16 40	40	175	144	100	21	14	36	55.9	14	21.4	M12	1/2	SHC208-24 SHC208-25 SHC208	SFL208	1.9
SSHCFL209-26 SSHCFL209-27 SSHCFL209-28 SSHCFL209	1 5/8 1 11/16 1 3/4 45	45	188	148	108	22	16	38	56.9	18	21.4	M16	5/8	SHC209-26 SHC209-27 SHC209-28 SHC209	SFL209	2.3
SSHCFL210-30 SSHCFL210-31 SSHCFL210	1 7/8 1 15/16 50	50	197	157	115	22	16	40	60.1	18	24.6	M16	5/8	SHC210-30 SHC210-31 SHC210	SFL210	2.6
SSHCFL211-32 SSHCFL211-34 SSHCFL211 SSHCFL211-35	2 2 1/8 2 3/16	55	224	184	130	25	18	43	68.6	18	27.7	M16	5/8	SHC211-32 SHC211-34 SHC211 SHC211-35	SFL211	3.8
SSHCFL212-36 SSHCFL212 SSHCFL212-38 SSHCFL212-39	2 1/4 2 3/8 2 7/16	60	250	202	140	29	18	48	75.8	18	30.9	M16	5/8	SHC212-36 SHC212 SHC212-38 SHC212-39	SFL212	4.8
SSHCFL213-40 SSHCFL213	2 1/2	65	258	210	155	30	20	50	81.6	23	34.1	M20	3/4	SHC213-40 SHC213	SFL213	6
SSHCFL214-44 SSHCFL214	2 3/4	70	265	216	160	31	20	54	82.6	23	34.1	M20	3/4	SHC214-44 SHC214	SFL214	6.3
SSHCFL215 SSHCFL215-48	3	75	275	225	164	34	22	55	88.8	23	37.3	M20	3/4	SHC215 SHC215-48	SFL215	7.2
SSHCFL216		80	290	233	180	34	22	58	91.5	25	37.3	M22	7/8	SHC216	SFL216	7.37





- All Stainless Steel
- Wide inner ring bearing
- A- Seal or R3- Seal





Bearing Unit No.	Shaft Dia d		Dimensions(mm)										Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	L	P	A2	A1	J	K	N	F	S	E	(mm)	(in)			
SSUCFC201	1/2	12	100	78	10	20.5	5	6	11.5	62	12.7	28.3	M10	3/8	SUC201	SFC204	0.79
SSUCFC201-8		15													SUC202-8		
SSUCFC202	5/8	17													SUC202		
SSUCFC202-10	1 1/16	20													SUC202-10		
SSUCFC203		20													SUC203		
SSUCFC203-11	3/4	25	115	90	10	21	6	7	12	70	14.3	29.7	M10	3/8	SUC203-11		
SSUCFC204		25													SUC204		
SSUCFC204-12	7/8	30													SUC204-12		
SSUCFC205		30													SUC205	SFC205	0.96
SSUCFC205-14	15/16	35													SUC205-14		
SSUCFC205-15	1	40													SUC205-15		
SSUCFC205-16		45													SUC205-16		
SSUCFC206	1 1/8	50	125	100	10	23	8	8	12	80	15.9	32.2	M10	3/8	SUC206	SFC206	1.37
SSUCFC206-18	1 3/16	55													SUC206-18		
SSUCFC206-19	1 1/4	60													SUC206-19		
SSUCFC206-20		65													SUC206-20		
SSUCFC207	1 1/4	70	135	110	11	26	8	9	14	90	17.5	36.4	M12	1/2	SUC207	SFC207	1.7
SSUCFC207-20	1 5/16	75													SUC207-20		
SSUCFC207-21	1 3/8	80													SUC207-21		
SSUCFC207-22		85													SUC207-22		
SSUCFC207-23	1 7/16	90													SUC207-23		
SSUCFC208	1 1/2	100	145	120	11	26	10	9	14	100	19	41.2	M12	1/2	SUC208	SFC208	2
SSUCFC208-24	1 9/16	110													SUC208-24		
SSUCFC208-25		120													SUC208-25		
SSUCFC209	1 5/8	125													SUC209	SFC209	2.7
SSUCFC209-26	1 11/16	135	160	132	10	26	12	10	16	105	19	40.2	M14	9/15	SUC209-26		
SSUCFC209-27	1 3/4	140													SUC209-27		
SSUCFC209-28		145													SUC209-28		
SSUCFC210	1 7/8	150	165	138	10	28	12	14	16	110	19	42.6	M14	9/15	SUC210	SFC210	2.9
SSUCFC210-30	1 15/16	160													SUC210-30		
SSUCFC210-31		165													SUC210-31		
SSUCFC211	2	170													SUC211	SFC211	4.2
SSUCFC211-32	2 1/8	180	185	150	13	30	12	13	19	125	22.2	46.4	M16	5/8	SUC211-32		
SSUCFC211-34		185													SUC211-34		
SSUCFC211-35	2 3/16	190													SUC211-35		
SSUCFC212	2 1/4	200	195	160	17	36	12	15	19	135	25.4	56.7	M16	5/8	SUC212	SFC212	4.94
SSUCFC212-36	2 3/8	210													SUC212-36		
SSUCFC212-38		215													SUC212-38		
SSUCFC212-39	2 7/16	220													SUC212-39		



- All stainless steel
- Wide inner ring bearing
- A- Seal or R3- Seal



Bearing Unit No.	Shaft Dia d		Dimensions(mm)													Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H0	L	P	H	j	J	A	A1	A2	N	E	S	(mm)	(in)				
SSUCFB202	5/8	15															SUCW202	SFB203	0.41	
SSUCFB203-10																	SUCW202-10			
SSUCFB203		17	104	55	49	40	27	30	23.5	10	14	10	29.9	10	M8	5/16	SUCW203			
SSUCFB203-11		11/16															SUCW203-11			
SSUCFB204-12	3/4																SUC204-12	SFB204	0.62	
SSUCFB204		20	109	60	52	42	27	32	25.5	11	15	10	33.3	12.7	M8	5/16	SUC204			
SSUCFB205-14	7/8	25															SUC205-14	SFB205	0.69	
SSUCFB205-15	15/16																SUC205-15			
SSUCFB205			116	68	56	45	27	34	27	13	16	10	35.7	14.3	M8	5/16	SUC205			
SSUCFB205-16	1																SUC205-16			
SSUCFB206-18	1 1/8	30															SUC206-18	SFB206	0.93	
SSUCFB206																	SUC206			
SSUCFB206-19	1 3/16		132	80	65	50	29	40	31	13	18	10	40.2	15.9	M8	5/16	SUC206-19			
SSUCFB206-20	1 1/4																SUC206-20			
SSUCFB207-20	1 1/4	35															SUC207-20	SFB207	1.3	
SSUCFB207-21	1 5/16																SUC207-21			
SSUCFB207-22	1 3/8		144	90	70	55	32	46	33	14	19	10	44.4	17.5	M8	5/16	SUC207-22			
SSUCFB207																	SUC207			
SSUCFB207-23	1 7/16																SUC207-23			
SSUCFB208-24	1 1/2	40															SUC208-24	SFB208	1.8	
SSUCFB208-25	1 9/16		164	100	78	60	41	50	35	17	21	12	51.2	19	M10	3/8	SUC208-25			
SSUCFB208																	SUC208			
SSUCFB209-26	1 5/8	45															SUC209-26	SFB209	2	
SSUCFB209-27	1 11/16																SUC209-27			
SSUCFB209-28	1 3/4		175	108	80	65	43	54	38	16	22	12	52.2	19	M10	3/8	SUC209-28			
SSUCFB209																	SUC209			
SSUCFB210-30	1 7/8	50															SUC210-30	SFB210	2.3	
SSUCFB210-31	1 15/16		184	114	86	68	46	58	39	16	22	12	54.6	19	M10	3/8	SUC210-31			
SSUCFB210																	SUC210			




- All stainless steel
- Wide inner ring bearing
- A- Seal or R3- Seal available in some size


Bearing Unit No.	Shaft Dia d		Dimensions(mm)															Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	N1	L2	H2	N2	N	L3	A1	H1	H	L	A	A2	L1	B1	S			
SSUCT201	1/2	12																SUCW201	ST203	0.7
SSUCT201-8		15																SUCW201-8		
SSUCT202	5/8	15	15	9	46	31	18	46	12	70	82	88	30	21	58	26	10.0	SUCW202		
SSUCT202-10		17																SUCW202-10		
SSUCT203	1 1/16	17																SUCW203		
SSUCT203-11		20																SUCW203-11		
SSUCT204-12	3/4	20	16	10	51	32	19	51	12	76	89	94	32	21	61	31	12.7	SUC204-12	ST204	0.8
SSUCT204																		SUC204		
SSUCT205-14	7/8	25	16	10	51	32	19	51	12	76	89	97	32	24	62	34	14.3	SUC205-14	ST205	0.9
SSUCT205-15	15/16																	SUC205-15		
SSUCT205																		SUC205		
SSUCT205-16	1																	SUC205-16		
SSUCT206-18	1 1/8	30	16	10	56	37	22	57	12	89	102	113	37	28	70	38.1	15.9	SUC206-18	ST206	1.3
SSUCT206																		SUC206		
SSUCT206-19	1 3/16																	SUC206-19		
SSUCT206-20	1 1/4																	SUC206-20		
SSUCT207-20	1 1/4	35	16	13	64	37	22	64	12	89	102	129	37	30	78	42.9	17.5	SUC207-20	ST207	1.7
SSUCT207-21	1 5/16																	SUC207-21		
SSUCT207-22	1 3/8																	SUC207-22		
SSUCT207																		SUC207		
SSUCT207-23	1 7/16																	SUC207-23		
SSUCT208-24	1 1/2	40	19	16	83	49	29	83	16	102	114	144	49	33	87	49.2	19.0	SUC208-24	ST208	2.5
SSUCT208-25	1 9/16																	SUC208-25		
SSUCT208																		SUC208		
SSUCT209-26	1 5/8	45	19	16	83	49	29	83	16	102	117	144	49	35	88	49.2	19.0	SUC209-26	ST209	2.5
SSUCT209-27	1 11/16																	SUC209-27		
SSUCT209-28	1 3/4																	SUC209-28		
SSUCT209																		SUC209		
SSUCT210-30	1 7/8	50	19	16	83	49	29	86	16	102	117	149	49	37	90	51.6	19.0	SUC210-30	ST210	2.6
SSUCT210-31	1 15/16																	SUC210-31		
SSUCT210																		SUC210		
SSUCT211-32	2	55	25	19	102	64	35	95	22	130	146	171	64	38	106	55.6	22.2	SUC211-32	ST211	4.0
SSUCT211-34	2 1/8																	SUC211-34		
SSUCT211																		SUC211		
SSUCT211-35	2 3/16																	SUC211-35		
SSUCT212-36	2 1/4	60	32	19	102	64	35	102	22	130	146	194	64	42	119	65.1	25.4	SUC212-36	ST212	4.9
SSUCT212																		SUC212		
SSUCT212-38	2 3/8																	SUC212-38		
SSUCT212-39	2 7/16																	SUC212-39		





- All stainless steel
- Wide inner ring bearing
- A- Seal or R3-Seal



Bearing Unit No.	Shaft Dia		Dimensions(mm)														Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	I	C	P	S	B	K	E	H	W	L	F	L1	B1	N			
SSUCTRS201	1/2	12															SUC201	STRS204	0.77
SSUCTRS201-8																	SUC201-8		
SSUCTRS202	5/8	15															SUC202		
SSUCTRS202-10			22	11	35	19.1	38	6.4	66.7	79.4	89	19	8	56	31	12.7	SUC202-10		
SSUCTRS203	3/4	17															SUC203		
SSUCTRS204-12																	SUC204-12		
SSUCTRS204		20															SUC204		
SSUCTRS205-14	7/8	25															SUC205-14	STRS205	0.86
SSUCTRS205-15	15/16																SUC205-15		
SSUCTRS205			22	11	35	19.1	38	6.4	66.7	79.4	91	22	8	56	34	14.3	SUC205		
SSUCTRS205-16	1																SUC205-16		
SSUCTRS206-17	1 1/16	30															SUC206-17	STRS206	1.32
SSUCTRS206-18	1 1/8																SUC206-18		
SSUCTRS206			24	13	35	22.2	64	7.9	88.9	105	110	24	8	68	38.1	15.9	SUC206		
SSUCTRS206-19	1 3/16																SUC206-19		
SSUCTRS206-20	1 1/4																SUC206-20		
SSUCTRS207-20	1 1/4	35															SUC207-20	STRS207	1.59
SSUCTRS207-21	1 5/16																SUC207-21		
SSUCTRS207-22	1 3/8		24	13	35	22.2	64	7.9	88.9	105	114	25	8	68	42.9	17.5	SUC207-22		
SSUCTRS207																	SUC207		
SSUCTRS207-23	1 7/16																SUC207-23		
SSUCTRS208-24	1 1/2	40															SUC208-24	STRS208	2.49
SSUCTRS208-25	1 9/16		29	17	41	28.6	76	7.9	101.6	121	137	30	9.5	83	49.2	19	SUC208-25		
SSUCTRS208																	SUC208		





- All stainless steel
- A- Seal or R3- Seal



Bearing Unit No.	Shaft Dia d		Dimensions(mm)									Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H	L	J	A	S	H0	B	F	M			
SSUCTB201-8	1/2	20	33.3	73	50.8	38.1	12.7	65.1	31	13	3/8-16	SUC201-8	STB204	0.63
SSUCTB202-10	5/8											SUC202-10		
SSUCTB204												SUC204		
SSUCTB204-12	3/4											SUC204-12		
SSUCTB205		25	36.5	76.2	50.8	38.1	14.3	71.4	34	13	3/8-16	SUC205	STB205	0.8
SSUCTB205-14	7/8											SUC205-14		
SSUCTB205-15	15/16											SUC205-15		
SSUCTB205-16	1											SUC205-16		
SSUCTB206		30	42.9	101.6	76.2	38.1	15.9	85.7	38.1	16	7/16 14	SUC206	STB206	1.2
SSUCTB206-17	1 1/16											SUC206-17		
SSUCTB206-18	1 1/8											SUC206-18		
SSUCTB206-19	1 3/16											SUC206-19		
SSUCTB206-20	1 1/4											SUC206-20		
SSUCTB207		35	47.6	107.9	82.5	47.6	17.5	95.3	42.9	20	1/2 13	SUC207	STB207	1.7
SSUCTB207-20	1 1/4											SUC207-20		
SSUCTB207-21	1 5/16											SUC207-21		
SSUCTB207-22	1 3/8											SUC207-22		
SSUCTB207-23	1 7/16											SUC207-23		
SSUCTB208		40	49.2	117.5	88.9	47.6	19	100	42.9	20	1/2 13	SUC208	STB208	2
SSUCTB208	1 1/2											SUC208-24		
SSUCTB208-25	1 9/16											SUC208-25		
SSUCTB209		45	54	127	95.3	50.8	19	107.9	42.9	20	1/2 13	SUC209	STB209	2.22
SSUCTB209-26	1 5/8											SUC209-26		
SSUCTB209-27	1 11/16											SUC209-27		
SSUCTB209-28	1 3/4											SUC209-28		
SSUCTB210		50	57.2	139.7	101.6	50.8	19	117.5	51.6	23	5/8 11	SUC210	STB210	2.8
SSUCTB210-30	1 7/8											SUC210-30		
SSUCTB210-31	1 15/16											SUC210-31		



- All stainless steel
- Wide inner ring bearing
- A- Seal or R3- Seal



A-seal





R3-seal

Bearing Unit No.	Shaft Diameter		Dimensions(mm)									Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H0	L	C	H	A	F	M	B	S			
SSUCHA201	1/2	12	88.5	57	0	60	38	19	G3/4	26	10	SUCW201	SHA203	0.6
SSUCHA201-8		15										SUCW201-8		
SSUCHA202	5/8	15										SUCW202		
SSUCHA202-10		17										SUCW202-10		
SSUCHA203	1 1/16	17	96	64	0	64	40	19	G3/4	31	12.7	SUCW203	SHA204	0.7
SSUCHA203-11		17										SUCW203-11		
SSUCHA204-12	3/4	20										SUC204-12		
SSUCHA204		20										SUC204		
SSUCHA205-14	7/8	25	103	78	0	64	40	19	G3/4	34	14.3	SUC205-14	SHA205	0.9
SSUCHA205-15		15/16										SUC205-15		
SSUCHA205	1	25										SUC205		
SSUCHA205-16		1										SUC205-16		
SSUCHA206-18	1 1/8	30	103	78	0	64	40	19	G3/4	38.1	15.9	SUC206-18	SHA206	1.0
SSUCHA206		30										SUC206		
SSUCHA206-19	1 3/16	30										SUC206-19		
SSUCHA206-20		1 1/4										SUC206-20		
SSUCHA207-21	1 5/16	35	116	92	0	70	40	19	G3/4	42.9	17.5	SUC207-21	SHA207	1.2
SSUCHA207-22		1 3/8										SUC207-22		
SSUCHA207	1 7/16	35										SUC207		
SSUCHA207-23		1 7/16										SUC207-23		
SSUCHA208-24	1 1/2	40	121	96	2	73	40	19	G3/4	49.2	19	SUC208-24	SHA208	1.3
SSUCHA208-25		1 9/16										SUC208-25		
SSUCHA208	1 5/8	40										SUC208		
SSUCHA209-26		1 11/16										SUC209-26		
SSUCHA209-27	1 3/4	45	136	108	5	82	48	21	G1	49.2	19	SUC209-27	SHA209	1.8
SSUCHA209-28		1 3/4										SUC209-28		
SSUCHA209	1 7/8	45										SUC209		
SSUCHA210-30		1 15/16										SUC210-30		
SSUCHA210-31	2	50	140.5	115	5	83	48	21	G1	51.6	19	SUC210-31	SHA210	2.1
SSUCHA210		50										SUC210		
SSUCHA211-32	2 1/8	55										SUC211-32	SHA211	2.8
SSUCHA211-34		2 1/8										SUC211-34		
SSUCHA211	2 3/16	55										SUC211		
SSUCHA211-35		2 3/16										SUC211-35		
SSUCHA212-36	2 1/4	60	173	142	9	102	60	28	G1-1/4	65.1	25.4	SUC212-36	SHA212	3.9
SSUCHA212		2 1/4										SUC212		
SSUCHA212-38	2 3/8	60										SUC212-38		
SSUCHA212-39		2 7/16										SUC212-39		




B-seal





- All stainless steel
- Narrow inner ring bearing
- B- Seal

Bearing Unit No.	Shaft Dia d		Dimensions(mm)									Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	L	J	A2	A1	A	N	H	S	B	(mm)	(in)			
SSSBFTD201-8	1/2	12	81	63.5	9.5	9.5	18	8	56	6	25.5	M6	1/4	SSB201-8	SFTD203	0.57
SSSBFTD201														SSB201		
SSSBFTD202-10	5/8	15	81	63.5	9.5	9.5	18	8	56	6	25.5	M6	1/4	SSB202-10	SFTD203	0.57
SSSBFTD202														SSB202		
SSSBFTD203		17												SSB203		
SSSBFTD204-12	3/4	20	90.5	71.4	11.1	11	20	10	61	7	29.1	M8	5/16	SSB204-12	SFTD204	0.59
SSSBFTD204														SSB204		
SSSBFTD205-14	7/8	25	95	76.2	11.1	11	20	10	63.5	7.5	30.6	M8	5/16	SSB205-14	SFTD205	0.84
SSSBFTD205-15	15/16													SSB205-15		
SSSBFTD205-16	1	25	95	76.2	11.1	11	20	10	63.5	7.5	30.6	M8	5/16	SSB205-16	SFTD205	0.84
SSSBFTD205														SSB205		
SSSBFTD206-17	1 1/16	30	113	90.5	11.9	12	22.6	12	78.6	8	34.1	M10	3/8	SSB206-17	SFTD206	1.19
SSSBFTD206-18	1 1/8													SSB206-18		
SSSBFTD206-19	1 3/16	30	113	90.5	11.9	12	22.6	12	78.6	8	34.1	M10	3/8	SSB206-19	SFTD206	1.19
SSSBFTD206-20	1 1/4													SSB206-20		
SSSBFTD206		30												SSB206		
SSSBFTD207-20	1 1/4	35	122	100	12.7	13	23.8	12	89	8.5	36.2	M10	3/8	SSB207-20	SFTD207	1.56
SSSBFTD207-21	1 5/16													SSB207-21		
SSSBFTD207-22	1 3/8	35	122	100	12.7	13	23.8	12	89	8.5	36.2	M10	3/8	SSB207-22	SFTD207	1.56
SSSBFTD207-23	1 7/16													SSB207-23		
SSSBFTD207		35												SSB207		






B-seal



- All Stainless Steel
- Narrow inner ring bearing
- B- Seal


Bearing Unit No.	Shaft Diameter		Dimensions(mm)									Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	L	P	A1	A	A2	S	E	n	D	(mm)	(in)			
SSSBTRD201-8	1/2													SSB201-8		
SSSBTRD201		12												SSB201		
SSSBTRD202-10	5/8		81	63.5	10.7	19.1	10.7	7.1	26.7	6	40.5	M6	1/4	SSB202-10	STRD203	0.21
SSSBTRD202		15												SSB202		
SSSBTRD203		17												SSB203		
SSSBTRD204-12	3/4													SSB204-12		
SSSBTRD204		20	90.5	71.4	11.1	19.8	11.1	8.7	29.1	7	45.2	M8	5/16	SSB204	STRD204	0.32
SSSBTRD205-14	7/8													SSB205-14		
SSSBTRD205-15	15/16													SSB205-15		
SSSBTRD205-16	1		95.2	76.2	12.7	19.8	10.3	8.7	30.6	7.5	47.6	M8	5/16	SSB205-16	STRD205	0.36
SSSBTRD205		25												SSB205		
SSSBTRD206-17	1 1/16													SSB206-17		
SSSBTRD206-18	1 1/8													SSB206-18		
SSSBTRD206-19	1 3/16		116	90.5	15.1	22.2	12.1	10.3	33.1	8	57.9	M10	3/8	SSB206-19	STRD206	0.57
SSSBTRD206-20	1 1/4													SSB206-20		
SSSBTRD206		30												SSB206		
SSSBTRD207-20	1 1/4													SSB207-20		
SSSBTRD207-21	1 5/16													SSB207-21		
SSSBTRD207-22	1 3/8		122.5	100	15.1	23.8	12.7	10.3	36.2	8.5	61.1	M10	3/8	SSB207-22	STRD207	0.71
SSSBTRD207-23	1 7/16													SSB207-23		
SSSBTRD207		35												SSB207		





- Nickel plated housing
- Hard chrome coated, wide inner ring bearing
- A- Seal or R3-Seal
- Stainless steel insert bearing also

M10



Bearing Unit No.	Shaft Dia d		Dimensions(mm)										Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H	L	J	A	N	N1	H1	H0	S	B	(mm)	(in)			
CNUCP201		12													CUCW201		
CNUCP201-8	1/2	15													CUCW201-8		
CNUCP202	5/8	17	30.2	125	96	32	13	16	14	57	10	26	M12	3/8	CUCW202	NP202S	0.5
CNUCP202-10															CUCW202-10		
CNUCP203															CUCW203		
CNUCP203-11	1 1/16														CUCW203-11		
CNUCP201		12													CUC201		
CNUCP201-8	1/2	15													CUC201-8		
CNUCP202	5/8	17	30.2	127	96	37	13	19	14	60.7	12.7	31	M12	3/8	CUC202	NP203	0.65
CNUCP202-10															CUC202-10		
CNUCP203															CUC203		
CNUCP203-11	1 1/16														CUC203-11		
CNUCP204-12	3/4	20	33.3	127	96	37	13	19	14	63.8	12.7	31		3/8	CUC204-12	NP204	0.65
CNUCP204															CUC204		
CNUCP205-14	7/8	25	36.5	140	105	38	13	19	15	69.5	14.3	34	M16	3/8	CUC205-14	NP205	0.72
CNUCP205-15	15/16														CUC205-15		
CNUCP205															CUC205		
CNUCP205-16	1														CUC205-16		
CNUCP206-18	1 1/8	30	42.9	160	121	44	14	19	16	82	15.9	38.1	M16	1/2	CUC206-18	NP206	1.15
CNUCP206															CUC206		
CNUCP206-19	1 3/16														CUC206-19		
CNUCP206-20	1 1/4														CUC206-20		
CNUCP207-20	1 1/4	35	47.6	167	126	48	15	19	17	92	17.5	42.9	M16	1/2	CUC207-20	NP207	1.53
CNUCP207-21	1 5/16														CUC207-21		
CNUCP207-22	1 3/8														CUC207-22		
CNUCP207													M20		CUC207		
CNUCP207-23	1 7/16														CUC207-23		
CNUCP208-24	1 1/2	40	49.2	180	136	52	15	21	18	98	19	49.2	M20	1/2	CUC208-24	NP208	1.88
CNUCP208-25	1 9/16														CUC208-25		
CNUCP208													M20		CUC208		
CNUCP209-26	1 5/8	45	54	189	146	54	15	21	20	105.5	19	49.2		1/2	CUC209-26	NP209	2.1
CNUCP209-27	1 11/16														CUC209-27		
CNUCP209-28	1 3/4														CUC209-28		
CNUCP209															CUC209		
CNUCP210-30	1 7/8	50	57.2	204	159	57	19	22	21	112.2	19	51.6		5/8	CUC210-30	NP210	2.5
CNUCP210-31	1 15/16														CUC210-31		
CNUCP210															CUC210		
CNUCP211-32	2	55	63.5	217	172	60	19	22	22	124.5	22.2	55.6		5/8	CUC211-32	NP211	3.3
CNUCP211-34	2 1/8														CUC211-34		
CNUCP211															CUC211		
CNUCP211-35	2 3/16														CUC211-35		
CNUCP212-36	2 1/4	60	69.9	238	186	66	19	25	24	137	25.4	65.1		5/8	CUC212-36	NP212	5.5
CNUCP212															CUC212		
CNUCP212-38	2 3/8														CUC212-38		
CNUCP212-39	2 7/16														CUC212-39		
CNUCP213-40	2 1/2	65	76.2	262	203	70	23	29	26	149	25.4	65.1		3/4	CUC213-40	NP213	5.6
CNUCP213															CUC213		
CNUCP214-44	2 3/4	70	79.4	266	210	72	23	29	27	155	30.2	74.6		3/4	CUC214-44	NP214	6.6
CNUCP214															CUC214		
CNUCP215		75	82.6	274	217	74	25	29	28	161.6	33.3	77.8		3/4	CUC215	NP215	7.3
CNUCP215-47	2 15/16														CUC215-47		
CNUCP215-48	3														CUC215-48		



- Nickel plated housing
- Hard chrome coated, wide inner ring bearing
- A- Seal or R3-Seal
- Stainless steel insert bearing also





Bearing Unit No.	Shaft Dia d		Dimensions(mm)								Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	L	J	A2	A1	A	E	N	S	(mm)	(in)			
CNUCF202		15											CUC202		
CNUCF202-10	5/8												CUC202-10		
CNUCF203		17	86	64	18	11	27	33.3	11.5	12.7	M10	3/8	CUC203	NF204	0.64
CNUCF203-11	11/16												CUC203-11		
CNUCF204-12	3/4												CUC204-12		
CNUCF204		20											CUC204		
CNUCF205-14	7/8												CUC205-14		
CNUCF205-15	15/16												CUC205-15		
CNUCF205		25	95	70	19	13	30	35.7	11.5	14.3	M10	3/8	CUC205	NF205	0.8
CNUCF205-16	1												CUC205-16		
CNUCF206-18	1 1/8												CUC206-18		
CNUCF206		30	108	83	20	13	33	40.2	11.5	15.9	M10	3/8	CUC206	NF206	1.07
CNUCF206-19	1 3/16												CUC206-19		
CNUCF206-20	1 1/4												CUC206-20		
CNUCF207-20	1 1/4												CUC207-20		
CNUCF207-21	1 5/16												CUC207-21		
CNUCF207-22	1 3/8		117	92	21	15	34	44.4	14	17.5	M12	1/2	CUC207-22	NF207	1.4
CNUCF207		35											CUC207		
CNUCF207-23	1 7/16												CUC207-23		
CNUCF208-24	1 1/2												CUC208-24		
CNUCF208-25	1 9/16		130	102	23	15	37	51.2	14	19	M12	1/2	CUC208-25	NF208	1.8
CNUCF208		40											CUC208		
CNUCF209-26	1 5/8												CUC209-26		
CNUCF209-27	1 11/16												CUC209-27		
CNUCF209-28	1 3/4		137	105	23	16	38	52.2	16	19	M14	9/16	CUC209-28	NF209	2.2
CNUCF209		45											CUC209		
CNUCF210-30	1 7/8												CUC210-30		
CNUCF210-31	1 15/16		143	111	26	16	41	54.6	18	19	M16	5/8	CUC210-31	NF210	2.4
CNUCF210		50											CUC210		
CNUCF211-32	2												CUC211-32		
CNUCF211-34	2 1/8												CUC211-34		
CNUCF211		55	162	130	29	18	45	58.4	18	22.2	M16	5/8	CUC211	NF211	3.5
CNUCF211-35	2 3/16												CUC211-35		
CNUCF212-36	2 1/4												CUC212-36		
CNUCF212		60											CUC212		
CNUCF212-38	2 3/8		175	143	33	18	50	68.7	18	25.4	M16	5/8	CUC212-38	NF212	4.2
CNUCF212-39	2 7/16												CUC212-39		
CNUCF213-40	2 1/2												CUC213-40		
CNUCF213		65	187	149	36	22	54	69.7	18	25.4	M16	5/8	CUC213	NF213	5.3
CNUCF214-44	2 3/4												CUC214-44		
CNUCF214		70	193	152	36	22	55	75.4	18	30.2	M16	5/8	CUC214	NF214	5.9
CNUCF215-47	2 15/16												CUC215-47		
CNUCF215		75	200	159	39	22	59	78.5	18	33.3	M16	5/8	CUC215	NF215	6.3
CNUCF215-48	3												CUC215-48		



- Nickel plated housing
- Hard chrome coated, wide inner ring bearing
- A- Seal or R3-Seal
- Stainless steel insert bearing also

Bearing Unit No.	Shaft Dia d		Dimensions(mm)										Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H	J	L	A2	A1	A	E	N	S	(mm)	(in)				
CNUCFL201 CNUCFL201-8 CNUCFL202 CNUCFL202-10 CNUCFL203 CNUCFL203-11	1/2 5/8 11/16	12 15 17	 99 	 76.5 	 57 	 15 	 11 	 24.5 	 31.0 	 11.5 	 10.0 	 M10 	 3/8 	CUCW201 CUCW201-8 CUCW202 CUCW202-10 CUCW203 CUCW203-11	 NFL202S 	 0.45 	
CNUCFL204-12 CNUCFL204	3/4	20	113	90	60	15	11	25.5	33.3	11.5	12.7	M10	3/8	CUC204-12 CUC204	NFL204	0.51	
CNUCFL205-14 CNUCFL205-15 CNUCFL205 CNUCFL205-16	7/8 15/16 1	 25 	 130 	 99 	 68 	 16 	 13 	 27.0 	 35.8 	 11.5 	 14.3 	 M10 	 3/8 	CUC205-14 CUC205-15 CUC205 CUC205-16	 NFL205 	 0.6 	
CNUCFL206-18 CNUCFL206 CNUCFL206-19 CNUCFL206-20	1 1/8 1 3/16 1 1/4	 30 	 148 	 117 	 80 	 18 	 13 	 31.0 	 40.2 	 11.5 	 15.9 	 M10 	 3/8 	CUC206-18 CUC206 CUC206-19 CUC206-20	 NFL206 	 0.9 	
CNUCFL207-20 CNUCFL207-21 CNUCFL207-22 CNUCFL207 CNUCFL207-23	1 1/4 1 5/16 1 3/8 1 7/16	 35 	 161 	 130 	 90 	 19 	 14 	 34.0 	 44.4 	 14.0 	 17.5 	 M12 	 1/2 	CUC207-20 CUC207-21 CUC207-22 CUC207 CUC207-23	 NFL207 	 1.2 	
CNUCFL208-24 CNUCFL208-25 CNUCFL208	1 1/2 1 9/16 	 40 	 175 	 144 	 100 	 21 	 14 	 36.0 	 51.2 	 14.0 	 19.0 	 M12 	 1/2 	CUC208-24 CUC208-25 CUC208	 NFL208 	 1.5 	
CNUCFL209-26 CNUCFL209-27 CNUCFL209-28 CNUCFL209	1 5/8 1 11/16 1 3/4 	 45 	 188 	 148 	 108 	 22 	 16 	 38.0 	 52.2 	 18.0 	 19.0 	 M16 	 5/8 	CUC209-26 CUC209-27 CUC209-28 CUC209	 NFL209 	 1.9 	
CNUCFL210-30 CNUCFL210-31 CNUCFL210	1 7/8 1 15/16 	 50 	 197 	 157 	 115 	 22 	 16 	 40.0 	 54.6 	 18.0 	 19.0 	 M16 	 5/8 	CUC210-30 CUC210-31 CUC210	 NFL210 	 2.2 	
CNUCFL211-32 CNUCFL211-34 CNUCFL211 CNUCFL211-35	2 2 1/8 2 3/16	 55 	 224 	 184 	 130 	 25 	 18 	 43.0 	 58.4 	 18.0 	 22.2 	 M16 	 5/8 	CUC211-32 CUC211-34 CUC211 CUC211-35	 NFL211 	 3.1 	
CNUCFL212-36 CNUCFL212 CNUCFL212-38 CNUCFL212-39	2 1/4 2 3/8 2 7/16	 60 	 250 	 202 	 140 	 29 	 18 	 48.0 	 68.7 	 18.0 	 25.4 	 M16 	 5/8 	CUC212-36 CUC212 CUC212-38 CUC212-39	 NFL212 	 4 	
CNUCFL213-40	2 1/2		258	210	155	30	20	50.0	69.7	23.0	25.4	M20	3/4	CUC213-40	NFL213	5	





- Nickel plated housing
- Hard chrome coated, wide inner ring bearing
- A- Seal or R3-Seal
- Stainless steel insert bearing also


Bearing Unit No.	Shaft Dia d		Dimensions(mm)											Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	L	P	A2	A1	j	K	N	f	S	E	(mm)	(in)				
CNUCFC201 CNUCFC201-8 CNUCFC202 CNUCFC202-10 CNUCFC203 CNUCFC203-11 CNUCFC204 CNUCFC204-12	1/2 5/8 1 1/16 3/4	12 15 17 20	100	78	10	20.5	5	6	11.5	62	12.7	28.3	M10	3/8	CUC201 CUC201-8 CUC202 CUC202-10 CUC203 CUC203-11 CUC204 CUC204-12	NFC204	0.79	
CNUCFC205 CNUCFC205-14 CNUCFC205-15 CNUCFC205-16	7/8 15/16 1	25	115	90	10	21	6	7	12	70	14.3	29.7	M10	3/8	CUC205 CUC205-14 CUC205-15 CUC206-16	NFC205	0.96	
CNUCFC206 CNUCFC206-18 CNUCFC206-19 CNUCFC206-20	1 1/8 1 3/16 1 1/4	30	125	100	10	23	8	8	12	80	15.9	32.2	M10	3/8	CUC206 CUC206-18 CUC206-19 CUC206-20	NFC206	1.37	
CNUCFC207 CNUCFC207-20 CNUCFC207-21 CNUCFC207-22 CNUCFC207-23	1 1/4 1 5/16 1 3/8 1 7/16	35	135	110	11	26	8	9	14	90	17.5	36.4	M12	1/2	CUC207 CUC207-20 CUC207-21 CUC207-22 CUC207-23	NFC207	1.7	
CNUCFC208 CNUCFC208-24 CNUCFC208-25	1 1/2 1 9/16	40	145	120	11	26	10	9	14	100	19	41.2	M12	1/2	CUC208 CUC208-24 CUC208-25	NFC208	2	
CNUCFC209 CNUCFC209-26 CNUCFC209-27 CNUCFC209-28	1 5/8 1 11/16 1 3/4	45	160	132	10	26	12	10	16	105	19	40.2	M14	9/16	CUC209 CUC209-26 CUC209-27 CUC209-28	NFC209	2.7	
CNUCFC210 CNUCFC210-30 CNUCFC210-31	1 7/8 1 15/16	50	165	138	10	28	12	14	16	110	19	42.6	M14	9/16	CUC210 CUC210-30 CUC210-31	NFC210	2.9	
CNUCFC211 CNUCFC211-32 CNUCFC211-34 CNUCFC211-35	2 2 1/8 2 3/16	55	185	150	13	30	12	13	19	125	22.2	46.4	M16	5/8	CUC211 CUC211-32 CUC211-34 CUC211-35	NFC211	4.2	
CNUCFC212 CNUCFC212-36 CNUCFC212-38 CNUCFC212-39	2 1/4 2 3/8 2 7/16	60	195	160	17	36	12	15	19	135	25.4	56.7	M16	5/8	CUC212 CUC212-36 CUC212-38 CUC212-39	NFC212	4.94	
CNUCFC213 CNUCFC213-40	2 1/2	65	205	170	16	35	14	15	19	145	25.4	55.7	M16	5/8	CUC213 CUC213-40	NFC213	5.7	
CNUCFC214 CNUCFC214-44	2 3/4	70	215	177	17	38	14	16	19	150	30.2	61.4	M16	5/8	CUC214 CUC214-44	NFC214	6.8	
CNUCFC215 CNUCFC215-48	3	75	220	184	18	39	16	17	19	160	33.3	62.5	M16	5/8	CUC215 CUC215-48	NFC215	7.2	





- Nickel plated housing
- Hard chrome coated, wide inner ring bearing
- A- Seal or R3-Seal
- Stainless steel insert bearing also




Bearing Unit No.	Shaft Dia d		Dimensions(mm)													Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H0	L	P	H	j	J	A	A1	A2	N	E	S	(mm)	(in)				
CNUCFB202	5/8	15															CUCW202	NFB203	0.42	
CNUCFB203-10																	CUCW202-10			
CNUCFB203		17	104	55	49	40	27	30	23.5	10	14	10	29.9	10	M8	5/16	CUCW203			
CNUCFB203-11		11/16															CUCW203-11			
CNUCFB204-12	3/4	20	109	60	52	42	27	32	25.5	11	15	10	33.3	12.7	M8	5/16	CUC204-12	NFB204	0.62	
CNUCFB204																	CUC204			
CNUCFB205-14	7/8	25															CUC205-14	NFB205	0.69	
CNUCFB205-15	15/16		116	68	56	45	27	34	27	13	16	10	35.7	14.3	M8	5/16	CUC205-15			
CNUCFB205																	CUC205			
CNUCFB205-16	1																CUC205-16			
CNUCFB206-18	1 1/8	30															CUC206-18	NFB206	0.93	
CNUCFB206			132	80	65	50	29	40	31	13	18	10	40.2	15.9	M8	5/16	CUC206			
CNUCFB206-19	1 3/16																CUC206-19			
CNUCFB206-20	1 1/4																CUC206-20			
CNUCFB207-20	1 1/4	35															CUC207-20	NFB207	1.3	
CNUCFB207-21	1 5/16																CUC207-21			
CNUCFB207-22	1 3/8		144	90	70	55	32	46	33	14	19	10	44.4	17.5	M8	5/16	CUC207-22			
CNUCFB207																	CUC207			
CNUCFB207-23	1 7/16																CUC207-23			
CNUCFB208-24	1 1/2	40															CUC208-24	NFB208	1.8	
CNUCFB208-25	1 9/16		164	100	78	60	41	50	35	17	21	12	51.2	19	M10	3/8	CUC208-25			
CNUCFB208																	CUC208			
CNUCFB209-26	1 5/8	45															CUC209-26	NFB209	2	
CNUCFB209-27	1 11/16		175	108	80	65	43	54	38	16	22	12	52.2	19	M10	3/8	CUC209-27			
CNUCFB209-28	1 3/4																CUC209-28			
CNUCFB209																	CUC209			
CNUCFB210-30	1 7/8	50															CUC210-30	NFB210	2.3	
CNUCFB210-31	1 15/16		184	114	86	68	46	58	39	16	22	12	54.6	19	M10	3/8	CUC210-31			
CNUCFB210																	CUC210			
CNUCFB211-32	2	55															CUC211-32	NFB211		
CNUCFB211-34	2 1/8		207	86	90	78	50	62	42.5	18	25	14	58.4	22.2	M12	1/2	CUC211-34			
CNUCFB211																	CUC211			
CNUCFB211-35	2 3/16																CUC211-35			
CNUCFB212-36	2 1/4	60															CUC212-36	NFB212		
CNUCFB212			224	90	94	84	55	66	47.5	19	29	14	68.7	25.4	M12	1/2	CUC212			
CNUCFB212-38	2 3/8																CUC212-38			
CNUCFB212-39	2 7/16																CUC212-39			
CNUCFB213-40	2 1/2	65	244	95	102	92	60	70	49	20	30	14	69.7	25.4	M12	1/2	CUC213-40	NFB213		
CNUCFB213																	CUC213			





- Nickel plated housing
- Hard chrome coated, wide inner ring bearing
- A- Seal or R3-Seal
- Stainless steel insert bearing also



Bearing Unit No.	Shaft Dia d		Dimensions(mm)															Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	N1	L2	H2	N2	N	L3	A1	H1	H	L	A	A2	L1	B1	S			
CNUCT201	1/2	12	15	9	46	31	18	46	12	70	82	88	30	21	58	26	10.0	CUCW201	NT203	0.7
CNUCT201-8		15																CUCW201-8		
CNUCT202	5/8	17																CUCW202		
CNUCT202-10		17																CUCW202-10		
CNUCT203	1 1/16	17																CUCW203		
CNUCT203-11		17																CUCW203-11		
CNUCT204-12	3/4	20	16	10	51	32	19	51	12	76	89	94	32	21	61	31	12.7	CUC204-12	NT204	0.79
CNUCT204		20																CUC204		
CNUCT205-14	7/8	25																CUC205-14		
CNUCT205-15		25																CUC205-15		
CNUCT205	1	25																CUC205		
CNUCT205-16		25																CUC205-16		
CNUCT206-18	1 1/8	30	16	10	56	37	22	57	12	89	102	113	37	28	70	38.1	15.9	CUC206-18	NT206	1.3
CNUCT206		30																CUC206		
CNUCT206-19	1 3/16	30																CUC206-19		
CNUCT206-20		30																CUC206-20		
CNUCT207-20	1 1/4	35																CUC207-20		
CNUCT207-21		35	16	13	64	37	22	64	12	89	102	129	37	30	78	42.9	17.5	CUC207-21	NT207	1.7
CNUCT207-22	1 3/8	35																CUC207-22		
CNUCT207		35																CUC207		
CNUCT207-23	1 7/16	35																CUC207-23		
CNUCT208-24		40																CUC208-24		
CNUCT208-25	1 9/16	40	19	16	83	49	29	83	16	102	114	144	49	33	88	49.2	19.0	CUC208-25	NT208	2.5
CNUCT208		40																CUC208		
CNUCT209-26	1 5/8	45																CUC209-26		
CNUCT209-27		45																CUC209-27		
CNUCT209-28	1 3/4	45																CUC209-28		
CNUCT209		45																CUC209		
CNUCT210-30	1 7/8	50	19	16	83	49	29	86	16	102	117	149	49	37	90	51.6	19.0	CUC210-30	NT210	2.6
CNUCT210-31		50																CUC210-31		
CNUCT210	2	55																CUC210		
CNUCT211-32		55																CUC211-32		
CNUCT211-34	2 1/8	60	25	19	102	64	35	95	22	130	146	171	64	38	106	55.6	22.2	CUC211-34	NT211	4.0
CNUCT211		60																CUC211		
CNUCT211-35	2 3/16	60																CUC211-35		
CNUCT212-36		60																CUC212-36		
CNUCT212	2 1/4	60																CUC212		
CNUCT212-38		60	32	19	102	64	35	102	22	130	146	194	64	42	119	65.1	25.4	CUC212-38	NT212	4.9
CNUCT212-39	2 3/8	60																CUC212-39		
CNUCT213-40		65																CUC213-40		
CNUCT213	2 1/2	65																CUC213		
CNUCT214-44		70																CUC214-44		
CNUCT214	2 3/4	70	32	21	111	70	41	121	26	151	167	224	70	46	137	74.6	30.2	CUC214	NT214	7.1
CNUCT215		75																CUC215		
CNUCT215-48	3	75																CUC215-48		



- Nickel plated housing
- Hard chrome coated, wide inner ring bearing
- A- Seal or R3-Seal
- Stainless steel insert bearing also





A-seal



R3-seal

Bearing Unit No.	Shaft Diameter		Dimensions(mm)									Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H	L	J	A	S	H0	B	F	M			
CNUCTB201-8	1/2	20	33.3	73	50.8	38.1	12.7	65.1	31	13	3/8-16	CUC201-8	NTB204	0.63
CNUCTB202-10	5/8											CUC202-10		
CNUCTB204												CUC204		
CNUCTB204-12	3/4											CUC204-12		
CNUCTB205		25	36.5	76.2	50.8	38.1	14.3	71.4	34	13	3/8-16	CUC205	NTB205	0.8
CNUCTB205-14	7/8											CUC205-14		
CNUCTB205-15	15/16											CUC205-15		
CNUCTB205-16	1											CUC205-16		
CNUCTB206		30	42.9	101.6	76.2	38.1	15.9	85.7	38.1	16	7/16 14	CUC206	NTB206	1.2
CNUCTB206-17	1 1/16											CUC206-17		
CNUCTB206-18	1 1/8											CUC206-18		
CNUCTB206-19	1 3/16											CUC206-19		
CNUCTB206-20	1 1/4											CUC206-20		
CNUCTB207		35	47.6	107.9	82.5	47.6	17.5	95.3	42.9	20	1/2 13	CUC207	NTB207	1.7
CNUCTB207-20	1 1/4											CUC207-20		
CNUCTB207-21	1 5/16											CUC207-21		
CNUCTB207-22	1 3/8											CUC207-22		
CNUCTB207-23	1 7/16											CUC207-23		
CNUCTB208		40	49.2	117.5	88.9	47.6	19	100	42.9	20	1/2 13	CUC208	NTB208	2
CNUCTB208	1 1/2											CUC208-24		
CNUCTB208-25	1 9/16											CUC208-25		
CNUCTB209		45	54	127	95.3	50.8	19	107.9	42.9	20	1/2 13	CUC209	NTB209	2.22
CNUCTB209-26	1 5/8											CUC209-26		
CNUCTB209-27	1 11/16											CUC209-27		
CNUCTB209-28	1 3/4											CUC209-28		
CNUCTB210		50	57.2	139.7	101.6	50.8	19	117.5	51.6	23	5/8 11	CUC210	NTB210	2.8
CNUCTB210-30	1 7/8											CUC210-30		
CNUCTB210-31	1 15/16											CUC210-31		





- Stainless bearing insert
- Thermoplastic housing
- Wide inner ring bearing
- A- Seal or R3- Seal
- Certain size available in oxide bearing inserts

Bearing Unit No.	Shaft Dia d		Dimensions(mm)										Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H	L	J	A	N	N1	H1	H0	S	B1	(mm)	(in)			
SPUCP202		15													SUCW202		
SPUCP202-10	5/8		30.2	125.0	96.0	32.0	13.0	16.0	14.0	57.0	10.0	26.0	M10	3/8	SUCW202-10	PP202S	0.2
SPUCP203		17													SUCW203		
SPUCP203-11	1 1/16														SUCW203-11		
SPUCP204-12	3/4		33.3	127.0	96.0	37.0	13.0	19.0	14.0	63.8	12.7	31.0	M10	3/8	SUC204-12	PP204	0.22
SPUCP204		20													SUC204		
SPUCP205-14	7/8														SUC205-14		
SPUCP205-15	15/16		36.5	140.0	105.0	38.0	13.0	19.0	15.0	69.5	14.3	34.0	M10	3/8	SUC205-15	PP205	0.28
SPUCP205		25													SUC205		
SPUCP205-16	1														SUC205-16		
SPUCP206-18	1 1/8														SUC206-18		
SPUCP206		30	42.9	160.0	121.0	44.0	14.0	19.0	16.0	82.0	15.9	38.1	M12	1/2	SUC206	PP206	0.4
SPUCP206-19	1 3/16														SUC206-19		
SPUCP206-20	1 1/4														SUC206-20		
SPUCP207-20	1 1/4														SUC207-20		
SPUCP207-21	1 5/16														SUC207-21		
SPUCP207-22	1 3/8		47.6	167.0	126.0	48.0	15.0	19.0	17.0	92.0	17.5	42.9	M12	1/2	SUC207-22	PP207	0.65
SPUCP207		35													SUC207		
SPUCP207-23	1 7/16														SUC207-23		
SPUCP208-24	1 1/2														SUC208-24		
SPUCP208-25	1 9/16		49.2	180.0	136.0	52.0	15.0	21.0	18.0	98.0	19.0	49.2	M12	1/2	SUC208-25	PP208	0.9
SPUCP208		40													SUC208		
SPUCP209-26	1 5/8														SUC209-26		
SPUCP209-27	1 11/16		54.0	189.0	146.0	54.0	15.0	21.0	20.0	105.5	19.0	49.2	M12	1/2	SUC209-27	PP209	1.03
SPUCP209-28	1 3/4														SUC209-28		
SPUCP209		45													SUC209		
SPUCP210-30	1 7/8														SUC210-30		
SPUCP210-31	1 15/16		57.2	204.0	159.0	57.0	19.0	22.0	21.0	112.2	19.0	51.6	M16	5/8	SUC210-31	PP210	1.14
SPUCP210		50													SUC210		
SPUCP211-32	2														SUC211-32		
SPUCP211-34	2 1/8		63.5	217.0	172.0	60.0	19.0	22.0	22.0	124.5	22.2	55.6	M16	5/8	SUC211-34	PP211	1.62
SPUCP211		55													SUC211		
SPUCP211-35	2 3/16														SUC211-35		
SPUCP212-36	2 1/4														SUC212-36		
SPUCP212		60	69.9	238.0	186.0	66.0	19.0	25.0	24.0	137.0	25.4	65.1	M16	5/8	SUC212	PP212	1.96
SPUCP212-38	2 3/8														SUC212-38		
SPUCP212-39	2 7/16														SUC212-39		
SPUCP213-40	2 1/2		76.2	262.0	203.0	70.0	23.0	29.0	26.0	149.0	25.4	65.1	M20	3/4	SUC213-40	PP213	2.58
SPUCP213		65													SUC213		
SPUCP214-44	2 3/4		79.4	266.0	210.0	72.0	23.0	29.0	27.0	155.0	30.2	74.6	M20	3/4	SUC214-44	PP214	2.75
SPUCP214		70													SUC214		
SPUCP215		75													SUC215		
SPUCP215-48	3		82.6	274.0	217.0	74.0	25.0	29.0	28.0	161.6	33.3	77.8	M20	3/4	SUC215-48	PP215	3.2





- Stainless bearing insert
- Thermoplastic housing
- Wide inner ring bearing
- A- Seal or R3- Seal
- Certain size available in oxide bearing inserts




Bearing Unit No.	Shaft Dia d		Dimensions(mm)								Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	L	J	A2	A1	A	E	N	S	(mm)	(in)			
SPUCF202		15											SUC202		
SPUCF202-10	5/8		86	64	18	11	27	33.3	11.5	12.7	M10	3/8	SUC202-10	PF203	0.2
SPUCF203		17											SUC203		
SPUCF203-11	11/16												SUC203-11		
SPUCF204-12	3/4		86	64	18	11	27	33.3	11.5	12.7	M10	3/8	SUC204-12	PF204	0.21
SPUCF204		20											SUC204		
SPUCF205-14	7/8		95	70	19	13	30	35.7	11.5	14.3	M10	3/8	SUC205-14	PF205	0.27
SPUCF205-15	15/16												SUC205-15		
SPUCF205		25											SUC205		
SPUCF205-16	1												SUC205-16		
SPUCF206-18	1 1/8		108	83	20	13	33	40.2	11.5	15.9	M10	3/8	SUC206-18	PF206	0.43
SPUCF206		30											SUC206		
SPUCF206-19	1 3/16												SUC206-19		
SPUCF206-20	1 1/4												SUC206-20		
SPUCF207-20	1 1/4		117	92	21	15	34	44.4	14	17.5	M12	1/2	SUC207-20	PF207	0.61
SPUCF207-21	1 5/16												SUC207-21		
SPUCF207-22	1 3/8												SUC207-22		
SPUCF207		35											SUC207		
SPUCF207-23	1 7/16												SUC207-23		
SPUCF208-24	1 1/2		130	102	23	15	37	51.2	14	19	M12	1/2	SUC208-24	PF208	0.73
SPUCF208-25	1 9/16												SUC208-25		
SPUCF208		40											SUC208		
SPUCF209-26	1 5/8		137	105	23	16	38	52.2	16	19	M14	9/16	SUC209-26	PF209	0.82
SPUCF209-27	1 11/16												SUC209-27		
SPUCF209-28	1 3/4												SUC209-28		
SPUCF209		45											SUC209		
SPUCF210-30	1 7/8		143	111	26	16	41	54.6	18	19	M16	5/8	SUC210-30	PF210	0.98
SPUCF210-31	1 15/16												SUC210-31		
SPUCF210		50											SUC210		
SPUCF211-32	2		162	130	29	18	45	58.4	18	22.2	M16	5/8	SUC211-32	PF211	1.38
SPUCF211-34	2 1/8												SUC211-34		
SPUCF211		55											SUC211		
SPUCF211-35	2 3/16												SUC211-35		
SPUCF212-36	2 1/4		175	143	33	18	50	68.7	18	25.4	M16	5/8	SUC212-36	PF212	1.68
SPUCF212		60											SUC212		
SPUCF212-38	2 3/8												SUC212-38		
SPUCF212-39	2 7/16												SUC212-39		
SPUCF213-40	2 1/2		187	149	36	22	54	69.7	18	25.4	M16	5/8	SUC213-40	PF213	2.15
SPUCF213		65											SUC213		





- Stainless bearing insert
- Thermoplastic housing
- Wide inner ring bearing
- A- Seal or R3- Sea
- Certain size available in oxide bearing inserts



Bearing Unit No.	Shaft Dia d		Dimensions(mm)									Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H	J	L	A2	A1	A	E	N	S	(mm)	(in)			
SPUCFL201 SPUCFL201-8 SPUCFL202 SPUCFL202-10 SPUCFL203 SPUCFL203-11	1/2 5/8 11/16	12 15 17	99	76.5	57	15	11	24.5	31	11.5	10	M10	3/8	SUCW201 SUCW201-8 SUCW202 SUCW202-10 SUCW203 SUCW203-11	PFL203	0.21
SPUCFL204-12 SPUCFL204	3/4	20	113	90	60	15	11	25.5	33.3	11.5	12.7	M10	3/8	SUC204-12 SUC204	PFL204	0.28
SPUCFL205-14 SPUCFL205-15 SPUCFL205 SPUCFL205-16	7/8 15/16 1	25	130	99	68	16	13	27	35.8	11.5	14.3	M10	3/8	SUC205-14 SUC205-15 SUC205 SUC205-16	PFL205	0.35
SPUCFL206-18 SPUCFL206 SPUCFL206-19 SPUCFL206-20	1 1/8 1 3/16 1 1/4	30	148	117	80	18	13	31	40.2	11.5	15.9	M10	3/8	SUC206-18 SUC206 SUC206-19 SUC206-20	PFL206	0.44
SPUCFL207-20 SPUCFL207-21 SPUCFL207-22 SPUCFL207 SPUCFL207-23	1 1/4 1 5/16 1 3/8 1 7/16	35	161	130	90	19	14	34	44.4	14	17.5	M12	1/2	SUC207-20 SUC207-21 SUC207-22 SUC207 SUC207-23	PFL207	0.66
SPUCFL208-24 SPUCFL208-25 SPUCFL208	1 1/2 1 9/16 40	40	175	144	100	21	14	36	51.2	14	19	M12	1/2	SUC208-24 SUC208-25 SUC08	PFL208	0.82
SPUCFL209-26 SPUCFL209-27 SPUCFL209-28 SPUCFL209	1 5/8 1 11/16 1 3/4 45	45	188	148	108	22	16	38	52.2	18	19	M16	5/8	SUC209-26 SUC209-27 SUC209-28 SUC209	PFL209	0.98
SPUCFL210-30 SPUCFL210-31 SPUCFL210	1 7/8 1 15/16 50	50	197	157	115	22	16	40	54.6	18	19	M16	5/8	SUC210-30 SUC210-31 SUC210	PFL210	1.07
SPUCFL211-32 SPUCFL211-34 SPUCFL211 SPUCFL211-35	2 2 1/8 2 3/16	55	224	184	130	25	18	43	58.4	18	22.2	M16	5/8	SUC211-32 SUC211-34 SUC211 SUC211-35	PFL211	1.5
SPUCFL212-36 SPUCFL212 SPUCFL212-38 SPUCFL212-39	2 1/4 2 3/8 2 7/16	60	250	202	140	29	18	48	68.7	18	25.4	M16	5/8	SUC212-36 SUC212 SUC212-38 SUC212-39	PFL212	1.97
SPUCFL213-40	2 1/2		258	210	155	30	20	50	69.7	23	25.4	M20	3/4	SUC213-40	PFL213	2.4



- Stainless steel bearing insert
- Thermoplastic housing
- Wide inner ring bearing
- A- Seal or R3- Seal
- Certain size available in oxide bearing inserts





A-seal



R3-seal

Bearing Unit No.	Shaft Dia d		Dimensions(mm)												Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H0	L	P	H	j	J	A	A1	A2	N	E	S	(mm)	(in)			
SPUCFB202	5/8	15	104	55	49	40	27	30	23.5	10	14	10	29.9	10	M8	5/16	SUCW202	PFB203	0.19
SPUCFB203-10		17															SUCW202-10		0.18
SPUCFB203																	SUCW203		0.19
SPUCFB203-11																	SUCW203-11		0.18
SPUCFB204-12	3/4	20	109	60	52	42	27	32	25.5	11	15	10	33.3	12.7	M8	5/16	SUC204-12	PFB204	0.18
SPUCFB204	SUC204																0.18		
SPUCFB205-14	7/8	25	116	68	56	45	27	34	27	13	16	10	35.7	14.3	M8	5/16	SUC205-14	PFB205	0.23
SPUCFB205-15	15/16																SUC205-15		0.22
SPUCFB205	1																SUC205		0.21
SPUCFB205-16																	SUC205-16		0.21
SPUCFB206-18	1 1/8	30	132	80	65	50	29	40	31	13	18	10	40.2	15.9	M8	5/16	SUC206-18	PFB206	0.38
SPUCFB206	SUC206																0.36		
SPUCFB206-19	1 3/16																SUC206-19		0.34
SPUCFB206-20	1 1/4																SUC206-20		0.33
SPUCFB207-20	1 1/4	35	144	90	70	55	32	46	33	14	19	10	44.4	17.5	M8	5/16	SUC207-20	PFB207	0.72
SPUCFB207-21	1 5/16																SUC207-21		0.7
SPUCFB207-22	1 3/8																SUC207-22		0.68
SPUCFB207	1 7/16																SUC207		0.66
SPUCFB207-23																	SUC207-23		0.66
SPUCFB208-24	1 1/2	40	164	100	78	60	41	50	35	17	21	12	51.2	19	M10	3/8	SUC208-24	PFB208	0.88
SPUCFB208-25	1 9/16																SUC208-25		0.82
SPUCFB208	SUC208																0.82		
SPUCFB209-26	1 5/8	45	175	108	80	65	43	54	38	16	22	12	52.2	19	M10	3/8	SUC209-26	PFB209	0.98
SPUCFB209-27	1 11/16																SUC209-27		0.92
SPUCFB209-28	1 3/4																SUC209-28		0.92
SPUCFB209	SUC209																0.9		
SPUCFB210-30	1 7/8	50	184	114	86	68	46	58	39	16	22	12	54.6	19	M10	3/8	SUC210-30	PFB210	1.1
SPUCFB210-31	1 15/16																SUC210-31		1.05
SPUCFB210	SUC210																1.03		





- Stainless bearing insert
- Thermoplastic housing
- Wide inner ring bearing
- A- Seal or R3- Seal
- Certain size available in oxide bearing inserts

Bearing Unit No.	Shaft Dia d		Dimensions(mm)									Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H	L	J	A	S	H0	B	F	M			
SPUCTB201-8	1/2	20	33.3	73	50.8	38.1	12.7	65.1	31	13	3/8-16	SUC201-8	PTB204	0.21
SPUCTB202-10	5/8											SUC202-10		0.2
SPUCTB204												SUC204		0.18
SPUCTB204-12	3/4											SUC204-12		0.18
SPUCTB205		25	36.5	76.2	50.8	38.1	14.3	71.4	34	13	3/8-16	SUC205	PTB205	0.24
SPUCTB205-14	7/8											SUC205-14		0.23
SPUCTB205-15	15/16											SUC205-15		0.22
SPUCTB205-16	1											SUC205-16		0.22
SPUCTB206		30	42.9	101.6	76.2	38.1	15.9	85.7	38.1	16	7/16-14	SUC206	PTB206	0.38
SPUCTB206-17	1 1/16											SUC206-17		0.37
SPUCTB206-18	1 1/8											SUC206-18		0.34
SPUCTB206-19	1 3/16											SUC206-19		0.33
SPUCTB206-20	1 1/4											SUC206-20		0.33
SPUCTB207		35	47.6	107.9	82.5	47.6	17.5	95.3	42.9	20	1/2-13	SUC207	PTB207	0.7
SPUCTB207-20	1 1/4											SUC207-20		0.7
SPUCTB207-21	1 5/16											SUC207-21		0.65
SPUCTB207-22	1 3/8											SUC207-22		0.6
SPUCTB207-23	1 7/16											SUC207-23		0.6
SPUCTB208		40	49.2	117.5	88.9	47.6	19	100	49.2	20	1/2-13	SUC208	PTB208	0.85
SPUCTB208	1 1/2											SUC208-24		0.85
SPUCTB208-25	1 9/16											SUC208-25		0.8
SPUCTB209		45	54	127	95.3	50.8	19	107.9	49.2	20	1/2-13	SUC209	PTB209	1
SPUCTB209-26	1 5/8											SUC209-26		0.95
SPUCTB209-27	1 11/16											SUC209-27		0.9
SPUCTB209-28	1 3/4											SUC209-28		0.9
SPUCTB210		50	57.2	139.7	101.6	50.8	19	117.5	51.6	23	1/8-11	SUC210	PTB210	1.1
SPUCTB210-30	1 7/8											SUC210-30		1.05
SPUCTB210-31	1 15/16											SUC210-31		1



- Stainless bearing insert
- Thermoplastic housing
- Wide inner ring bearing
- A- Seal or R3- Seal
- Certain size available in oxide bearing inserts



A-seal





R3-seal

Bearing Unit No.	Shaft Diameter		Dimensions(mm)															Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	N1	L2	H2	N2	N	L3	A1	H1	H	L	A	A2	L1	B1	S			
SPHCT201	1/2	12																SHC201	PT204	0.87
SPHCT201-8																		SHC201-8		
SPHCT202	5/8	15	16	10	51	32	19	51	12	76	89	94	32	21	61	43.5	17.0	SHC202		
SPHCT202-10																		SHC202-10		
SPHCT203	1 1/16	17																SHC203		
SPHCT203-11																		SHC203-11		
SPHCT204-12	3/4																	SHC204-12	PT204	0.84
SPHCT204		20	16	10	51	32	19	51	12	76	89	94	32	21	61	43.5	17.0	SHC204		
SPHCT205-14	7/8																	SHC205-14	PT205	0.92
SPHCT205-15	15/16																	SHC205-15		
SPHCT205		25	16	10	51	32	19	51	12	76	89	97	32	24	62	44.3	17.4	SHC205		
SPHCT205-16	1																	SHC205-16		
SPHCT206-18	1 1/8																	SHC206-18	PT206	1.39
SPHCT206		30	16	10	56	37	22	57	12	89	102	113	37	28	70	48.3	18.2	SHC206		
SPHCT206-19	1 3/16																	SHC206-19		
SPHCT206-20	1 1/4																	SHC206-20		
SPHCT207-20	1 1/4																	SHC207-20	PT207	1.83
SPHCT207-21	5/16																	SHC207-21		
SPHCT207-22	3/8		16	13	64	37	22	64	12	89	102	129	37	30	78	51.1	18.8	SHC207-22		
SPHCT207		35																SHC207		
SPHCT207-23	7/16																	SHC207-23		
SPHCT208-24	1 1/2																	SHC208-24	PT208	2.64
SPHCT208-25	9/16		19	16	83	49	29	83	16	102	114	144	19	33	88	56.3	21.4	SHC208-25		
SPHCT208		40																SHC208		
SPHCT209-26	5/8																	SHC209-26	PT209	2.67
SPHCT209-27	1 1/16		19	16	83	49	29	83	16	102	117	144	49	35	87	56.3	21.4	SHC09-27		
SPHCT209-28	3/4																	SHC209-28		
SPHCT209		45																SHC209		
SPHCT210-30	7/8																	SHC210-30	PT210	2.81
SPHCT210-31	15/16		19	16	83	49	29	86	16	102	117	149	49	37	90	62.7	24.6	SHC210-31		
SPHCT210		50																SHC210		
SPHCT211-32	2																	SHC211-32	PT211	4.27
SPHCT211-34	1 1/8		25	19	102	64	35	95	22	130	146	171	64	38	106	71.3	27.7	SHC211-34		
SPHCT211		55																SHC211		
SPHCT211-35	3/16																	SHC211-35		
SPHCT212-36	1/4																	SHC212-36	PT212	5.26
SPHCT212		60	32	19	102	64	35	102	22	130	146	194	64	42	119	77.7	30.9	SHC212		
SPHCT212-38	3/8																	SHC212-38		
SPHCT212-39	7/16																	SHC212-39		
SPHCT213-40	1/2																	SHC213-40	PT213	7.55
SPHCT213		65	32	21	111	70	41	121	26	151	167	224	70	44	137	85.7	34.1	SHC213		
SPHCT214-44	3/4																	SHC214-44	PT214	7.62
SPHCT214		70	32	21	111	70	41	121	26	151	167	224	70	46	137	85.7	34.1	SHC214		
SPHCT215-48	3																	SHC215-48	PT215	8.13
SPHCT215		75	32	21	111	70	41	121	26	151	167	232	70	48	140	92.1	37.3	SHC215		



- Stainless steel bearing insert
- Thermoplastic housing
- Wide inner ring bearing
- A- Seal or R3- Seal





A-seal

R3-seal

Bearing Unit No.	Shaft Dia d		Dimensions(mm)											Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H	L	J	A	N	N1	H1	H0	S	B1	(mm)	(in)				
SPHCP201 SPHCP201-8 SPHCP202 SPHCP202-10 SPHCP203 SPHCP203-11	1/2 5/8 11/16	12 15 17	30.2	125	96	32	13	16	14	57	13.9	37.3	M10	3/8	SHCW201 SHCW201-8 SHCW202 SHCW202-10 SHCW203 SHCW03-11	PP202S	0.24	
SPHCP204-12 SPHCP204	3/4 20		33.3	127	96	37	13	19	14	64	17.0	43.5	M10	3/8	SHC204-12 SHC204	PP204	0.26	
SPHCP205-14 SPHCP205-15 SPHCP205 SPHCP205-16	7/8 15/16 1	25	36.5	140	105	38	13	19	15	70	17.4	44.3	M10	3/8	SHC205-14 SHC205-15 SHC205 SHC205-16	PP205	0.35	
SPHCP206-18 SPHCP206 SPHCP206-19 SPHCP206-20	1 1/8 1 3/16 1 1/4	30	42.9	160	121	44	14	19	16	82	18.2	48.3	M12	1/2	SHC206-18 SHC206 SHC206-19 SHC206-20	PP206	0.54	
SPHCP207-20 SPHCP207-21 SPHCP207-22 SPHCP207 SPHCP207-23	1 1/4 1 5/16 1 3/8 1 7/16	35	47.6	167	126	48	15	19	17	92	18.8	51.1	M12	1/2	SHC207-20 SHC207-21 SHC207-22 SHC207 SHC207-23	PP207	0.77	
SPHCP208-24 SPHCP208-25 SPHCP208	1 1/2 1 9/16 40		49.2	180	136	52	15	21	18	98	21.4	56.3	M12	1/2	SHC208-24 SHC208-25 SHC208	PP208	0.95	
SPHCP209-26 SPHCP209-27 SPHCP209-28 SPHC209	1 5/8 1 11/16 1 3/4 45		54.0	189	146	54	15	21	20	106	21.4	56.3	M12	1/2	SHC209-26 SHC209-27 SHC209-28 SHC209	PP209	1.15	
SPHCP210-30 SPHCP210-31 SPHCP210	1 7/8 1 15/16 50		57.2	204	159	57	19	22	21	112	24.6	62.7	M16	5/8	SHC210-30 SHC210-31 SHC210	PP210	1.35	
SPHCP211-32 SPHCP211-34 SPHCP211 SPHCP211-35	2 2 1/8 2 3/16	55	63.5	217	172	60	19	22	22	125	27.7	71.3	M16	5/8	SHC211-32 SHC211-34 SHC211 SHC211-35	PP211	1.78	
SPHCP212-36 SPHCP212 SPHCP212-38 SPHCP212-39	2 1/4 2 3/8 2 7/16	60	69.9	238	186	66	19	25	24	137	30.9	77.7	M16	5/8	SHC212-36 SHC212 SHC212-38 SHC212-39	PP212	2.23	
SPHCP213-40 SPHCP213	2 1/2 65		76.2	262	203	70	23	29	26	149	34.1	85.7	M20	3/4	SHC213-40 SHC213	PP213	2.85	





- Stainless steel bearing insert
- Thermoplastic housing
- Wide inner ring bearing
- A- Seal or R3- Seal



Bearing Unit No.	Shaft Diameter		Dimensions(mm)								Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	A	E	I	G	L	S	N	Z	(mm)	(in)			
SPHCFS201		12											SHC201		
SPHCFS201-8	1/2												SHC201-8		
SPHCFS202		15											SHC202		
SPHCFS202-9	9/16		86	63.5	19	15	29.5	11.5	17.1	45.5	M10	3/8	SHC202-9	PFS203	0.26
SPHCFS202-10	5/8												SHC202-10		
SPHCFS203-11	11/16												SHC203-11		
SPHCFS204-12	3/4												SHC204-12		
SPHCFS204		20	86	63.5	19	15	29.5	11.5	17.1	45.5	M10	3/8	SHC204	PFS204	0.24
SPHCFS205-13	13/16												SHC205-13		
SPHCFS205-14	7/8												SHC205-14		
SPHCFS205-15	15/16		93	70	19	15	30	11.5	17.5	45.9	M10	3/8	SHC205-15	PFS205	0.35
SPHCFS205-16	1												SHC205-16		
SPHCFS205		25											SHC205		
SPHCFS206-17	1 1/16												SHC206-17		
SPHCFS206-18	1 1/8												SHC206-18		
SPHCFS206-19	1 3/16		106	82.5	20	16	32.5	13	18.3	50.1	M12	1/2	SHC206-19	PFS206	0.54
SPHCFS206-20	1 1/4												SHC206-20		
SPHCFS206		30											SHC206		
SPHCFS207-20	1 1/4												SHC207-20		
SPHCFS207-21	1 5/16												SHC207-21		
SPHCFS207-22	1 3/8		116	92	21	17	35	13	18.8	53.3	M12	1/2	SHC207-22	PFS207	0.76
SPHCFS207-23	1 7/16												SHC207-23		
SPHCFS207		35											SHC207		
SPHCFS208-24	1 1/2												SHC208-24		
SPHCFS208-25	1 9/16		129	101.5	24	17	39	14	21.4	58.9	M12	1/2	SHC208-25	PFS208	1.05
SPHCFS208		40											SHC208		
SPHCFS209-26	1 5/8												SHC209-26		
SPHCFS209-27	1 11/16												SHC209-27		
SPHCFS209-28	1 3/4		135	105	24	18	40	16	21.4	58.9	M14	9/16	SHC209-28	PFS209	1.15
SSHCF209		45											SHC209		
SSHCF210-29	1 13/16												SHC210-29		
SPHCFS210-30	1 7/8												SHC210-30		
SPHCFS210-31	1 15/16		143	111	28	20	45	16	24.6	66.1	M14	9/16	SHC210-31	PFS210	1.3
SPHCFS210-32	2												SHC210-32		
SPHCFS210		50											SHC210		
SPHCFS211-32	2												SHC211-32		
SPHCFS211-33	2 1/16												SHC211-33		
SPHCFS211-34	2 1/8		162	130	31	21	49	17	27.8	74.6	M14	9/16	SHC211-34	PFS211	1.76
SPHCFS211-35	2 3/16												SHC211-35		
SPHCFS211		55											SHC211		
SPHCFS212-36	2 1/4												SHC212-36		
SPHCFS212-37	2 5/16												SHC212-37		
SPHCFS212-38	2 3/8		175	143	34	22	53.5	17	31	80.8	M14	9/16	SHC212-38	PES212	2.4
SPHCFS212-39	2 7/16												SHC212-39		
SPHCFS212		60											SHC212		





- Stainless steel bearing insert
- Thermoplastic housing
- Wide inner ring bearing
- A- Seal or R3- Seal



Bearing Unit No.	Shaft Diameter		Dimensions(mm)									Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H	J	L	A2	A1	A	E	N	S	(mm)	(in)			
SPHCFL201		12												SHCW201		0.24
SPHCFL201-8	1/2													SHCW201-8	PFL203	0.24
SPHCFL203		17	99	76.5	57	15	11	24.5	38.4	11.5	13.9	M10	3/8	SHWC203		0.23
SPHCFL203-11	11/16													SHCW203-11		0.22
SPHCFL204-12	3/4		113	90	60	15	11	25.5	41.5	11.5	17	M10	3/8	SHC204-12	PFL204	0.25
SPHCFL204		20												SHC204		0.24
SPHCFL205-14	7/8													SHC205-14		0.32
SPHCFL205-15	15/16		130	99	68	16	13	27	42.9	11.5	17.4	M10	3/8	SHC205-15	PFL205	0.31
SPHCFL205		25												SHC205		0.28
SPHCFL205-16	1													SHC205-16		0.28
SPHCFL206-18	1 1/8													SHC206-18		0.46
SPHCFL206		30	148	117	80	18	13	31	48.1	11.5	18.2	M10	3/8	SHC206	PFL206	0.44
SPHCFL206-19	1 3/16													SHC206-19		0.43
SPHCFL206-20	1 1/4													SHC206-20		0.43
SPHCFL207-20	1 1/4													SHC207-20		0.71
SPHCFL207-21	1 5/16													SHC207-21		0.68
SPHCFL207-22	1 3/8		161	130	90	19	14	34	51.3	14	18.8	M12	1/2	SHC207-22	PFL207	0.64
SPHCFL207		35												SHC207		0.63
SPHCFL207-23	1 7/16													SHC207-23		0.62
SPHCFL208-24	1 1/2													SHC208-24		0.86
SPHCFL208-25	1 9/16		175	144	100	21	14	36	55.9	14	21.4	M12	1/2	HC208-25	PFL208	0.82
SPHCFL208		40												SHC208		0.81
SPHCFL209-26	1 5/8													SHC209-26		1
SPHCFL209-27	1 11/16		188	148	108	22	16	38	56.9	18	21.4	M16	5/8	SHC209-27	PFL209	0.95
SPHCFL209-28	1 3/4													SHC209-28		0.92
SPHCFL209		45												SHC209		0.9
SPHCFL210-30	1 7/8													SHC210-30		1.45
SPHCFL210-31	1 15/16		197	157	115	22	16	40	60.1	18	24.6	M16	5/8	SHC210-31	PFL210	1.4
SPHCFL210		50												SHC210		1.35
SPHCFL211-32	2													SHC211-32		1.78
SPHCFL211-34	2 1/8		224	184	130	25	18	43	68.6	18	27.7	M16	5/8	SHC211-34	PFL211	1.68
SPHCFL211		55												SHC211		1.6
SPHCFL211-35	2 3/16													SHC211-35		1.55
SPHCFL212-36	2 1/4													SHC212-36		2.33
SPHCFL212		60	250	202	140	29	18	48	75.8	18	30.9	M16	5/8	HSC212	PFL212	2.17
SPHCFL212-38	2 3/8													SHC212-38		2.15
SPHCFL212-39	2 7/16													SHC212-39		2.05




- Pressed steel housing
- Wide inner ring bearing
- A- Seal or R3- Seal





Bearing Unit No.	Shaft Diameter		Dimensions(mm)										Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H	A	E	B	S1	S2	G	W	Bi	N	(mm)	(in)			
UCPP201		12													UCW201		
UCPP201-8	1/2														UCW201-8		
UCPP202-10	5/8														UCW202-10		
UCPP202		15	22.2	92	68	25	10	13	4	44	26	10	M8	5/16	UCW202	PP203	0.22
UCPP203		17													UCW203		
UCPP203-11	11/16														UCW203-11		
UCPP204		20													UC204		
UCPP204-12	3/4		25.4	105	76	25	10	13	4	50	31	12.7	M8	5/16	UC204-12	PP204	0.22
UCPP205		25													UC205		
UCPP205-14	7/8														UC205-14		
UCPP205-15	15/16		28.6	113	86	29	10	14	5	57	34	14.3	M8	5/16	UC205-15	PP205	0.31
UCPP205-16	1														UC205-16		
UCPP206		30													UC206		
UCPP206-17	1 1/16														UC206-17		
UCPP206-18	1 1/8		33.3	124	95	32	10	14	6	67	38.1	15.9	M8	5/16	UC206-18	PP206	0.47
UCPP206-19	1 3/16														UC206-19		
UCPP206-20	1 1/4														UC206-20		
UCPP207-20	1 1/4														UC207-20		
UCPP207-21	1 5/16														UC207-21		
UCPP207-22	1 3/8		39.7	146	108	33	13	19	6	79	42.9	17.5	M8	3/8	UC207-22	PP207	0.73
UCPP207-23	1 7/16														UC207-23		
UCPP207		35													UC207		



- Pressed steel housing
- Narrow inner ring bearing
- B- Seal




SAPP



SBPP

Bearing Unit No.	Shaft Dia d		Dimensions(mm)										Bolt Used		Bearing No.	Housing No.	Mass (kg)
	(in)	(mm)	H	A	L	B	S1	S2	H1	W	N	Bi	(mm)	(in)			
SAPP201	1/2	12	22.2	68	92	25	10	13	4	44	6	28.6	M8	5/16	SA201	PP203	0.2
SAPP201-8		15													SA201-8		
SAPP202		17													SA202		
SAPP202-10		5/8													SA202-10		
SAPP203	1 1/16	20	25.4	76	105	25	10	13	5	50	7	30.9	M8	5/16	SA203	PP204	0.23
SAPP203-11	SA203-11																
SAPP204-12	3/4	25	28.6	86	113	29	10	14	5	57	7.5	30.9	M10	3/8	SA204-12	PP205	0.32
SAPP204	SA204																
SAPP205-14	7/8														SA205-14		
SAPP205-15	15/16														SA205-15		
SAPP205	1	30	33.3	95	124	32	10	14	6	67	8	35.7	M10	3/8	SA205	PP206	0.47
SAPP205-16	SA205-16																
SAPP206-18	1 1/8														SA206-18		
SAPP206	SA206																
SAPP206-19	1 3/16	35	39.7	108	146	33	13	19	6	79	8.5	38.9	M10	3/8	SA206-19	PP207	0.6
SAPP206-20	1 1/4														SA206-20		
SAPP207-20	1 1/4														SA207-20		
SAPP207-21	1 5/16														SA207-21		
SAPP207-22	1 3/8	35	39.7	108	146	33	13	19	6	79	8.5	38.9	M10	3/8	SA207-22	PP207	0.6
SAPP207	SA207																
SAPP207-23	1 7/16	SA207-23															

Bearing Unit No.	Shaft Dia d		Dimensions(mm)										Bolt Used		Bearing No.	Housing No.	Mass (kg)															
	(in)	(mm)	H	A	L	b	S1	S2	H1	W	N	B	(mm)	(in)																		
SBPP201	1/2	12	22.2	68	92	25	10	13	4	44	6	22	M8	5/16	SB201	PP203	0.15															
SBPP201-8		15													SB201-8																	
SBPP202		17													SB202																	
SBPP202-10		5/8													SB202-10																	
SBPP203		1 1/16													SB203																	
SBPP203-11	1 1/16	17	SB203-11																													
SBPP204-12	3/4	20	25.4	76	105	25	10	13	5	50	7	25	M8	5/16	SB204-12	PP204	0.2															
SBPP204	20														SB204																	
SBPP205-14	7/8														25			28.6	86	113	29	10	14	5	57	7.5	27	M10	3/8	SB205-14	PP205	0.28
SBPP205-15	15/16																													SB205-15		
SBPP205	1																													SB205		
SBPP205-16	1	SB205-16																														
SBPP206-18	1 1/8	30	33.3	95	124	32	10	14	6	67	8	30	M10	3/8	SB206-18	PP206	0.42															
SBPP206	1 3/16														SB206																	
SBPP206-19	1 3/16														SB206-19																	
SBPP206-20	1 1/4														SB206-20																	
SBPP207-20	1 1/4	35	39.7	108	146	33	13	19	6	79	8.5	32	M10	3/8	SB207-20	PP207	0.55															
SBPP207-21	1 5/16														SB207-21																	
SBPP207-22	1 3/8														SB207-22																	
SBPP207	1 7/16														SB207																	
SBPP207-23	1 7/16														SB207-23																	




Bearing Unit No.	Shaft Diameter		Dimensions(mm)					
	(in)	(mm)	A	E	M	S	T	D

3-Bolt Flange

PF203	1/2-5/8"	12	81	63	14	7X7	4	40
		15						
		17						
PF204	3/4	20	90	71	16	9X9	4	47
PF205	7/8-1	25	95	76	18	9X9	4	52
PF206	1 1/16-1 1/4	30	113	90	19	11X11	5.2	62
PF207	1 1/4-1 7/16	35	122	100	21	11X11	5.2	72

4-Bolt Flange


PF208	1 1/2-1 9/16	40	148	119	21	14X14	6.8	80
PF209	1 5/8-1 3/4	45	149	121	22	14X14	6.8	85
PF210	1 7/8-2	50	156	127	22	14X14	7.6	90
PF211	2-2 3/16	55	167	138	24	14X14	7.6	100



Housing No.	Shaft Dia d		Dimensions(mm)						
	(in)	(mm)	A	E	M	S	T	B	D

PFL200 Pressed Steel 2-Bolt Flanges Housing


PFL203	1/2-5/8"	12 15 17	81	63.5	14	7x7	4	59	40
PFL204	3/4	20	90	71	16	9x9	4	67	47
PFL205	7/8-1	25	95	76	18	9x9	4	71	52
PFL206	1 1/16-1 1/4	30	113	90	19	11x11	5.2	84	62
PFL207	1 1/4-1 7/16	35	125	100	22	11x11	5.2	94	72
PFL208	1 1/2-1 9/16	40	148	119	23	14x14	6.8	110	80



Housing No.	Shaft Dia d		Dimensions(mm)					
	(in)	(mm)	A	E	M	S	T	D

PFT200 Pressed Steel 3-Bolt Flanges Housing

PFT203	1/2-5/8"	12 15 17	81	63	14	7X7	4	40
PFT204	3/4	20	90	71	16	9X9	4	47
PFT205	7/8-1	25	95	76	18	9X9	4	52
PFT206	1 1/16-1 1/4	30	113	90	19	11X11	5.2	62
PFT207	1 1/4-1 7/16	35	122	100	21	11X11	5.2	72





A-seal



R3-seal


- Wide inner ring bearing
- A- Seal or R3- Seal

Bearing No.	Shaft Dia d		Dimensions(mm)(in)								Basicload Rating(N)		Mass (kg)
	(in)	(mm)	D	B	C	S	SI	G	h	ds	Dynamic Cr	Static Cor	
UCW201 UCW201-8 UCW202 UCW202-10 UCW203 UCW203-11	1/2 5/8 11/16	12 15 17	40	26	15	10	16	4	3.5	M5X0.8 10#-32 M5X0.8 10#-32 M5X0.8 10#-32	9550	4780	0.11
UC201 UC201-8 UC202 UC202-10 UC203 UC203-11 UC204-12 UC204	1/2 5/8 11/16 3/4 20	12 15 17	47	31	16	12.7	18.3	4.7	4.4	M6X1 10#-32 M6X1 10#-32 M6X1 10#-32 1/4-28 M6X1	12800	6650	0.12 0.12 0.12 0.12 0.11 0.11 0.19 0.17
UC205-14 UC205-15 UC205 UC205-16	7/8 15/16 1	25	52	34	17	14.3	19.7	5.5	4.3	1/4-28 1/4-28 M6X1 1/4-28	14000	7880	0.23 0.22 0.21 0.2
UC206-17 UC206-18 UC206 UC206-19 UC206-20	1 1/16 1 1/8 1 3/16 1 1/4	30	62	38.1	19	15.9	22.2	5.5	5	1/4-28 1/4-28 M6X1 1/4-28 1/4-28	19500	11200	0.34 0.34 0.32 0.31 0.3
UC207-20 UC207-21 UC207-22 UC207 UC207-23	1 1/4 1 5/16 1 3/8 1 7/16	35	72	42.9	20	17.5	25.4	6.5	5.8	5/16-24 5/16-24 5/16-24 M8X1 5/16-24	25700	15200	0.53 0.51 0.48 0.47 0.45
UC208-24 UC208-25 UC208	1 1/2 1 9/16 40	80	49.2	21	19	30.2	8	6.3	5/16-24 5/16-24 M8X1	29600	18200	0.68 0.65 0.64	
UC209-26 UC209-27 UC209-28 UC209	1 5/8 1 11/16 1 3/4 45	85	49.2	22	19	30.2	8	6.8	5/16-24 5/16-24 5/16-24 M8X1	31850	20800	0.78 0.74 0.7 0.68	
UC210-30 UC210-31 UC210	1 7/8 1 15/16 50	90	51.6	23	19	32.6	9	6.5	3/8-24 3/8-24 M10X1.25	35100	23200	0.87 0.82 0.8	
UC211-32 UC211-34 UC211 UC211-35	2 2 1/8 2 3/16	55	100	55.6	25	22.2	33.4	9	7.2	3/8-24 3/8-24 M10X1.25 3/8-24	43550	29200	1.27 1.17 1.12 1.1
UC212-36 UC212 UC212-38 UC212-39	2 1/4 2 3/8 2 7/16	60	110	65.1	27	25.4	39.7	10.5	8.2	3/8-24 M10X1.25 3/8-24 3/8-24	47800	32800	1.67 1.53 1.53 1.45
UC213-40 UC213	2 1/2 65	120	65.1	28	25.4	39.7	12	8	3/8-24 M12X1.25	57200	40000	1.94 1.86	
UC214-44 UC214	2 3/4 70	125	74.6	30	30.2	44.4	12	9	7/16-20 M12X1.25	60800	45000	2.06 2.05	
UC215-47 UC215 UC215-48	2 15/16 3	75	130	77.8	30	33.3	44.5	12	9	7/16-20 M12X1.25 7/16-20	66000	49500	2.3 2.21 2.13
UC216 UC216-50	3 1/8 3 1/4	80	140	82.6	33	33.3	49.3	14	10.3	M12X1.25 7/16-20	71500	54200	2.79 2.85
UC217-52 UC217	3 1/4 3 1/2	85	150	85.7	35	34.1	51.6	14	11	7/16-20 M12X1.25	83200	63800	3.6 3.38
UC218-56 UC218	3 1/2 90	160	96	37	39.7	56.3	14	12	1/2-20 M12X1.25	95900	71500	4.56 4.45	



- Wide inner ring bearing
- A- Seal or R3- Seal available in some sizes

Bearing No.	Shaft Dia		Dimensions(mm)(in)								Basicload Rating(N)		Mass (kg)
	(in)	(mm)	D	B	C	S	SI	G	h	ds	Dynamic Cr	Static Cor	
UCX05-13	13/16	25	62	38.1	19	15.9	22.2	6	5	1/4-28	19500	11200	0.42
UCX05-14	7/8									1/4-28			0.42
UCX05-15	15/16									1/4-28			0.4
UCX05										M6X1			0.39
UCX05-16	1									1/4-28			0.38
UCX06-18	1 1/8	30	72	42.9	20	17.5	25.4	6.5	5.8	5/16-24	25700	15200	0.58
UCX06										M8X1			0.58
UCX06-19	1 3/16									5/16-24			0.58
UCX06-20	1 1/4									5/16-24			0.55
UCX07-22	1 3/8	35	80	49.2	21	19	30.2	8	6.3	5/16-24	29600	18200	0.75
UCX07										M8X1			0.75
UCX07-23	1 7/16									5/16-24			0.72
UCX08-24	1 1/2	40	85	49.2	22	19	30.2	8	6.8	5/16-24	31850	20800	0.87
UCX08-25	1 9/16									5/16-24			0.87
UCX08										M8X1			0.83
UCX09-26	1 5/8	45	90	51.6	23	19	32.6	9	6.5	3/8-24	35100	23200	1.1
UCX09-27	1 11/16									3/8-24			1.01
UCX09-28	1 3/4									3/8-24			0.97
UCX09										M10X1.25			0.95
UCX10-30	1 7/8	50	100	55.6	25	22.2	33.4	9	7.2	3/8-24	43550	29200	1.43
UCX10-31	1 15/16									3/8-24			1.32
UCX10										M10X1.25			1.29
UCX10-32	2									3/8-24			1.26
UCX11-34	2 1/8	55	110	65.1	27	25.4	39.7	10.5	8.2	3/8-24	47800	32800	1.95
UCX11										M10X1.25			1.8
UCX11-35	2 3/16									3/8-24			1.78
UCX11-36	2 1/4									3/8-24			1.7
UCX12		60	120	65.1	28	25.4	39.7	12	8	M12X1.25	57200	40000	2.05
UCX12-38	2 3/8									3/8-24			2.03
UCX12-39	2 7/16									3/8-24			1.95
UCX13-40	2 1/2	65	125	74.6	30	30.2	44.4	12	9	7/16-20	60800	45000	2.61
UCX13										M12X1.25			2.52
UCX14-44	2 3/4	70	130	77.8	30	33.3	44.5	12	9	7/16-20	66000	49500	2.75
UCX14										M12X1.25			2.74
UCX15		75	140	82.6	33	33.3	49.3	14	10.3	M12X1.25	71500	54200	3.41
UCX15-48	3									7/16-20			3.32
UCX16		80	150	85.7	35	34.1	51.6	14	11	M12X1.25	83200	63800	3.87
UCX17-52	3 1/4	85	160	96	37	39.7	56.3	14	12	7/16-20	95900	71500	4.58
UCX17										M12X1.25			5.05
UCX18-56	3 1/2	90	170	104	39	42.9	61.1	14	12.1	1/2-20	109000	82800	6.12
UCX18										M14X1.5			6
UCX20		100	190	117.5	44	49.2	68.3	16	13.7	M16X1.5	133000	105000	8.56
UCX20-64	4									5/8-18			8.33



A-seal




R3-seal

- Wide inner ring bearing
- A- Seal or R3- Seal


Bearing No.	Shaft Dia d		Dimensions(mm)(in)									Eccentric collar	Basicload Rating(N)		Mass (kg)
	(in)	(mm)	D	C	B	S	B1	B3	h	dl	ds		Dynamic Cr	Static Cor	
HCW201		12									M5X0.8	A201W			0.22
HCW201-8	1/2	15	40	15	27.8	13.9	37.3	13.5	3.5	28.6	1/4-28	A201-8W	9550	4780	0.22
HCW202		15									M5X0.8	A202W			0.21
HCW202-10	5/8	17									1/4-28	A202-10W			0.21
HCW203		17									M5X0.8	A203W			0.2
HCW203-11	11/16										1/4-28	A203-11W			0.19
HC201		12									M6X1	A201			0.24
HC201-8	1/2	15									1/4-28	A201-8	12800	6650	0.24
HC202		15									M6X1	A202			0.24
HC202-10	5/8	17	47	16	34	17	43.5	13.5	4.4	33.3	1/4-28	A202-10			0.24
HC203		17									M6X1	A203			0.24
HC203-11	11/16										1/4-28	A203-11			0.24
HC204-12	3/4	20									1/4-28	A204-12			0.23
HC204		20									M6X1	A204			0.22
HC205-14	7/8										1/4-28	A205-14			0.29
HC205-15	15/16		52	17	34.8	17.4	44.3	13.5	4.4	38.1	1/4-28	A205-15	14000	7880	0.27
HC205		25									M6X1	A205			0.25
HC205-16	1										1/4-28	A205-16			0.24
HC206-17	1 1/16										5/16-24	A206-17			0.41
HC206-18	1 1/8										5/16-24	A206-18	19500	11200	0.41
HC206		30	62	19	36.4	18.2	48.3	15.9	5	44.5	M6X1	A206			0.41
HC206-19	1 3/16										5/16-24	A206-19			0.4
HC206-20	1 1/4										5/16-24	A206-20			0.38
HC207-20	1 1/4										5/16-24	A207-20			0.68
HC207-21	1 5/16										5/16-24	A207-21	25700	15200	0.65
HC207-22	1 3/8		72	20	37.6	18.8	51.1	17.5	5.8	55.6	5/16-24	A207-22			0.61
HC207		35									M6X1	A207			0.6
HC207-23	1 7/16										5/16-24	A207-23			0.58
HC208-24	1 1/2										5/16-24	A208-24			0.83
HC208-25	1 9/16		80	21	42.8	21.4	56.3	18.3	6.3	60.3	5/16-24	A208-25	29600	18200	0.79
HC208		40									M8X1	A208			0.78
HC209-26	1 5/8										5/16-24	A209-26			0.96
HC209-27	1 11/16										5/16-24	A209-27	31850	20800	0.91
HC209-28	1 3/4										5/16-24	A209-28			0.87
HC209		45									M8X1	A209			0.85
HC210-30	1 7/8										5/16-24	A210-30			1.1
HC210-31	1 15/16		90	23	49.2	24.6	62.7	18.3	6.5	69.9	5/16-24	A210-31	35100	23200	1.04
HC210		50									M8X1	A210			1.01
HC211-32	2										3/8-24	A211-32			1.58
HC211-34	2 1/8										3/8-24	A211-34	43550	29200	1.44
HC211		55	100	25	55.4	27.7	71.3	20.7	7.2	76.2	M10X1.25	A211			1.39
HC211-35	2 3/16										3/8-24	A211-35			1.36
HC212-36	2 1/4										3/8-24	A212-36			2.03
HC212		60	110	27	61.8	30.9	77.7	22.3	8.2	84.2	M10X1.25	A212	47800	32800	1.87
HC212-38	2 3/8										3/8-24	A212-38			1.85
HC212-39	2 7/16										3/8-24	A212-39			1.76
HC213-40	2 1/2										3/8-24	A213-40			2.51
HC213		65	120	28	68.2	34.1	85.7	23.5	8.2	86	M10X1.25	A213	57200	40000	2.41
HC214-44	2 3/4										3/8-24	A214-44			2.58
HC214		70	125	30	68.2	34.1	85.7	23.5	9	96	M10X1.25	A214	60800	45000	2.57
HC215-47	2 15/16										3/8-24	A215-47			2.90
HC215		75	130	30	74.6	37.3	92.1	23.5	9	102	M10X1.25	A215	66000	49500	2.84
HC215-48	3										3/8-24	A215-48			2.74
HC216		80	140	33	74.6	37.3	95.2	27	10.3	110	M10X1.25	A216	71500	54200	3.12



- Narrow inner ring bearing
- SA-Spherical and CSA-cylindrical
- Available relubricatable(G) or non-relubricatable
- B- Seal



SA




CSA

Bearing No.		Shaft Dia d		Dimensions(mm)(in)									Basicload Rating(N)		Mass (kg)
		(in)	(mm)	D	C	B	B1	S	h	B3	dl	ds	Dynamic Cr	Static Cor	
SA201	CSA201	1/2	12	40	12	19.1	28.6	6.0	3.6	13.5	28.6	M5X0.8	9550	4780	0.14
SA201-8	CSA201-8		1/4-28									0.14			
SA202	CSA202	5/8	15									M5X0.8			0.13
SA202-10	CSA202-10		1/4-28									0.13			
SA203	CSA203	11/16	17	M5X0.8	0.13										
SA203-11	CSA203-11		1/4-28	0.13											
SA204-12	CSA204-12	3/4	20	47	14	21.4	30.9	7.0	4	13.5	33.3	1/4-28	12800	6650	0.18
SA204	CSA204	M6X1										0.15			
SA205-14	CSA205-14	7/8	25	52	15	21.4	30.9	7.5	4.3	13.5	38.1	1/4-28	14000	7880	0.21
SA205-15	CSA205-15	15/16										1/4-28			0.19
SA205	CSA205	1										M6X1			0.19
SA205-16	CSA205-16											1/4-28			0.18
SA206-18	CSA206-18	1 1/8	30	62	16	23.8	35.7	8.0	5	15.9	44.5	5/16-24	19500	11200	0.35
SA206	CSA206	M6X1										0.33			
SA206-19	CSA206-19	1 3/16										5/16-24			0.31
SA206-20	CSA206-20	1 1/4										5/16-24			0.29
SA207-20	CSA207-20	1 1/4	35	72	17	25.4	38.9	8.5	5.7	17.5	55.6	5/16-24	25700	15200	0.56
SA207-21	CSA207-21	1 5/16										5/16-24			0.53
SA207-22	CSA207-22	1 3/8										5/16-24			0.51
SA207	CSA207	1 7/16										M6X1			0.5
SA207-23	CSA207-23											5/16-24			0.48
SA208-24	CSA208-24	1 1/2	40	80	18	30.2	43.7	9.0	6.2	18.3	60.3	5/16-24	29600	18200	0.68
SA208-25	CSA208-25	1 9/16										5/16-24			0.67
SA208	CSA208	M8X1										0.65			
SA209-26	CSA209-26	1 5/8	45	85	19	30.2	43.7	9.5	6.8	18.3	63.5	5/16-24	31850	20800	0.76
SA209-27	CSA209-27	1 11/16										5/16-24			0.73
SA209-28	CSA209-28	1 3/4										5/16-24			0.69
SA209	CSA209	M8X1										0.69			
SA210-30	CSA210-30	1 7/8	50	90	20	30.2	43.6	10.0	6.5	18.3	69.9	5/16-24	35100	23200	0.83
SA210-31	CSA210-31	1 15/16										5/16-24			0.79
SA210	CSA210	M8X1										0.79			
SA211-32	CSA211-32	2	55	100	23	32.4	48.4	11.5	7.2	20.7	76.2	3/8-24	43550	29200	1.17
SA211-34	CSA211-34	2 1/8										3/8-24			1.07
SA211	CSA211	2 3/16										M8X1			1.04
SA211-35	CSA211-35											3/8-24			1.01
SA212-36	CSA212-36	2 1/4	60	110	24	33.4	49.3	12.0	8	22.3	84.2	3/8-24	47800	32800	1.3
SA212	CSA212	M10X1.25										1.2			
SA212-38	CSA212-38	2 3/8										3/8-24			1.09
SA212-39	CSA212-39	2 7/16										3/8-24			1.07




B-seal

- Narrow inner ring bearing
- SB-Spherical and CSB-cylindrical
- Available relubricatable(G) or non-relubricatable
- B- Seal




SB



CSB


Bearing No.		Shaft Dia d		Dimensions(mm)(in)							Basicload Rating(N)		Mass (kg)
		(in)	(mm)	D	B	C	S	h	G	ds	Dynamic Cr	Static Cor	
SB201	CSB201		12							M5X0.8			
SB201-8	CSB201-8	1/2								10#-32			
SB202	CSB202		15	40	22	12	6	3.6	4	M5X0.8	9550	4780	0.1
SB202-10	CSB202-10	5/8								10#-32			
SB203	CSB203		17							M5X0.8			
SB203-11	CSB203-11	11/16								10#-32			
SB204-12	CSB204-12	3/4		47	25	14	7	4	5	1/4-28	12800	6650	0.14
SB204	CSB204		20							M6X1			
SB205-14	CSB205-14	7/8								1/4-28			
SB205-15	CSB205-15	15/16		52	27	15	7.5	4.3	5.5	1/4-28	14000	7880	0.17
SB205	CSB205		25							M6X1			
SB205-16	CSB205-16	1								1/4-28			
SB206-18	CSB206-18	1 1/8								1/4-28			
SB206	CSB206		30	62	30	16	8	5	6	M6X1	19500	11200	0.26
SB206-19	CSB206-19	1 3/16								1/4-28			
SB206-20	CSB206-20	1 1/4								1/4-28			
SB207-20	CSB207-20	1 1/4								1/4-28			
SB207-21	CSB207-21	1 5/16								1/4-28			
SB207-22	CSB207-22	1 3/8		72	32	17	8.5	5.7	6.5	1/4-28	25700	15200	0.39
SB207	CSB207		35							M6X1			
SB207-23	CSB207-23	1 7/16								1/4-28			
SB208-24	CSB208-24	1 1/2								5/16-24			
SB208-25	CSB208-25	1 9/16		80	34	18	9	6.2	7	5/16-24	29600	18200	0.54
SB208	CSB208		40							M8X1			
SB209-26	CSB209-26	1 5/8								5/16-24			
SB209-27	CSB209-27	1 11/16		85	41.2	19	9.5	6.5	8.2	5/16-24	31850	20800	0.68
SB209-28	CSB209-28	1 3/4								5/16-24			
SB209	CSB209		45							M8X1			
SB210-30	CSB210-30	1 7/8								5/16-24			
SB210-31	CSB210-31	1 15/16		90	43.5	20	10	6.5	9.2	5/16-24	35100	23200	0.8
SB210	CSB210		50							M8X1			
SB211-32	CSB211-32	2								5/16-24			
SB211-34	CSB211-34	2 1/8		100	45.3	23	11.5	7.2	9.8	5/16-24	43550	29200	1
SB211	CSB211		55							M8X1			
SB211-35	CSB211-35	2 3/16								5/16-24			
SB212-36	CSB212-36	2 1/4								3/8-24			
SB212	CSB212		60	110	53.7	24	12	8	9.8	M10X1.25	47800	32800	1.3
SB212-39	CSB212-39	2 7/16								3/8-24			



A-seal

- Wide inner ring bearing
- Available relubricatable
- A- Seal

Bearing No.	Shaft Dia d		Dimensions(mm)(in)											Basicload Rating(N)		Mass (kg)
	(in)	(mm)	D	B	C	N	M	A	H	J	P	G	ds	Dynamic Cr	Static Cor	
SER201	1/2	12	47	31	15.9	10.3	20.6	1.07	4.4	2.38	52.7	4.7	M6X1	12800	6650	0.22
SER201-8		15											1/4-28			
SER202	5/8	15											M6X1			
SER202-10		17											1/4-28			
SER203	3/4	17											M6X1	14000	7880	0.27
SER204-12		20											1/4-28			
SER204													M6X1			
SER205-14	7/8	25	52	34.9	19.1	13.1	21.8	1.07	5.2	2.38	57.9	5.5	1/4-28			
SER205-15	15/16												1/4-28			
SER205													M6X1			
SER205-16	1												1/4-28			
SER206-17	1 1/16	30	62	38.1	22	15.9	22.2	1.65	5.5	3.18	67.7	5.5	1/4-28	19500	11200	0.39
SER206-18	1 1/8												1/4-28			
SER206													M6X1			
SER206-19	1 3/16												1/4-28			
SER206-20	1 1/4												1/4-28			
SER207-20	1 1/4	35	72	42.9	24	17.5	25.4	1.65	5.5	3.18	78.6	6.5	5/16-24	25700	15200	0.63
SER207-21	1 5/16												5/16-24			
SER207-22	1 3/8												5/16-24			
SER207													M8X1			
SER207-23	1 7/16												5/16-24			
SER208-24	1 1/2	40	80	49.2	28	19	30.2	1.65	6	3.18	86.6	8	5/16-24	29600	18200	0.81
SER208-25	1 9/16												5/16-24			
SER208													M8X1			
SER209-26	1 5/8	45	85	49.2	28	19	30.2	1.65	6	3.18	91.6	8	5/16-24	31850	20800	0.9
SER209-27	1 11/16												5/16-24			
SER209-28	1 3/4												5/16-24			
SER209													M8X1			
SER210-30	1 7/8	50	90	51.6	28	19	32.6	2.41	7.5	3.18	96.5	9	3/8-24	35100	23200	0.98
SER210-31	1 15/16												3/8-24			
SER210													M10X1.25			
SER211-32	2	55	100	55.6	30	22.2	33.4	2.41	7.5	3.18	106.5	9	3/8-24	43550	29200	1.41
SER211-34	2 1/8												3/8-24			
SER211													M10X1.25			
SER211-35	2 3/16												3/8-24			
SER212-36	2 1/4	60	110	65.1	32	25.4	39.7	2.41	7.5	3.18	116.6	10.5	3/8-24	47800	32800	1.89
SER212													M10X1.25			
SER212-38	2 3/8												3/8-24			
SER212-39	2 7/16												3/8-24			





A-seal



R3-seal

- All stainless steel
- Wide inner ring bearing
- A- Seal or R3-Seal, silicone rubber seal
- H-1 food grade grease

Bearing No.	Shaft Dia d		Dimensions(mm)(in)								Basicload Rating(N)		Mass (kg)
	(in)	(mm)	D	B	C	S	SI	G	h	ds	Dynamic Cr	Static Cor	
SUCW201	1/2	12	40	26	15	10	16	4	3.5	M5X0.8	9550	4780	0.11
SUCW201-8		15								10#-32			
SUCW202	5/8	17								M5X0.8			
SUCW202-10		17	47	31	16	12.7	18.3	4.7	4.4	10#-32	12800	6650	0.11
SUCW203	1 1/16	17								M5X0.8			
SUCW203-11		17								10#-32			
SUC201	1/2	12	52	34	17	14.3	19.7	5.5	4.3	M6X1	14000	7880	0.12
SUC201-8		15								10#-32			0.12
SUC202	5/8	17								M6X1			0.12
SUC202-10		17	62	38.1	19	15.9	22.2	5.5	5	10#-32	19500	11200	0.11
SUC203	1 1/16	17								M6X1			0.11
SUC203-11		17								10#-32			0.11
SUC204-12	3/4	20	72	42.9	20	17.5	25.4	6.5	5.8	1/4-28	25700	15200	0.19
SUC204		20								1/4-28			0.17
SUC205-14	7/8	25								M6X1			0.23
SUC205-15		25	80	49.2	21	19	30.2	8	6.3	1/4-28	29600	18200	0.22
SUC205	1	25								M6X1			0.21
SUC205-16		25								1/4-28			0.2
SUC206-17	1 1/16	30	85	49.2	22	19	30.2	8	6.8	1/4-28	31850	20800	0.34
SUC206-18		30								1/4-28			0.34
SUC206	1 3/16	30								M6X1			0.32
SUC206-19		30	90	51.6	23	19	32.6	9	6.5	1/4-28	35100	23200	0.31
SUC206-20	1 1/4	30								1/4-28			0.3
SUC207-20		35								5/16-24			0.53
SUC207-21	1 5/16	35	100	55.6	25	22.2	33.4	9	7.2	5/16-24	43550	29200	0.51
SUC207-22		35								5/16-24			0.48
SUC207	1 7/16	35								M8X1			0.47
SUC207-23		35	110	65.1	27	25.4	39.7	10.5	8.2	5/16-24	47800	32800	0.45
SUC208-24	1 1/2	40								5/16-24			0.68
SUC208-25		40								5/16-24			0.65
SUC208	1 9/16	40								M8X1			0.64
SUC209-26		45	120	65.1	28	25.4	39.7	12	8	5/16-24	57200	40000	0.78
SUC209-27	1 11/16	45								5/16-24			0.74
SUC209-28		45								5/16-24			0.7
SUC209	1 7/8	45	125	74.6	30	30.2	44.4	12	9	M8X1	60800	45000	0.68
SUC210-30		50								5/16-24			0.87
SUC210-31	1 15/16	50								3/8-24			0.82
SUC210		50	130	77.8	30	33.3	44.5	12	9	3/8-24	66000	49500	0.8
SUC211-32	2	55								3/8-24			1.27
SUC211-34		55								3/8-24			1.17
SUC211	2 3/16	55								M10X1.25			1.12
SUC211-35		55	140	82.6	33	33.3	49.3	14	10.3	3/8-24	71500	54200	1.1
SUC212-36	2 1/4	60								3/8-24			1.67
SUC212		60								M10X1.25			1.53
SUC212-38	2 3/8	60	150	85.7	35	34.1	51.6	14	11	3/8-24	83200	63800	1.53
SUC212-39		60								3/8-24			1.45
SUC213-40	2 1/2	65								3/8-24			1.94
SUC213		65	160	96	37	39.7	56.3	14	12	M12X1.25	95900	71500	1.86
SUC214-44	2 3/4	70								7/16-20			2.06
SUC214		70								M12X1.25			2.05
SUC215-47	2 15/16	75								7/16-20			2.3
SUC215		75	170	91.4	38	38.1	50.8	14	11	M12X1.25	95900	71500	2.21
SUC215-48	3	75								7/16-20			2.13
SUC216		80								M12X1.25			2.79
SUC216-50	3 1/8	80	180	91.4	38	38.1	50.8	14	11	7/16-20	95900	71500	2.85
SUC217-52		85								M12X1.25			3.6
SUC217	3 1/4	85								7/16-20			3.38
SUC218-56		90	190	95	39	39.7	56.3	14	12	1/2-20			4.56
SUC218	3 1/2	90								M12X1.25			4.45
SUC218		90								M12X1.25			4.45





A-seal



R3-seal

- All stainless steel
- Wide inner ring bearing
- A- Seal or R3-Seal, silicone rubber seal
- H-1 food grade grease


Bearing No.	Shaft Dia d		Dimensions(mm)(in)									Eccentric collar	Basicload Rating(N)		Mass (kg)
	(in)	(mm)	D	C	B	S	B1	B3	h	d1	ds		Dynamic Cr	Static Cor	
SHCW201		12									M5X0.8	A201W			0.22
SHCW201-8	1/2	15									1/4-28	A201-8W			0.22
SHCW202		15	40	15	27.8	13.9	37.3	13.5	3.5	28.6	M5X0.8	A202W	9550	4780	0.21
SHCW202-10	5/8	17									1/4-28	A202-10W			0.21
SHCW203		17									M5X0.8	A203W			0.2
SHCW203-11	11/16										1/4-28	A203-11W			0.19
SHC201		12									M6X1	A201			0.24
SHC201-8	1/2	15									1/4-28	A201-8			0.24
SHC202		15									M6X1	A202			0.24
SHC202-10	5/8	17	47	16	34	17	43.5	13.5	4.4	33.3	1/4-28	A202-10	12800	6650	0.24
SHC203		17									M6X1	A203			0.24
SHC203-11	11/16										1/4-28	A203-11			0.24
SHC204-12	3/4	20									1/4-28	A204-12			0.23
SHC204		20									M6X1	A204			0.22
SHC205-14	7/8										1/4-28	A205-14			0.29
SHC205-15	15/16										1/4-28	A205-15			0.27
SHC205		25	52	17	34.8	17.4	44.3	13.5	4.4	38.1	M6X1	A205	14000	7880	0.25
SHC205-16	1										1/4-28	A205-16			0.24
SHC206-17	1 1/16										5/16-24	A206-17			0.41
SHC206-18	1 1/8										5/16-24	A206-18			0.41
SHC206		30	62	19	36.4	18.2	48.3	15.9	5	44.5	M6X1	A206	19500	11200	0.41
SHC206-19	1 3/16										5/16-24	A206-19			0.4
SHC206-20	1 1/4										5/16-24	A206-20			0.38
SHC207-20	1 1/4										5/16-24	A207-20			0.68
SHC207-21	1 5/16										5/16-24	A207-21			0.65
SHC207-22	1 3/8		72	20	37.6	18.8	51.1	17.5	5.8	55.6	5/16-24	A207-22	25700	15200	0.61
SHC207		35									M6X1	A207			0.6
SHC207-23	1 7/16										5/16-24	A207-23			0.58
SHC208-24	1 1/2										5/16-24	A208-24			0.83
SHC208-25	1 9/16										5/16-24	A208-25			0.79
SHC208		40	80	21	42.8	21.4	56.3	18.3	6.3	60.3	M8X1	A208	29600	18200	0.78
SHC209-26	1 5/8										5/16-24	A209-26			0.96
SHC209-27	1 11/16										5/16-24	A209-27			0.91
SHC209-28	1 3/4										5/16-24	A209-28			0.87
SHC209		45	85	22	42.8	21.4	56.3	18.3	6.3	63.5	M8X1	A209	31850	20800	0.85
SHC210-30	1 7/8										5/16-24	A210-30			1.1
SHC210-31	1 15/16										5/16-24	A210-31			1.04
SHC210		50	90	23	49.2	24.6	62.7	18.3	6.5	69.9	M8X1	A210	35100	23200	1.01
SHC211-32	2										3/8-24	A211-32			1.58
SHC211-34	2 1/8										3/8-24	A211-34			1.44
SHC211		55	100	25	55.4	27.7	71.3	20.7	7.2	76.2	M10X1.25	A211	43550	29200	1.39
SHC211-35	2 3/16										3/8-24	A211-35			1.36
SHC212-36	2 1/4										3/8-24	A212-36			2.03
SHC212		60	110	27	61.8	30.9	77.7	22.3	8.2	84.2	M10X1.25	A212	47800	32800	1.87
SHC212-38	2 3/8										3/8-24	A212-38			1.85
SHC212-39	2 7/16										3/8-24	A212-39			1.76
SHC213-40	2 1/2										3/8-24	A213-40			2.51
SHC213		65	120	28	68.2	34.1	85.7	23.5	8.2	86	M10X1.25	A213	57200	40000	2.41
SHC214-44	2 3/4										3/8-24	A214-44			2.58
SHC214		70	125	30	68.2	34.1	85.7	23.5	9	96	M10X1.25	A214	60800	45000	2.57
SHC215-47	2 15/16										3/8-24	A215-47			2.90
SHC215		75	130	30	74.6	37.3	92.1	23.5	9	102	M10X1.25	A215	66000	49500	2.84
SHC215-48	3										3/8-24	A215-48			2.74
SHC216		80	140	33	74.6	37.3	95.2	27	10.3	110	M10X1.25	A216	71500	54200	3.12



B-seal

- All stainless steel
- Narrow inner ring bearing
- Available relubricatable
- B-Seal, silicone rubber seal
- H-1 food grade grease

Bearing No.	Shaft Dia d		Dimensions(mm)(in)									Basicload Rating(N)		Mass (kg)
	(in)	(mm)	D	C	B	B1	S	h	B3	d1	ds	Dynamic Cr	Static Cor	
SSA201G	1/2	12	40	12	19.1	28.6	6	3.6	13.5	28.6	M5X0.8	9550	4780	0.14
SSA201-8G		15									1/4-28			0.14
SSA202G	5/8	15									M5X0.8			0.13
SSA202-10G		17									1/4-28			0.13
SSA203G	1 1/16	17	47	14	21.4	30.9	7	7	13.5	33.3	M5X0.8	12800	6650	0.13
SSA203-11G		17									1/4-28			0.13
SSA204-12G	3/4	20									1/4-28			0.18
SSA204G		20									M6X1			0.15
SSA205-14G	7/8	25	52	15	21.4	30.9	7.5	4.3	13.5	38.1	1/4-28	14000	7880	0.21
SSA205-15G	15/16										1/4-28			0.19
SSA205G											M6X1			0.19
SSA205-16G	1										1/4-28			0.18
SSA206-18G	1 1/8	30	62	16	23.8	35.7	8	5	15.9	44.5	5/16-24	19500	11200	0.35
SSA206G											M6X1			0.33
SSA206-19G	1 3/16										5/16-24			0.31
SSA206-20G	1 1/4										5/16-24			0.29
SSA207-20G	1 1/4	35	72	17	25.4	38.9	8.5	5.7	17.5	55.6	5/16-24	25700	15200	0.56
SSA207-21G	1 5/16										5/16-24			0.53
SSA207-22G	1 3/8										5/16-24			0.51
SSA207G											M6X1			0.5
SSA207-23G	1 7/16										5/16-24			0.48
SSA208-24G	1 1/2	40	80	18	30.2	43.7	9	6.2	18.3	60.3	5/16-24	29600	18200	0.68
SSA208-25G	1 9/16										5/16-24			0.67
SSA208G											M8X1			0.65
SSA209-26G	1 5/8	45	85	19	30.2	43.7	9.5	6.5	18.3	63.5	5/16-24	31850	20800	0.76
SSA209-27G	1 11/16										5/16-24			0.73
SSA209-28G	1 3/4										M8X1			0.69
SSA209G											5/16-24			0.69
SSA210-30G	1 7/8	50	90	20	30.2	43.6	10	6.5	18.3	69.9	5/16-24	35100	23200	0.83
SSA210-31G	1 15/16										5/16-24			0.79
SSA210G											M8X1			0.79
SSA211-32G	2	55	100	24	32.4	48.4	12	7.2	20.7	76.2	3/8-24	43550	29200	1.17
SSA211-34G	2 1/8										3/8-24			1.07
SSA211G											M8X1			1.04
SSA211-35G	2 3/16										3/8-24			1.01
SSA212-36G	2 1/4	60	110	24	33.4	49.3	12	8	22.3	84.2	3/8-24	47800	32800	1.3
SSA212G											M10X1.25			1.2
SSA212-38G	2 3/8										3/8-24			1.09
SSA212-39G	2 7/16										3/8-24			1.07



B-seal

- All stainless steel
- Narrow inner ring bearing
- Available relubricatable
- B-Seal, silicone rubber seal
- H-1 food grade grease

Bearing No.	Shaft Dia d		Dimensions(mm)(in)							Basicload Rating(N)		Mass (kg)
	(in)	(mm)	D	B	C	S	h	G	ds	Dynamic Cr	Static Cor	
SSB201G	1/2	12	40	22	12	6	3.6	4	M5X0.8	9550	4780	0.1
SSB201-8G		10#-32										
SSB202G		M5X0.8										
SSB202-10G		10#-32										
SSB203G	5/8	17	40	22	12	6	3.6	4	M5X0.8	9550	4780	0.1
SSB203-11G		10#-32										
SSB204-12G	3/4	20	47	25	14	7	4	5	1/4-28	12800	6650	0.14
SSB204G	M6X1											
SSB205-14G	7/8	25	52	27	15	7.5	4.3	5.5	1/4-28	14000	7880	0.17
SSB205-15G	15/16								1/4-28			
SSB205G	1								M6X1			
SSB205-16G									1/4-28			
SSB206-18G	1 1/8	30	62	30	16	8	5	6	1/4-28	19500	11200	0.26
SSB206G	1 3/16								M6X1			
SSB206-19G									1/4-28			
SSB206-20G									1/4-28			
SSB207-20G	1 1/4	35	72	32	17	8.5	5.7	6.5	1/4-28	25700	15200	0.39
SSB207-21G	1 5/16								1/4-28			
SSB207-22G	1 3/8								1/4-28			
SSB207G	1 7/16								M6X1			
SSB207-23G									1/4-28			
SSB208-24G	1 1/2	40	80	34	18	9	6.2	7	5/16-24	29600	18200	0.54
SSB208-25G	1 9/16								5/16-24			
SSB208G	M8X1											
SSB209-26G	1 5/8	45	85	41.2	19	10.2	6.5	8.2	5/16-24	31850	20800	0.68
SSB209-27G	1 11/16								5/16-24			
SSB209-28G	1 3/4								5/16-24			
SSB209G	M8X1											
SSB210-30G	1 7/8	50	90	43.5	20	10.9	6.5	9.2	5/16-24	35100	23200	0.8
SSB210-31G	1 15/16								5/16-24			
SSB210G	M8X1											
SSB211-32G	2	55	100	45.3	23	11.8	7.2	9.8	5/16-24	43550	29200	1
SSB211-34G	2 1/8								5/16-24			
SSB211G	2 3/16								M8X1			
SSB211-35G									5/16-24			
SSB212-36G	2 1/4	60	110	53.7	24	14.9	8	9.8	3/8-24	47800	32800	1.3
SSB212G	2 7/16								M10X1.25			
SSB212-39G									3/8-24			



◆Radial Internal Clearance Of Bearing inserts

1.Radial Internal Clearance Of Cylindrical Bore Bearings

(μm)

Nominal Bore Diameter d(mm)		Group 2		Basic Group		Group 3	
Over	Incl.	Min.	Max.	Min.	Max.	Min.	Max.
10	18	3	18	10	25	18	33
18	24	5	20	12	28	20	36
24	30	5	20	12	28	23	41
30	40	6	20	13	33	28	46
40	50	6	23	14	36	30	51
50	65	8	28	18	43	38	61
65	80	10	30	20	51	46	71
80	100	12	36	24	58	53	84
100	120	15	41	28	66	61	97
120	140	18	48	33	81	71	114

2.Radial Internal Clearance Of Tapered Bore Bearings

(μm)

Nominal Bore Diameter d(mm)		Group 2		Basic Group		Group 3	
Over	Incl.	Min.	Max.	Min.	Max.	Min.	Max.
10	18	10	25	18	33	25	45
18	24	12	28	20	36	28	48
24	30	12	28	23	41	30	53
30	40	13	33	28	46	40	64
40	50	14	36	30	51	45	73
50	65	18	43	38	61	55	90
65	80	20	51	46	71	65	105
80	100	24	58	53	84	75	120
100	120	28	66	61	97	90	140
120	140	33	81	71	114	105	160

◆Bearings Tolerances

1.Outer rings tolerance

(μm)

D(mm)		ΔDmp		Kea
Over	Incl.	High	Low	Max.
30	50	0	-11	20
50	80	0	-13	25
80	120	0	-15	35
120	150	0	-18	40
150	180	0	-25	45
180	250	0	-30	50
250	315	0	-35	60

Notes:

ΔDmp:The deviation of a single plane mean outside diameter of the outer ring.

Kea:Radial runout of assembled bearing outer ring.

2.Inner rings tolerances:

Tolerance for cylindrical bore bearing inner rings

(μm)

d(mm)		Δdmp		Vdp Max.	ΔHS		ΔBS		Kia Max.
Over	Incl.	High	Low		High	Low	High	Low	
10	18	+15	0	10	+100	-100	0	-120	12
18	30	+18	0	12	+100	-100	0	-120	15
30	50	+21	0	14	+100	-100	0	-120	18
50	80	+24	0	16	+100	-100	0	-150	22
80	120	+28	0	19	+100	-100	0	-200	28
120	180	+33	0	22	+100	-100	0	-250	35

Notes:

(1)Δdmp:Single plane mean bore diameter deviation.

(2)Kia: Radial runout of assembled bearing inner ring.

(3)ΔBs:Deviation of a single width of inner ring.

(4)ΔHs:The deviation of a single eccentric volume of inner ring or eccentric locking collar.

(5)Vdp:The deviation of a single radial plane bearing bore diameter of the inner ring.



◆Tolerance For Housings

1.Tolerances on spherical inside diameter of housing

(μm)

Nominal spherical Inside diameter (mm)		H7		J7		K7	
		Dam		Dam		Dam	
Over	Incl.	High	Low	High	Low	High	Low
30	50	+25	0	+14	-11	+7	-18
50	80	+30	0	+18	-12	+9	-21
80	120	+35	0	+22	-13	+10	-25
120	180	+40	0	+26	-14	+12	-28
180	250	+46	0	+30	-16	+13	-33
250	315	+52	0	+36	-16	+16	-36

Notes:(1) $Dam = (D_{max} + D_{min}) / 2$

Da: Spherical inside diameter of housing

(2) Dimensional tolerance for spherical Inside diameter of housing are classified into H7 clearance fit, K7 for interference fit and J7 for intermediate fit between H7 and K7.

(3) When H7 fit is applied, the self-contained bearings are equipped with locking-pins

2.Tolerances for pillow block housing center height H.

(μm)

Housings No. P, PE, PH, AK, PX, LP, PA, TB	Deviations
202-210	± 150
210-218	± 200

Notes:

H: Height of mounting surface to shaft centerline.



[illegible]

Bearings 2000 Sales Co.
4798 Mission Blvd, Unit A, Ontario CA 91762
Toll Free: +1 (877) 533-1212 Fax: (909) 593-6667

SINCE 1994

BEARINGS 2000



P:(909) 593-7848
A:4798 Mission Blvd Unit A
Ontario, CA 91762



www.Bearing2000.com